

**PHYSICAL EXTRACTION OF FLAGELLA VIA  
ULTRASONICATION FROM *BACILLUS  
SUBTILIS* 168 WITH VARIOUS  
CONTROL ELEMENTS**

**LEONG KAH YAN**

**UNIVERSITI SAINS MALAYSIA  
JUNE 2020**



**PUSAT PENGAJIAN TEKNOLOGI INDUSTRI  
UNIVERSITI SAINS MALAYSIA**

**BORANG PENYERTAAN DISERTAI MUTAKHIR  
SATU (1) NASKAH**

Nama Penyelia: Prof Madya Dr Husnul Azan Bin Tajarudin

Bahagian: Bioproses Teknologi

Saya telah menyemak semua pembetulan/pindaan yang dilaksanakan oleh  
Encik/Puan/Cik Leong Kah Yan

mengemui disertainya sebagaimana yang dipersetujui oleh Panel Pemeriksa di Viva  
Vocanya.

2. Saya ingin mengesahkan bahawa saya berpuashati dengan pembetulan/pindaan  
yang dilaksanakan oleh calon.

Sekian, terima kasih.

Prof Madya Dr Husnul Azan Bin Tajarudin  
Bahagian Bioproses Teknologi,  
Pusat Pengajian Teknologi Industri,  
Universiti Sains Malaysia,  
11800, Pulau Pinang

(Tandatangan dan cop)

17/07/2020

Tarikh



**PHYSICAL EXTRACTION OF FLAGELLA VIA  
ULTRASONICATION FROM *BACILLUS  
SUBTILIS* 168 WITH VARIOUS OF  
CONTROL ELEMENTS**

by

**LEONG KAH YAN**

A dissertation submitted in the partial fulfillment of the requirements for  
the degree of Bachelor of Technology (B.Tech) in the field of Bioprocess  
technology School of Industrial Technology  
School of Industrial technology  
Universiti Sains Malaysia

June 2020

## **DECLARATION BY AUTHOR**

This dissertation is composed of my original work, and contains no material previously published or written by another person except where due reference has been made in the text. The content of my dissertation is the result of work I have carried out since the commencement of my research project and does not include a substantial part of work that has been submitted to qualify for the award of any other degree or diploma in any university or other tertiary institution.



---

LEONG KAH YAN

JUNE 2020

## ACKNOWLEDGEMENT

First, I would like to express my sincere appreciation and gratitude to my supervisor of final year project, Professor Madya Dr Husnul Azan Tajarudin for his advice and guidance through this project. His patient in teaching me step by step helped me in this thesis. Without his dedication, this thesis would not be complete in actual time.

Besides, special thanks to Dr Lee Chee Keong for allowing me to use the sonicator without any problem. Also, I have to thank to Mrs. Rozi and Mrs. Wendy for their help and guidance. I also have to thanks Bioprocess Division lab assistants, Mr. Azmaizan bin Yaakub and Mrs. Najmah binti Hamid. They have been helped me where all of us carrying out the lab work in these two semesters.

Besides, I want to thank Professor Madya Dr Husnul's Master student, Mr. Charles for their support and guidance through my research study. Other than that, I would like to thank all the lecturers for their helpful advices and all the Master and Ph.D students that helped me before in this project.

I also must thank my fellow friends who always supported me and gave me a lot of encouragement during this research study. Last but not least, I want to thank my family for their love and support in this year.

Leong Kah Yan

June 2020

## TABLE OF CONTENT

	<b>Page</b>
<b>ACKNOWLEDGEMENT</b>	<b>iii</b>
<b>TABLE OF CONTENT</b>	<b>iv</b>
<b>LIST OF TABLES</b>	<b>vii</b>
<b>LIST OF FIGURES</b>	<b>viii</b>
<b>LIST OF SYMBOLS AND ABBREVIATIONS</b>	<b>x</b>
<b>ABSTRAK</b>	<b>xii</b>
<b>ABSTRACT</b>	<b>xiv</b>
<b>CHAPTER 1 INTRODUCTION</b>	<b>1</b>
1.1 Research Background	1
1.2 Problem Statement	3
1.2 Research Objectives	5
<b>CHAPTER 2 LITERATURE REVIEW</b>	<b>6</b>
2.1 <i>Bacillus</i> species	6
2.1.1 <i>Bacillus subtilis</i>	7
2.2 Flagella	8
2.2.1 Flagellar structure	10
2.2.2 Flagellin	11
2.2.3 Function of bacterial flagella	11
2.3 Nanotubes	12
2.4 Method extraction and purification of FliC	13
2.5 Sonication	17
2.6 Scanning Electron Microscope	17
2.7 Transmission electron Microscope	18
<b>CHAPTER 3 MATERIAL AND METHODS</b>	<b>19</b>

3.1	Overall Experimental Flowchart	19
3.2	List of Chemicals	20
3.3	Source of Bacterial Stain	20
3.4	Preparation of culture media	20
3.4.1	Nutrient agar	20
3.5	Inoculum Preparation	21
3.5.1	Bacteria Culturing	21
3.5.2	Growth curve of cell	21
3.5.3	Growth of cell	22
3.5.4	Harvesting of cell	22
3.6	Transmission Microscopy	23
3.6.1	Scanning Electron Microscopy	23
3.6.2	Energy-dispersive X-ray spectroscopy	23
3.6.3	Transmission Electron Microscopy	24
3.6.4	Light Microscopy	24
3.7	Sonication of cell	24
3.8	Purification of bacterial flagella	25
	<b>CHAPTER 4 RESULTS AND DISCUSSION</b>	<b>26</b>
4.1	Characterization and morphology of flagella and basal body from <i>Bacillus subtilis</i> 168	26
4.1.1	Light Microscopy	26
4.1.2	Scanning Electron Microscopy and Transmission Electron Microscope	27
4.1.3	Scanning Electron Microscope Energy-dispersive X-ray Spectroscopy	30
4.2	The separation process of flagella and basal body for <i>Bacillus subtilis</i> 168 <i>via</i> ultrasonic with various of control elements.	35

4.2.1	Flagellin concentration after 5 min sonication.	35
4.2.2	Flagellin concentration in <i>Bacillus subtilis</i> 168 in 15 minutes	39
4.3	Applications of flagella in electronic industry	41
4.3.1	Bacterial flagella-based bio-templates Dye-sensitized solar cell (DSSC)	41
4.3.2	Microbial fuel cell	43
4.3.3	Transparent and flexible conductive cellulose	45
4.4	Production cost of flagella from <i>Bacillus subtilis</i> 168	48
4.4.1	Price of estimated cost of physical extraction of flagella.	48
4.4.1.a	Dry weight of flagella product from <i>Bacillus subtilis</i> 168 in 1 L LB Broth	48
4.4.1.b	Capital Cost	50
4.4.1.c	Operational Cost	52
4.4.1.d	Cost of unit product	54
4.4.2	Price of carbon nanotubes in the market.	55
<b>CHAPTER 5 CONCLUSIONS AND RECOMMENDATIONS FOR FUTURE RESEARCH</b>		<b>58</b>
5.1	Conclusions	58
5.2	Recommendations for Future Research	60
<b>REFERENCES</b>		<b>61</b>
<b>APPENDICES</b>		<b>70</b>



## LIST OF TABLES

<b>Table Caption</b>	<b>Page</b>
2.1 Major type of flagella patterns	9
2.2 Methods for extraction and purification of Flagella	14
3.1 Chemicals used and their suppliers	20
3.2 Different parameters of sonication.	25
4.1 Element analysis in cell body of <i>Bacillus subtilis</i> 168	34
4.2 Element analysis of flagella of <i>Bacillus subtilis</i> 168	34
4.3 List of the cost of the equipment	51
4.4 Fixed cost (Monthly)	52
4.5 Variable cost for 100 L <i>Bacillus subtilis</i> 168 culture (daily)	53
4.6 Types of nanotubes in market for Single Walled Carbon Nanotubes	55
4.7 Types of nanotubes in market for Multi Walled Carbon Nanotubes	56

## LIST OF FIGURES

Figure Caption	Page
2.1 <i>Bacillus</i> species	7
3.1 Overall flowchart of the main steps in this research	19
4.1 <i>Bacillus subtilis</i> 168 before sonication using light microscope, ×40 magnification.	26
4.2 Structure image of <i>Bacillus subtilis</i> 168 using scanning electron microscope. Bar represents 5 µm.	28
4.3 Flagella of <i>Bacillus subtilis</i> 168 (arrow) using scanning electron microscope. Bar represents 2 µm.	28
4.4 Flagella of <i>Bacillus subtilis</i> 168 (arrow) using transmission electron microscope.	29
4.5 Cell body of <i>Bacillus subtilis</i> 168 (spectrum spot) using scanning electron microscope. × 60,000. Bar represents 2 µm.	30
4.6 Flagella of <i>Bacillus subtilis</i> 168 (spectrum spot) using scanning electron microscope. × 60,000. Bar represents 2 µm.	31
4.7 Graph of element analysis of cell body of <i>Bacillus subtilis</i> 168	33
4.8 Graph of element analysis of flagella of <i>Bacillus subtilis</i> 168	33
4.9 Graph of flagellin concentration, 215nm versus time (minutes) for 10% of sonicator output power (10%), 20% of sonicator output power (20%), 30% of sonicator output power (30%), 40% of sonicator output power (40%) in <i>Bacillus subtilis</i> 168. Each point represents mean of enzyme activity of three replicates ± SD. Two-way ANOVA (p<0.05)	36
4.10 <i>Bacillus subtilis</i> 168 after sonication 10% power output and 5 minutes sonication duration using light microscope, × 40.	37
4.11 <i>Bacillus subtilis</i> 168 after sonication 20% power output and 5 minutes sonication using light microscope, × 40.	37
4.12 <i>Bacillus subtilis</i> 168 after sonication 30% power output and 5 minutes sonication using light microscope, × 40.	38
4.13 <i>Bacillus subtilis</i> 168 after sonication 40% power output and 5 minutes sonication using light microscope, × 40.	38

4.14	Graph of flagellin concentration, 215nm versus time (minutes) for 10% of sonicator output power (10%), and 20% of sonicator output power (20%) in <i>Bacillus subtilis</i> 168. Each point represents mean of enzyme activity of three replicates $\pm$ SD. Two-way ANOVA ( $p < 0.05$ )	40
4.15	a) flagella forest (b) Schematic of the operation of the flagella templated DSSC.	42
4.16	Bacteria transfer electrons to electron acceptors. (a) Direct transfer, (b) employ metal chelators and (c) Microbial nanotubes (red line)	44
4.17	Schematic of fabrication of CNFs/AgNWs/AR composite electrode	45
4.18	The light of LDE using transparent conductive film based on CNFs/AgNWs/AR.	46
4.19	Image of CNFs/AgNWs/AR composite film	46

## LIST OF SYMBOLS AND ABBREVIATIONS

<b>Symbol</b>	<b>Caption</b>
+	Plus
-	Minus
±	Plus-Minus
%	Percentage
° C	Degree Celsius
&	And
=	Equal
>	More Than

  

<b>Abbreviation</b>	<b>Caption</b>
mL	Milliliter
L	Liter
g	Gram
Kg	Kilogram
mm	Millimeter
OD	Optical Density
NA	Nutrient Agar
NB	Nutrient Broth
rpm	Revolutions Per Minute
USA	United States of America
Na	Sodium

Cl	Chloride
C	Carbon
O	Oxygen
Mg	Magnesium
Si	Silicon
P	Phosphorus
S	Sulphur
K	Potassium
Ca	Calcium
N	Nitrogen
Zr	Zirconium
Pt	Platinum
CDW	Cell Dry Weight

**PENGEKSTRAKAN FIZIKAL FLAGELLA MELALUI PELBAGAI KAWALAN  
ELEMEN DARI *BACILLUS SUBTILIS* 168 DENGAN  
MENGUNAKAN KAEDAH ULTRASONIK**

**ABSTRAK**

*Flagella* biasanya dikenal sebagai ekor bakteria. Struktur utama protein dalam *flagella* ialah *flagellin*. Banyak penyelidik membuktikan bahawa *flagella* berpotensi menjadi biodegradasi *nanotube* yang penting dalam penyaluran ubat, elektronik atau semikonduktor. Kini, kurang penyelidikan mengenai pemisahan dan penulenan *flagella*. Dalam penyelidikan ini, morfologi *flagella* dan badan basal untuk *Bacillus subtilis* 168 dikaji dengan pengimbasan mikroskop electron dan penghantaran mikroskop elektron. Berdasarkan kajian ini didapati bahawa perbezaan antara *flagella* dan tubuh sel ialah nitrogen (N), magnesium (Mg) dan Sulfur (S) dengan spektroskopi sinar-X. Berdasarkan statistik eksperimen ini, hasil menunjukkan pengaruh yang signifikan dalam jangka masa sonikasi dan daya pengeluaran sonikator terhadap kepekatan kandungan *flagellin* selepas sonikasi. Tubuh sel *Bacillus subtilis* 168 dipecahkan bermula daripada 20% kuasa output sonikator. Kuasa pengeluaran sonikator yang paling memuaskan ialah 20% kerana tubuh sel tidak pecah dan kepekatan *flagellin* meningkat mengikut masa. Kajian lepas menunjukkan aplikasi *flagella* dalam industri elektronik dapat digunakan dalam sel solar sensitif Dye (DSSCs), *nanowire* mikrob untuk menyalurkan elektron dalam sel mikrob dan berpotensi menjadi *nanowire* dan diserap ke dalam selulosa konduktif untuk membentuk selulosa konduktif yang telus dan fleksibel. Harga untuk menghasilkan *flagella* dalam project ini ialah RM 832.20/g and lebih murah berbanding satu lapisan karbon *nanotubes*. Kesimpulannya, *flagella* mempunyai potensi besar dalam pengeluaran alat elektronik pada masa akan datang. Pengekstrakan *flagella* secara

fizikal boleh menjadi kaedah yang baik untuk menjimatkan kos dan mencegah kerosakan flagella dalam kajian lebih lanjut.

**PHYSICAL EXTRACTION OF FLAGELLA VIA ULTRASONICATION  
FROM *BACILLUS SUBTILIS* 168 WITH  
VARIOUS CONTROL ELEMENTS**

**ABSTRACT**

Flagella was commonly known as the tail of bacteria. The major structural protein of bacterial flagella is called flagellin. Flagella have a potential to become biodegradable nanotube and important for drug delivery, electronic or semiconductor. There are still lack of research about flagella separation and purification. In this research, the morphology of the flagella and basal body for *Bacillus subtilis* 168 was investigated by scanning electron microscope and transmission electron microscope. The characterization of flagella was found that difference between flagella and cell body is nitrogen (N), magnesium (Mg) and Sulphur (S) by energy-dispersive X-ray spectroscopy. Statistically designed experiment revealed significant effects of sonication duration and sonicator output power on the concentration of flagellin after sonication. The cell body of *Bacillus subtilis* 168 was started to break from 20 % sonicator output power. The 20 % sonicator output power is most suitable because the cell body was not break and the flagellin concentration increase with time increase. The applications of flagella in electronic industry through the previous studies shows flagella used in Dye-sensitized solar cell (DSSC), microbial nanowires in microbial cell and possibly become nanowires embedded to conductive cellulose to form transparent and flexible conductive cellulose. The estimation cost of production of flagella is RM832.20 per g which is cheaper than the single walled carbon nanotubes. In conclusion, flagella have a massive potential in the production of electronic device in future. Physical extraction of flagella could be a good way to save cost and prevent the damage of flagella for further study.