UNIVERSITI SAINS MALAYSIA

First Semester Examination Academic Session 2008/2009

November 2008

EAP 585/4 - Solid And Hazardous Waste Management

Duration: 3 hours

Please check that this examination paper consists of FOUR (4) pages of printed material before you begin the examination.

<u>Instructions</u>: This paper contains <u>SIX (6)</u> questions. Answer <u>FIVE (5)</u> questions only. All questions carry the same marks.

You may answer the question either in Bahasa Malaysia or English.

All questions **MUST BE** answered on a new sheet.

Write the answered question numbers on the cover sheet of the answer script.

1. (a) Described incompatible scheduled waste and on-site treatment facility using examples.

[10 marks]

(b) In the First Schedule of the Environmental Quality Scheduled Waste Regulations 2005, waste is classified into several categories. List all categories and give **TWO** (2) examples for each category.

[10 marks]

2. Waste generation study was done at 3 USM hostel. After a week of study, the result was shown in Table 1. The collection scheduled was on Tuesday and Saturday morning. If every block is provided 2.5m³ of container, container utilization factor is 0.7 and the density of waste is 150kg/m³.

Table 1: Waste Generation Study						
Hostel Name	No. Of Block	Waste Collected (Tonne)	Average Kg/cap/day	Average Kg /block/day	Number of Student	Number of container
Active	4	5.0	0.60			
Creative	3	4.5	0.55			
Innovative	5	6.5	0.75			

(a) The average amount of waste generated per block per day

[5 marks]

(b) The total number of student for every hostel

[5 marks]

(c) Calculate number of container for each hostel.

[5 marks]

(d) If Container pickup time is 0.04h/trip, container unloading time = 0.04h/trip, hauled time constants: a = 0.02 and b = 0.02h/km, at landfill site time = 0.05h/trip, calculate the total time to collect all container at the hostel?

[5 marks]

- 3. An economic analysis was done to have a transfer station shown as below:
 - Transfer Station Cost: cost to build, own, and operate transfer station, = RM4.50/tonne.
 - Direct Haul Payload: average payload of collection vehicle hauling directly to landfill = 3.50/hr-tonne.
 - Transfer Haul Payload: average payload of transfer truck hauling from transfer station to landfill, RM1.20/hr-tonne.
 - (a) Define what is break even point?

[5 marks]

(b) Based on the above data, plot the break even curve and determine the critical time to have a transfer station.

[15 marks]

- 4. What is the advantage and disadvantage of this solid treatment technique?
 - (i) Incineration
 - (ii) Composting
 - (iii) Landfilling

[12 marks]

- (a) A city with a population of 30000 people generated solid waste at a rate of $1.5 \, \text{kg/capita/day}$. If the waste could be compacted to $6000 \, \text{kg/m}^3$.
 - (i) how many acres of landfill will be needed in a year? Assuming that the ratio of solid waste to soil cover is 4:1,
 - (ii) what volume of soil cover will be needed in a year?

[8 marks]