UNIVERSITI SAINS MALAYSIA

Stamford College

First Semester Examination 2004/2005 Academic Session October 2004

External Degree Programme
Bachelor of Computer Science (Hons.)

CST101 - Computer Organization

Duration: 2 hours

INSTRUCTIONS TO CANDIDATE:

- Please ensure that this examination paper contains **FOUR** questions in **FOUR** printed pages before you start the examination.
- Answer ALL questions.
- On each page, write only your Index Number.

1. (a) State the most obvious difference between first generation and second generation computers.

(4/100)

- (b) Convert the following numbers to the radix shown against them (show your steps used to obtain the answers):
 - (i) $(253.523)_{10}$ to hexadecimal
 - (ii) (101010.101)₂ to decimal
 - (iii) $(45.75)_{10}$ to binary

(6/100)

- (c) (i) Write -85₁₀ in binary sign-magnitude, 1s complement and 2s complement forms (use 8 bits).
 - (ii) Perform the following operation in unsigned decimal number system by using the complement method:

$$(725)_{10} - (1956)_{10}$$

(8/100)

(d) Write the following number in single precision IEEE Floating point format. (Use suitable rounding technique.)

$$(-158.7125)_{10}$$

(6/100)

- 2. (a) Design a combinational circuit for a 3-bit full subtractor. You should:
 - (i) Write the truth table for the above combinational circuit.
 - (ii) Find the Boolean functions for the 3-bit full subtractor from the above truth table.
 - (iii) Find the simplified form of the expression using Karnaugh map.
 - (iv) Draw the combinational circuit for the above using exclusive-OR gate, AND gate and OR gate only.

(12/100)

- (b) (i) What is the function of flip-flops?
 - (ii) Explain the differences between combinational and sequential circuits.

(6/100)

(c) A sequential circuit has 2 D flip-flops A and B. They have two inputs x and y and one output z.

The equations of the flip-flop inputs and the circuit output are given below:

$$D_A = x'y + xA$$

$$D_B = x'B + xA$$

$$z = B$$

- (i) Draw the logic diagram of the above circuit.
- (ii) Construct the state table.

(10/100)

- 3. (a) Explain the following components:
 - (i) MBR
 - (ii) MAR

(6/100)

(b) Write programs to evaluate the following arithmetic statement using 0-address, 1-address and 2-address instructions:

$$X = A*[B*C - D]/F*(G+H)$$
(12/100)

- (c) What is the difference between the following pairs of addressing modes? Give examples and explain.
 - (i) Immediate addressing mode and absolute addressing mode.
 - (ii) Register addressing mode and indirect register addressing mode.

(6/100)

4.	(a)	Explain	the	following	terms:

- (i) SRAM
- (ii) Write through policy
- (iii) ROM

(6/100)

- (b) A cache memory of size 16K words has memory blocks of size 16 words. The main memory has a size of 32M words.
 - (i) Find the main memory address using direct mapping, associative mapping and 2-way set associative mapping techniques.
 - (ii) How many blocks are there in the main memory?
 - (iii) How many sets are there in the cache memory?

(10/100)

(c) List **two (2)** characteristics of RISC and CISC architecture. Give examples of computers that are built based on RISC and CISC architecture.

(8/100)

- oooOooo -