

**CROWD AND ACOUSTICAL MODELLING IN
DIGITAL CULTURAL HERITAGE**

LIM CHEN KIM

UNIVERSITI SAINS MALAYSIA

2014

**CROWD AND ACOUSTICAL MODELLING IN
DIGITAL CULTURAL HERITAGE**

by

LIM CHEN KIM

**Thesis submitted in fulfilment of the requirements
for the degree of
Doctor of Philosophy**

September 2014

ACKNOWLEDGEMENTS

I would like to express my deepest gratitude to my supervisor Prof. Abdullah Zawawi for the engagement throughout this thesis. Furthermore I would like to thank my family and friends, who have supported me throughout entire process. I would like to show my greatest appreciation to Prof. Marie-Paule Cani and Prof. Julien Pettre for supervising me during my stay in Universite Joseph Fourier (UJF), France. I can't say thank you enough for their tremendous support and help. Thanks to all supportive colleagues both in Imagine Team at Inria Grenoble and Inria Rennes. Thanks to CHROME European Research Council (ERC) Expressive Grants. Thanks to Quentin Galvane for his contribution in camera control for smoother demonstration recordings and Laura Paiardini for helping out with the modelling of human characters. Lastly, I would like to acknowledge any party or organisation that has provided me some useful datas and not forgetting the funding that is used to support this research.

The financial sponsors consist of Graduate Assistant Scheme for the first two semesters and followed by the Research University Grant (U0829). I am also grateful to Dr. Mathieu Geurin, Dr. Maxime Feraille and Xavier Flamand from the French Embassy, Malaysia who have given me the opportunity to carry out my research attachment in Laboratoire Jean Kuntzmann, France. Thanks to the scholarship (762439E) provided by Ministry of Foreign Affairs, France for supporting my expenses in France for a year and half. My debt of thanks to Alliance Francaise, Penang for the administrative supports. Special thanks to Paul Kry, McGill University and Chris Wotjan, IST Austria for revisiting my work and for their constructive and generous feedbacks for simulation improvement.

Throughout this bittersweet PhD journey, I get to visit the East Anglia University (EAU) in Britian and get exposed to the crowd simulation area. Thanks to Prof. Andy Day. At the same time, thanks to my senior Bazli for introducing Donald, the Manager from Rhythm and Hues, Kuala Lumpur for showing me the simulation of many well-known masterpieces. These expo-

sure are important that has cultivated my deep interest in this area today. For the data related to this simulation, special acknowledgement to Penang Heritage Trust (PHT), National Textile Museum Malaysia, Pn. Noraini Basri from Department of Museum Malaysia and Sarjan Ahmad Azman bin Ghazali who is the Director of Jabatan Ukur dan Pemetaan Negara (JUPEM). For documentation, I would never forget to express my gratitude to Ms. Lim Lian Tze for teaching me many tricks in Latex.

TABLE OF CONTENTS

Acknowledgements.....	ii
Table of Contents.....	iv
List of Tables.....	xi
List of Figures.....	xiii
List of Abbreviations.....	xxiii
List of Symbols.....	xxvii
Abstrak.....	xxviii
Abstract.....	xxx
CHAPTER 1 – INTRODUCTION	
1.1 Digital Cultural Heritage.....	3
1.2 Cultural Heritage Sites.....	4
1.3 Panoramic View.....	5
1.4 Acoustical Heritage.....	6
1.5 Crowd Modelling and Simulation.....	7
1.6 Motivation.....	10
1.7 Problem Statement.....	10
1.8 Research Questions.....	13
1.9 Objectives.....	14
1.10 Contributions.....	15
1.11 Scope and Limitations of the Research.....	15
1.12 Benefits of the Research.....	16
1.13 Research Approach.....	17
1.14 Organisation of the Thesis.....	18
CHAPTER 2 – LITERATURE REVIEW	
2.1 Panoramic View.....	20

2.1.1	Discussion on Panoramic View	22
2.2	Acoustical Heritage	24
2.2.1	Acoustical Heritage in General	24
2.2.2	Applications with Acoustical Consideration	28
2.2.3	Discussion on Acoustical Heritage	32
2.3	Crowd Modelling and Simulation	35
2.3.1	Crowd Modelling and Simulation in General	35
2.3.2	Crowd in Virtual Heritage	40
2.3.3	Crowd Behaviour	41
2.3.4	Crowd Movement and Animation	46
2.3.5	Crowd Rendering	51
2.3.6	Crowd Evaluation	53
2.3.7	Discussion on Crowd Modelling and Simulation	55
2.4	Chapter Summary	59
CHAPTER 3 – METHODOLOGY		
3.1	Functional Overview	61
3.2	Data Collected and Gathered	63
3.3	Bringing the Present Life: Environment Setting and System Requirements	64
3.4	Bringing the Past Life: Environment Setting and System Requirements	65
3.5	Assessment Methods	67
3.6	Concluding Remarks	71
3.7	Chapter Summary	72
CHAPTER 4 – BRINGING PRESENT LIFE INTO DIGITAL CULTURAL HERITAGE		
4.1	A Scheme for Efficient and Rapid Generation of Panoramic Views on Mobile Platform	73
4.1.1	Setting Up The Camera	74

4.1.2	Rendering of Individual Images of Cylindrical Panoramic View	76
4.1.3	Editing of Images	77
4.1.4	Stitching of Images to Generate Cylindrical Panoramic View	78
4.1.5	Adding Descriptions to Panoramic View of the Heritage Sites	78
4.2	An Acoustical Modulation Model for 360° Panoramic View.....	81
4.2.1	360° Panoramic Image Constants.....	81
4.2.2	Overview of the Acoustical Relationship.....	83
4.2.2(a)	The Environment: 360° Panoramic Views of Heritage Sites ...	84
4.2.2(b)	Collection of Sound Sources	85
4.2.2(c)	The Components of the Acoustical Model	87
4.2.2(d)	Aim and Target Users	88
4.2.3	The Physics of Sound Characteristics	89
4.2.4	The Background Properties of Panoramic View on iPhone Operating System (iOS) Platform	90
4.2.5	The Prototype of the Implementation.....	92
4.2.6	Simulation Run of the Proposed Model	96
4.2.7	Distance-based Acoustical Modulations.....	99
4.3	Crowd Modelling in 360° Panoramic View	100
4.3.1	Application of Boid Algorithm	101
4.3.1(a)	Repulsive Forces.....	103
4.3.1(b)	Application of Dot Product and Cross Product	105
4.3.1(c)	Dot Product	106
4.3.1(d)	Cross Product	107
4.3.2	Agent Parameters	108
4.3.3	Modelling Crowd in 2D within the Panoramic View	109
4.3.4	Terrain Setting	116
4.3.4(a)	Intersection Point	117
4.3.4(b)	Closest Point	119

4.3.5	The Concept of Physically-based Modelling	120
4.4	Chapter Summary	124
CHAPTER 5 – BRINGING PAST LIFE INTO DIGITAL CULTURAL HERITAGE		
5.1	Setting Up the Virtual Environment	125
5.1.1	Reconstruction of Virtual Environment	126
5.1.2	The Art of Narration of the Main Populations	127
5.1.3	The Ship as a Particle.....	130
5.1.4	Crowd as Autonomous Agents.....	131
5.1.4(a)	Seeking, Fleeing and Arriving Behaviours	132
5.1.4(b)	Alignment, Cohesion and Separation Behaviours	134
5.1.4(c)	Obstacle Avoidance Behaviour	135
5.1.4(d)	Containment Behaviour	137
5.1.4(e)	Following Wall Behaviour	137
5.1.4(f)	Path-Following Behaviour	138
5.1.4(g)	Leader-Following Behaviour.....	138
5.1.4(h)	Queuing Behaviour	139
5.1.4(i)	Wandering Behaviour	140
5.1.4(j)	Local Neighbourhood	140
5.1.4(k)	Computation of Global Force	141
5.1.4(l)	Speed Limitation.....	142
5.1.5	Human Template.....	143
5.1.6	Animation Algorithm.....	145
5.2	Heterogeneous Crowd Simulation Method	148
5.2.1	An Overview of the Proposed Simulation Method.....	148
5.2.2	Formalisation of Algorithm for Each Behaviour	151
5.2.3	Heterogeneous Crowd Population	159
5.2.3(a)	Boats Behaviour	161

5.2.3(b)	Indian Behaviour	161
5.2.3(c)	Malay Behaviour	162
5.2.3(d)	English Behaviour	162
5.2.3(e)	Chinese Behaviour.....	163
5.3	Higher Level Controller Scheme.....	163
5.3.1	Parameter Adaptations	165
5.4	Hierarchical State Machine.....	166
5.4.1	Event-Driven Switches	169
5.4.1(a)	Boat-Indian Coolies Interaction.....	170
5.4.1(b)	Indians Coolies-Malay Vendors Interaction	171
5.4.1(c)	Malay Vendors-English Colonists Interaction.....	171
5.4.1(d)	Chinese Traders-Boat Interaction	172
5.4.2	Transition Models	172
5.5	Group Formation Model.....	174
5.5.1	Sample Code for Leader-Following and Queuing Behaviours	174
5.5.2	Searching For Nearest Way-point.....	176
5.5.3	Smooth Turning.....	178
5.6	Optimising the Simulation.....	179
5.6.1	Computation of Steering Forces	180
5.6.2	Capturing the Behaviour	180
5.7	Chapter Summary	182
CHAPTER 6 – RESULTS AND DISCUSSION		
6.1	Comparative Evaluation of the Schemes for Generating Panoramic View.....	184
6.2	Validation and Evaluation of Acoustical Heritage Model.....	187
6.2.1	Validation of the Accuracy of the Model	187
6.2.2	Validation of the Effectiveness of the Model	188
6.2.2(a)	Modulation of Audio Surrounding.....	188

6.2.2(b)	Modulation of Loudness	191
6.2.2(c)	Modulation of Frequency, Pitch and Speed	191
6.2.2(d)	Discussion.....	192
6.2.3	User-centred Evaluation of the Psychoacoustic Effects	193
6.3	Validation of the Crowd Model in Panoramic View Using Scenario-based Visual Observation	197
6.4	Evaluation of Heterogeneous Crowd Simulation using Scenario-based Visual Observations	199
6.5	Evaluation of the Scheme for Higher-level Control through Accomplishments of Way-points	203
6.6	Validation of Hierarchical State-machine using Goal-oriented through Decision Makings	206
6.7	Evaluation of Group Formation Model Using Scenario-based Visual Observations	210
6.8	Chapter Summary.....	214
CHAPTER 7 – CONCLUSION AND FUTURE WORK		
7.1	Conclusion	215
7.2	Future Work	220
7.2.1	Bringing Present Life into Digital Cultural Heritage	220
7.2.2	Bringing Past Life into Digital Cultural Heritage.....	221
References	223
APPENDICES	231
APPENDIX A – DATA USED FOR VIRTUAL ENVIRONMENT	232
APPENDIX B – DATA USED FOR VIRTUAL CHARACTER	235
APPENDIX C – THE ACTUAL MAP	240
APPENDIX D – UML DIAGRAMS	241
APPENDIX E – LIST OF IMPORTANT FORMULAS	247
APPENDIX F – LIST OF DEMONSTRATION VIDEOS	249

APPENDIX G – QUESTIONNAIRE 250

List of Publications 253

LIST OF TABLES

		Page
Table 2.1	Summary of Acoustical Heritage	33
Table 2.2	Applications of Acoustical Elements in Mobile Devices	34
Table 2.3	Types of Microscopic Crowd Simulation	56
Table 4.1	Combining the Aperture and the Shutter Speed that Resulted in the Same Exposure.	75
Table 4.2	Pre-defined Constants	82
Table 5.1	Sequence of Goals for the Malay Group.	127
Table 5.2	Sequence of Goals for the Indian Group.	128
Table 5.3	Sequence of Goals for the English Group.	129
Table 5.4	Sequence of Goals for the Chinese Group.	130
Table 5.5	Example of Scenario between Indian and Malay Crowd Events	167
Table 6.1	Comparison of Various Image-Stitching Tools.	185
Table 6.2	General Outputs of Manipulations of Audio Recordings	193
Table 6.3	Simple Validation Scenarios - Indian and Malay Groups: For Testing the Very Basic and Fundamental Abilities of Steering Behaviours of Heterogeneous Crowd.	200
Table 6.4	Simple Validation Scenario - English Group: For Testing the Very Basic and Fundamental Abilities of Steering Behaviours of Heterogeneous Crowd.	200
Table 6.5	Simple Validation Scenarios - Chinese Group: For Testing the Very Basic and Fundamental Abilities of Steering Behaviours of Heterogeneous Crowd.	201
Table 6.6	Basic One-on-one Interactions: For Testing the Ability of Two Homogeneous Agents to be able to Interact while Steering to Avoid Static and Dynamic Obstacles.	202
Table 6.7	Indications of Various Way-points for the Accomplishment of Specific Goals	204

Table 6.8	Agent-agent Interactions - Goods Uploading and Goods Downloading: For Testing the Ability of an Agent in Achieving Their Designated Goals while Avoiding the Obstacles and Navigating the Possible Routes.	204
Table 6.9	Agent-agent Interactions - Fort Arrival and Prison Arrival. These Scenarios Test the Ability of an Agent in Achieving Their Designated Goals while Avoiding the Obstacles and Navigating the Possible Routes.	205
Table 6.10	Agent-agent Interactions - Re-appearing and Supervising: For Testing the Ability of an Agent in Achieving Their Designated Goals while Avoiding the Obstacles and Navigating the Possible Routes.	206
Table 6.11	Group Interactions. Group Formations that are Composed of Several Agents from Different Hierarchy Levels and Group of Populations.	212
Table 6.12	Large Scale Scenarios. These Scenarios are Used to Predict and Test the Reasonable Number of Agents Handling Macroscopic Situation.	213

LIST OF FIGURES

		Page
Figure 1.1	Representations for Panoramas (a) spherical (b) cubical (c) cylindrical.	6
Figure 1.2	Planar Image of a Cylindrical Panoramic Image.	6
Figure 2.1	Normal Photo of Kapitan Keling Mosque.	24
Figure 2.2	Cylindrical Panorama of Kapitan Keling Mosque.	24
Figure 2.3	Hagia Sophia Ottoman Mosque	25
Figure 2.4	The ODEON Model	26
Figure 2.5	Wave Shape of the Anechoic and Auralised Excerpt with the Two Different Impulse Responses	27
Figure 2.6	Performers During the Anechoic Recordings of Antic Music Samples	27
Figure 2.7	ILD, ITD and HTRF	29
Figure 2.8	Mediator Model Builder	30
Figure 2.9	Screenshot of the Application in Playback Mode	31
Figure 2.10	Panorama Vision at Osaka Castle Museum	32
Figure 2.11	Fighting with Enemies	36
Figure 2.12	a) Pedestrian Simulation. b) Ancient Battle Scenario	37
Figure 2.13	The Spatial Data Structure is Queried by First Reading the Bin Load (n) from the Colour Buffer and then Loading n Agent IDs from the Depth Texture Array	38
Figure 2.14	Grid Texture	38
Figure 2.15	Standardized UV Unwrap Process at Various Stages: (a) Skeleton Limb Identification, (b) Triangles around Limb Joints, (c) Points of Highest Joint Curvature with Normal of Cut Plane, (d) Seams Separating Limbs	39
Figure 2.16	The Difference Virtual Walkthrough Executed between (a) with and (b) without Range Detection Technique to Improve View Frustum Culling	40
Figure 2.17	Crowd Enters the Sokullu Mosque	41
Figure 2.18	Path Following	42

Figure 2.19	Getting Lost Behaviour	45
Figure 2.20	Crowds with Accessories	47
Figure 2.21	Comparison of Agents with Different Inner States	47
Figure 2.22	Simulation of the Entrance with Railings	48
Figure 2.23	Snapshots of Crowds with (a) Low and (b) High Demand Levels and Different Group Size Distributions	50
Figure 2.24	Crowds Influenced by Both Repulsion and Attraction Forces among Them	51
Figure 2.25	Detail of Spacemap Showing the Virtual Human Bounding Box Placement and the Inaccessible Sample Points Surrounding a Scene Polygon	52
Figure 2.26	Real-time Rendering of a Village Populated with 10000 Agents	53
Figure 2.27	Timeline on Previous Work for Crowd Simulation that Concerns on Collision Avoidance	54
Figure 2.28	A Few Examples from the Evaluation of a Crowd Simulation Using a Sparse Crowd Video Input and the Density Measure. The Short-Term Decisions that did not Find an Appropriate Match in the Database is Marked in Red	55
Figure 3.1	Proposed Methodology.	63
Figure 3.2	Some Examples of the Heritage Sites in the Core Heritage Zone of George Town. (a) 1926 Heritage Hotel (b) Acheen Street Mosque (c) Penang Road (d) Cheong Fatt Tze Mansion (e) E & O Hotel (f) Penang Harbour Lighthouse at Fort Cornwallis (g) Penang General Hospital (h) Kapitan Keling Mosque.	64
Figure 3.3	The Virtual Environment of Weld Quay.	66
Figure 3.4	Overall Assessment Methods.	71
Figure 4.1	Proposed Scheme of Generating 360° Cylindrical Panoramic View.	74
Figure 4.2	Images from Khoo Kongsi.	76
Figure 4.3	Camera Viewpoints with an Interval of Approximately 40°.	76
Figure 4.4	Image from Khoo Kongsi (a) Exposed (b) with Adjusted Brightness.	77
Figure 4.5	Example of a Clearer 360° Panoramic View of Khoo Kongsi.	78
Figure 4.6	Complete Set of Images Captured from Khoo Kongsi for Panoramic View.	79

Figure 4.7	Sample of Cylindrical Panorama before Cropping.	79
Figure 4.8	Example of a 360° Cylindrical Panoramic View.	79
Figure 4.9	Sequence of Descriptions Available Within the 360° Cylindrical Panoramic View (a) Choices of Heritage Sites (b) Choices of Views of the Heritage Sites with its Descriptions (c) An Example of 360° Panoramic Main View of Fort Cornwallis (d) Retrieval of the Historical Information of a Heritage Site.	80
Figure 4.10	Example of Different Views Available in Fort Cornwallis Heritage Sites. (a) Main View (b) Lighthouse View (c) Cannon View (d) Fraancis Light Statue View (e) Cell View	80
Figure 4.11	Overview of Image Constants and the Indication of the Starting Position.	82
Figure 4.12	360° Cylindrical Panoramic View with Sequence of Five Distinct Sound Zones and Their Corresponding Sequence of Recordings of Sound Effects.	83
Figure 4.13	The Mediating Relationship of the Psychoacoustic Heritage through Mobile Platform.	84
Figure 4.14	Example of 360° Panoramic Main View of City Hall Scrolled to the Left.	85
Figure 4.15	Example of 360° Panoramic Main View of City Hall Scrolled to the Right.	85
Figure 4.16	Pre-processing Stages of the Collection of Sound Sources.	86
Figure 4.17	The Components of the Acoustical Model.	88
Figure 4.18	The Representation of X and Y Axes.	89
Figure 4.19	Proposed Overall Coordinate System of the Sliding Frame in iPhone 4 Display Screen.	90
Figure 4.20	Estimation of The Percentage of Loudnesss Based on the Middle Point of the Sound Zone along (a) x-axis and (b) y-axis.	91
Figure 4.21	Overlapping of the Sound Zones and Transformation of Pitch and Loudness through Finger Recognition of the Position Marker.	92
Figure 4.22	Screen Shot of the Prototype While Being Scrolled.	92
Figure 4.23	Pseudo-code of the Conditions to Overlapping Zone.	95
Figure 4.24	Pseudo-code of the Modulation of Drastic Playback.	96
Figure 4.25	System Overview of Sound Manipulation Model.	97
Figure 4.26	Modification Model (a) Sea Wave (b) Old Cannon Sound Zones.	98

Figure 4.27	Illustration of the Determination of the Coordinate of Town Hall.	100
Figure 4.28	Normalisation of A Vector.	102
Figure 4.29	Algorithm of <i>Idle Callback</i>	102
Figure 4.30	Algorithm of Time Dependent Animation	103
Figure 4.31	Algorithm of Reformalisation of Time Dependent Animation.	103
Figure 4.32	Repulsion on Vertical Wall.	104
Figure 4.33	Repulsion on Horizontal Wall.	104
Figure 4.34	Illustration of Repulsive Forces.	105
Figure 4.35	New Vector Resulting from Cross Product.	105
Figure 4.36	Horizontal Length.	106
Figure 4.37	Vertical Length.	107
Figure 4.38	New Hypothenus Vector Resulting from Vertical and Horizontal Lengths.	107
Figure 4.39	Checking Collinearity by Using Cross Product.	108
Figure 4.40	Two Parallel Vectors.	108
Figure 4.41	UML Diagram of the Implementation in 2D Environment Using OpenGL.	110
Figure 4.42	Algorithm at Main.cpp.	110
Figure 4.43	Algorithm at World.cpp.	111
Figure 4.44	Algorithm at Flock.cpp.	111
Figure 4.45	Algorithm at Particle.cpp.	112
Figure 4.46	Algorithm at Obstacle.cpp.	112
Figure 4.47	Algorithm at Polygon.cpp.	113
Figure 4.48	Algorithm at Wall.cpp.	114
Figure 4.49	An Illustration of the Particle Hitting the Wall.	114
Figure 4.50	Algorithm to Avoid Wall Obstacle.	114
Figure 4.51	Collision Detection and Avoidance between Two Rounded Objects.	115
Figure 4.52	Algorithm at Rocks.cpp.	115

Figure 4.53	Horizontal Checking.	116
Figure 4.54	Vertical Checking.	116
Figure 4.55	Algorithm for Horizontal and Vertical Checkings.	117
Figure 4.56	Representation of Bounding Box in 360° Panoramic View (a) The Stitched Panorama (b) The Cylindrical Panoramic View (c) Dynamic Crowd in 360° Panoramic View based on Azimuthal Zone.	117
Figure 4.57	Illustration of Intersection Point.	117
Figure 4.58	Algorithm for Intersection Point.	118
Figure 4.59	The Relation between the Distance from the Wall and the Force Applied.	118
Figure 4.60	Example of Applications of Intersection and Closest Points on the Wall.	119
Figure 4.61	Illustration of Closest Point.	119
Figure 4.62	Algorithm for Closest Point.	119
Figure 4.63	The Normal when the Particle is On the Wall.	120
Figure 4.64	Illustration of the Reflection Vector.	121
Figure 4.65	Illustration of the Normal and Direction.	121
Figure 4.66	Scalar with Direction and Normal.	122
Figure 4.67	Illustration of Computing New Velocity.	123
Figure 4.68	Algorithm Used for the Inter-rejection.	124
Figure 4.69	Illustration of Radius of Influence.	124
Figure 5.1	Illustration of (a) the Actual Environment and (b) the Corresponding Virtual Environment.	126
Figure 5.2	Algorithm for the Simulation of Ships with its Conditions.	131
Figure 5.3	Illustration of (a) Actual Steam Ship and (b) Simulated and Animated in Virtual Environment as a Big Particle.	132
Figure 5.4	Algorithm for Seeking Behaviour.	133
Figure 5.5	Illustration of the Computation of Steering Force.	133
Figure 5.6	Illustration of the Fleeing Force.	134
Figure 5.7	Illustration of the Arrival Force.	134

Figure 5.8	Illustration of Obstacle Avoidance of the Virtual Agent (blue) with a Rounded Obstacle (yellow).	136
Figure 5.9	Illustration of the Virtual Agent (blue) Colliding with a Wall (yellow).	136
Figure 5.10	Illustration of Leader Following Behaviour.	139
Figure 5.11	Illustration of Summation of Arrival and Lateral Forces.	139
Figure 5.12	Illustration of Wander.	140
Figure 5.13	Perceptual Field of View.	141
Figure 5.14	Computational Forces through Monte Carlo Method	142
Figure 5.15	Algorithm for Clamping the Force.	142
Figure 5.16	Illustrations of (a) the Virtual Agent (white) Colliding with Rounded Obstacles (yellow) in OpenGL, (b) Simulation of Virtual Agents in Unity 3D and (c) Porting the Circles to be Virtual Characters in Unity 3D.	144
Figure 5.17	Different Ethnic Groups Represented in the Simulation. Note the Difference in Types of Traditional Clothes.	146
Figure 5.18	Base and Sub Classes of Flock Manager.	149
Figure 5.19	Base and Sub Classes of Each Flocking Agent.	149
Figure 5.20	Connection of the Camera Follow and Control.	150
Figure 5.21	Connection of A Fleet of Boats.	150
Figure 5.22	Base and Sub Classes of Obstacles.	151
Figure 5.23	Algorithm for Wandering Behaviour	152
Figure 5.24	Algorithm for Seeking Behaviour	153
Figure 5.25	Algorithm for Fleeing Behaviour	154
Figure 5.26	Algorithm for Arriving Behaviour	154
Figure 5.27	Algorithm for Alignment Behaviour	155
Figure 5.28	Algorithm for Cohesion Behaviour	155
Figure 5.29	Algorithm for Separation Behaviour	156
Figure 5.30	Algorithm for Steering Away from the Obstacle with Closet Point	156
Figure 5.31	An Illustration of A Particle Entering the Obstacle Boundary.	157
Figure 5.32	An Illustration of A Particle Searching for the Closet Point.	157

Figure 5.33	Algorithm for Steering Away from the Obstacle with Dot Product	157
Figure 5.34	Illustration of Dot Product Between Vectors of Two Positions Projected onto the Normal. Note that ‘d’ is the same length as ‘d1’	157
Figure 5.35	Algorithm for Obstacle Avoidance	158
Figure 5.36	Algorithm to Determine the Containment Force	158
Figure 5.37	Obstacle Radius for the Containment Force.	158
Figure 5.38	Algorithm for Containment Behaviour	159
Figure 5.39	Algorithm for Following Wall Behaviour	160
Figure 5.40	Controller of Flock Manager Chinese.	164
Figure 5.41	Example of Parameter Adaptations by Boat Sailing.	166
Figure 5.42	State-Machine Driven Model for Trading Interactions between Populations.	168
Figure 5.43	Example of Interacting Populations based on Event-driven Switches of State.	170
Figure 5.44	Transition of Elementary Motions.	170
Figure 5.45	Algorithm for the Overall Crowd Scene	173
Figure 5.46	Algorithm for the English Group	173
Figure 5.47	Algorithm for the Malay Group	173
Figure 5.48	Algorithm for the Chinese Group	173
Figure 5.49	Algorithm for the Indian Group	174
Figure 5.50	Algorithm for Leader-Following	175
Figure 5.51	Algorithm for Queuing Behaviour	176
Figure 5.52	Algorithm for Path-Following Behaviour	176
Figure 5.53	Algorithm for Determining the Nearest Way-point	177
Figure 5.54	Flockers Search for Nearest Way-point.	177
Figure 5.55	Algorithm for Handling Way-point	178
Figure 5.56	Way-points Setup For Smooth Turning. (a) Static Manoeuvring (b) Skipping Lookahead Way-point and Moving to Next Way-point (c) Angle-based Steering Prediction (d) Conversion from Angled Turning in Unity3D. Note that (c) and (d) shows that 135° is equivalent to -0.2 in Unity3D	179

Figure 5.57	Algorithm for Smooth Manoeuver	179
Figure 5.58	Algorithm for Computing the Steering Forces.	181
Figure 5.59	Algorithm for Capturing the Changes of Behaviour.	182
Figure 6.1	Results of (a) Single Tapping (b) Double Tapping and (c) Scrolling.	187
Figure 6.2	Results of the Modulation of Audio Surroundings along the X-axis Using Scrolling Gesture.	189
Figure 6.3	Results of the Modulation of Loudness along the Y-axis Using Single Tap Gesture.	189
Figure 6.4	Results of the Modulation of Loudness along the X-axis Using Single Tap Gesture.	190
Figure 6.5	Results of the Modulation of Frequency and Pitch along the X-axis Using Double Tap Gesture. Note that the Frequency is Two Times the Pitch.	190
Figure 6.6	Results of the Modulation of Speed Based on Acceleration Rate along the X-axis Using Scrolling Gesture.	190
Figure 6.7	Results of the Modulation of Loudness Based on Distance from Town Hall along the X-axis.	192
Figure 6.8	Modelling of 200 Virtual Agents is Represented by Particles that Move Randomly under Proxy-based Collision Avoidance Algorithm in 360° Panoramic View. (a) Without Panoramic Azimuthal Zones, (b) and (c) with Different Panoramic Azimuthal Zones.	197
Figure 6.9	A Series of Non-equidistant Frames from the Azimuthal Zones Used for the Modelling of Dynamic Crowd. The Panoramic View is 2D Images and the Crowd were Made Like 3D to Aid the Dynamicity of the Movement and thus their Apparent Overlapping Does Not Necessary Imply a Collision.	198
Figure 6.10	Crowd Events of the Malays Group.	207
Figure 6.11	Crowd Events of Indians Group.	208
Figure 6.12	Crowd Events of English Group.	208
Figure 6.13	Crowd Events of Chinese Group.	209
Figure 6.14	Decision Making of Will to Steal.	211
Figure A.1	Nr. 1. Shipping Tobacco by Norddeutscher Lloyd, Penang.	232
Figure A.2	No. 68. Weld Quay, Penang in 1907.	232

Figure A.3	Airview of Weld Quay, Penang.	232
Figure A.4	The Pier of Weld Quay, Penang.	233
Figure A.5	Penang Weld Quay.	233
Figure A.6	Pier Owned by Penang.	233
Figure A.7	No. 17. Landing Place, Penang.	233
Figure A.8	No. 56. Postcard of Weld Quay, Penang.	233
Figure A.9	Transportation Used along Weld Quay.	234
Figure A.10	Penang Heritage Jetty.	234
Figure A.11	Penang Clan Jetty.	234
Figure A.12	Steamship in 1800s.	234
Figure A.13	Did You Know? A Fully Loaded Supertanker Travelling at Normal Speed Takes a Least Twenty Minutes to Stop.	234
Figure B.1	The Malay Faces.	235
Figure B.2	The Malay's Sarong.	235
Figure B.3	Malay Rulers.	236
Figure B.4	Malay Women 1826.	236
Figure B.5	Indian Muslim Forefathers Established a Trading Community in George Town in the Mid 18th Century.	236
Figure B.6	Indian Coolies in the Mid 18th Century.	236
Figure B.7	Sir Frederick Weld and his Family.	237
Figure B.8	Sir Francis Light and his Subordinates.	237
Figure B.9	Sir Frank Swettenham by John Singer Sargent 1904.	238
Figure B.10	Chinese Merchants Drinking Tea.	238
Figure B.11	Chinese Businessman and a Malayan Woman in Traditional Attire in the 1800s.	238
Figure B.12	Southern Chinese Workman and Businessman in their Traditional Attires in the 1800s.	239
Figure B.13	Between 1882 and 1924, the only Chinese Women who Were Allowed Entry to the United States Were Merchants Wives.	239

Figure C.1	Map of K4 and K221 (SYIT Piawai 11-B-II) of Weld Quay prepared on 8/12/2010 by JUPEM and obtained on 15/05/2013.	240
Figure D.1	The Association of General Manager with Flock Manager and Flocking Classes.	241
Figure D.2	Manager of Ethnic Group and its Inheritance Manager Classes.	242
Figure D.3	Manager of Each Individual Agent and its Inheritance Manager Classes.	243
Figure D.4	Inheritance Classes of Each Individual Agent Based on Ethnic Group.	244
Figure D.5	Manager and Animation Classes of the Boat, the Link between the Interface and Camera Classes and the Relations with the Steering and Way-point Classes.	245
Figure D.6	Obstacles and its Inheritance Classes.	246

LIST OF ABBREVIATIONS

2D	Two Dimensional
3D	Three Dimensional
AERO	Adaptive Elastic Roadmaps
AI	Artificial Intelligence
%ALCons	Percentage Articulation Loss of Consonants
App	Application
CAHRISMA	Conservation of the Acoustical Heritage by the Revival and Identification of Sinan's Mosque's Acoustics
CG	Computer Graphics
CPU	Central Processing Unit
DSLR	Digital Single Lens Reflex
DTM	Digital Terrain Model
EA	Experimental Analysis
EAU	East Anglia University
ERATO	Identification, Evaluation and Revival of the Acoustical Heritage of Ancient Theatres and Odea
ERC	European Research Council
FIFO	First In First Out
FMM	Fuzzy Mathematical Model

FoV	Field of View
FSM	Finite State Machine
GPU	Graphics Processing Unit
GS	Geometry Shaders
GUI	Graphical User Interface
HBRs	Human Behavior Representations
HRTFs	Head Related Transfer Functions
HSV	Hue Saturation Value
IBR	Image Based Rendering
IDE	Integrated Development Environment
IK	Inverse Kinematics
ILD	Interaural Level Differences
iOS	iPhone Operating System
Is	Incentive Value of Success
ISO	International Organisation for Standardisation
ITD	Interaural Time Differences
JFIF	JPEG File Interchange Format
JPEG	Joint Photographic Experts Group
JUPEM	Jabatan Ukur dan Pemetaan Negara
LOD	Level of Details

MLSSA	Maximum Length Sequence System Analyser
MMS	Multimedia Messaging Service
MOV	Movie
Ms	Motivation's Intensity of The Agent who Wants to Win Success
MVC	Model-View-Control
ODEON	Oscar Deutsch Entertains Our Nation
PHT	Penang Heritage Trust
PNG	Portable Network Graphics
Ps	Possibility of the Successful Completion of Task
QTVR	QuickTime Virtual Reality
RDT	Range Detection Technique
RGB	Red Green Blue
ROI	Regions of Interest
ROV	Recursive Speed Obstacles
Rt	Reverberation Time
RTS	Reactive Taboo Search
RVO	Reciprocal Velocity Obstacles
SDK	Software Development Kit
SMIL	Synchronised Multimedia Integration Language
SPL	Sound Pressure Level

STI	Speech Transmission Index
TDW	Tiled Display Wall
TIN	Triangulated Irregular Network
Ts	Success of Target Tendency
UJF	Universite Joseph Fourier
UNESCO	United Nations Educational, Scientific and Cultural Organisation
UX	User Experience
VGH	Viking Ghost Hunt
VHD++	Very High Definition
VR	Virtual Reality
XML	Extensible Markup Language

LIST OF SYMBOLS

α alpha

$^{\circ}$ degree

δ delta

lim limit

π pi

Σ summation of all

θ angle in radians

PEMODELAN KUMPULAN RAMAI DAN AKUSTIK DALAM WARISAN BUDAYA DIGITAL

ABSTRAK

Istilah warisan secara meluas merujuk kepada kajian kegiatan manusia pada masa lampau dan pengkisahan budayanya dan memayakan warisan bermaksud merealisasikan kandungan warisan secara digital. Apabila mencuba untuk memahami sesebuah tapak warisan budaya, cabaran yang wujud termasuklah pengguna merasakan bahawa mereka tidak mampu untuk menghubungkan kait ke masa lampau dan menghayati keadaan masa kini kerana maklumat sejarah sesebuah tapak warisan biasanya tidak mencukupi. Oleh itu, objektif utama penyelidikan ini adalah untuk membawa kehidupan ke dalam warisan budaya digital dan ini memerlukan penggabungan audio dan maklumat visual sekeliling, dan orang ramai pada masa kini dan juga pada masa lampau. Dalam penyelidikan ini, membawa kehidupan kini yang merangkumi kumpulan ramai dan audio sekeliling dalam pemandangan panorama, dan membawa kehidupan lampau yang merangkumi tingkah laku sosial kumpulan ramai heterogen yang berlaku di sebuah pelabuhan perdagangan lama. Bagi pembinaan pemandangan panorama, kajian ini mencadangkan sebuah skim yang cepat dan cekap untuk menjana panorama pada platform bergerak. Kaedah ini menyimpan imej yang terhad dalam tatasusunan untuk menjana pemandangan panorama 360° dari pelbagai sudut yang berbeza dari sesebuah tapak warisan. Selain itu, model warisan akustik digabungkan ke dalam pemandangan panorama 360° pada platform mudah alih sebagai salah satu unsur untuk membawa kehidupan masa kini ke dalam warisan budaya digital. Model yang dicadangkan termasuklah modulasi ciri-ciri bunyi dalam zon azimuth pelbagai panorama yang seimbang melalui interaksi pelbagai gerak isyarat pengguna. Pemodelan kumpulan ramai dalam pandangan panorama merupakan percubaan pertama dalam menambah maklumat

tambahan iaitu kumpulan ramai dalam tapak warisan di dalam pemandangan panoroma. Akhir sekali, untuk membawa kehidupan lampau ke dalam warisan budaya digital, simulasi kumpulan ramai mikroskopik digunakan untuk kes kompleks pelabuhan perdagangan pelbagai etnik, yang melibatkan pola tingkah laku yang berbeza melalui kaedah simulasi kumpulan ramai heterogen. Dalam simulasi ini, kaedah kawalan peringkat tinggi, keadaan-mesin berhierarki dan model pembentukan kumpulan diperkenalkan melalui formalisme interaksi antara etnik. Keputusan penilaian dan pengesahan menunjukkan bahawa skim, model dan kaedah yang dicadangkan adalah cekap, berkesan dan berjaya digunakan di George Town, Malaysia.

CROWD AND ACOUSTICAL MODELLING IN DIGITAL CULTURAL HERITAGE

ABSTRACT

The broad term of heritage refers to the study of human activity in the past and its cultural narratives and to virtualize heritage means to actualize the heritage content digitally. When attempting to understand a particular cultural heritage site, the challenge here is that user feels that they are not able to connect to the past and appreciate the presence due to insufficient historical information of the heritage sites. Therefore, the main objective of this research is to bring lives into digital cultural heritage and it would need the inclusions of the audio and visual information of the surroundings and the people in the present as well as in the past. In this research, bringing present life into digital cultural heritage includes the crowd and surrounding audio in panoramic view, and bringing past life includes social behaviours of heterogeneous crowd transpired in an old trading port. With respect to the construction of panoramic view, this research proposed a rapid and efficient scheme for generating panoramic view on mobile platform. The method stores finite images in an array to generate a 360° panoramic view from different angles of the heritage sites. Besides, an acoustical heritage model is incorporated into 360° panoramic view on mobile platform as one of the elements to bring the present life into digital cultural heritage. The model includes modulations of sound properties within various balanced panorama's azimuthal zones through user's multi-gesture interaction. Crowd modelling within panoramic view is the first attempt in adding extra information i.e. crowd to the heritage sites in panoramic view. Finally, to bring the past life into digital cultural heritage, microscopic crowd simulation is applied to the complex case of a multi-ethnic trading port, involving different behavioral patterns through a heterogeneous crowd simulation method. In the

simulation, a high-level control method, hierarchical state-machine and group formation model are introduced through inter-ethnic interactions formalism. The results of the evaluation and validation have shown that the proposed schemes, models and methods are efficient, effective and have successfully been deployed in George Town, Malaysia.

CHAPTER 1

INTRODUCTION

In this research, two types of life would be brought into digital cultural heritage, namely the present life and the past life. With rapid advancement of technology, people can roam around the virtual world through the aid of the Internet. One of these advances is a photographic technique called panoramic view where the images are captured with elongated field of view using specialised software or equipments. One of the best ways to construct the environment of the present life in digital cultural heritage is through panoramic view. In a virtual tour application, several photographs of the heritage sites are stitched together to produce a 360° panoramic view. Mobile phone is one of the simplest devices encountered everyday. In order to easily share a visit with others, mobile platform offers high accessibility of the digital contents in a more popular style. By using panoramic view on mobile platform, user can keep on updating the present visual information like an archive. Archiving own experiences in this way offers the possibility for users to follow their own interests and create highly personalised visits of present digital contents, which can grow and change over time. So, the virtual tour allows the user to roam around by giving an immersion in the space almost as if the user is in the actual heritage site. However, it is computationally expensive for mobile platform to store enormous number of panoramic images. Therefore, a scheme for efficient and rapid generation of panoramic view is essential in order to give adequate information of a heritage site of the present life.

Many digital representations of objects and buildings fail in at least one aspect of their presentation because they lack elementary contextual information (MacDonald and Honsinger, 2006). For example, at present, acoustical heritage in 360° panoramic view is not available.

Therefore, panoramic view may offer new possibilities for interpretation of dynamic surroundings through sound. Acoustical heritage which is the science of sound is designed to absorb and control a sound. Realising that sound has a very rich potential for user interaction, digital preservation of the acoustical heritage in 360° panoramic view is necessary in order to enhance user's experience about the cultural surroundings.

Beside having acoustical heritage in 360° panoramic view, other digital collections such as images or Two Dimensional (2D) simulations may also increase the freedom of movement and capacity of understanding of the users by at least another degree. However, people or crowd in panoramic views are static since they are captured together with the environment. Thus, the content or crowd is fixed and unlike the actual physical environment. In order to strengthen contextual information in the 360° panoramic view, dynamic crowd modelling is vital to augment the user's perception and interpretation of the present life in the digital cultural heritage sites.

Although the present life through panoramic view will become the past life in the future, past life in digital cultural heritage needs to be reconstructed using Three Dimensional (3D) view since it is not possible to construct panoramic view of the past life as the content of the heritage is not normally available. Besides, 3D view is also not possible to be done on restricted capability mobile platform. In the simulation and rendering of 3D past life such as a virtual museum, bringing life is more challenging as it lacks narration for cultured learners. A virtual museum provides searchable and browsable content for virtual learning and remote visit of the ancient heritage site is possible. The problem with reconstruction of past life is that the documents are usually not properly preserved and the younger generation is not interested in learning cultural heritage if it is not captivating enough. In order to cultivate the interest of the user on a heritage site, there is a need to model past life in such a way that the social behaviours are reasonably displayed.

In spite of the increasing opportunities for easy and affordable travel, many visitors struggle to enjoy the present cultural heritage and the living memories of our collective past through one visit (MacDonald and Honsinger, 2006). Therefore, this research allows the users to remotely access and see the living assets would open doors to higher level of acceptance of digital cultural heritage.

1.1 Digital Cultural Heritage

Heritage is defined as our legacy inherited from the past, our traditions that we practice today, or our immaterial possessions that we are passing on to the next generations (Russell, 2010). On the other hand, digital cultural heritage which is a relatively new discipline, shares and expands the objectives of traditional cultural heritage, and aims to preserve the past and possibly increase public awareness and interpretation of cultural heritage. Digital cultural heritage is also called virtual heritage when it deals with three-dimensional synthetic recreation of real environments (MacDonald and Honsinger, 2006). In other words, virtual heritage is one of the computer technologies that creates explicit visual representation of a structure erected to commemorate monuments, artifacts and cultural buildings (Stone and Ojika, 2000). In the present society, people live in two distinct worlds which are the real world and the virtual world. The advancement of Virtual Reality (VR) becomes crucial in multidisciplinary areas such as simulation for education, entertainment, medical application and gaming (Noh et al., 2009). With digital cultural heritage, people can have an overall imagination of the heritage sites although they might have not visited some of the places before. Virtual heritage has also become a platform for improving the learning process of certain events and historical elements for use in educational field (Jianhai and McDonough, 2009).

1.2 Cultural Heritage Sites

The World Heritage List includes 981 cultural or natural heritage places considered as having outstanding universal value (UNESCO and Convention, 2013). This list includes 759 cultural, 193 natural and 29 mixed properties in 160 states parties and was ratified by 190 states in September 2012. In this research, an attempt is made to recreate complex lively scenes for one of these historical places. In 7 July 2008, George Town and Melaka which were jointly declared as the historic cities of the Straits of Malacca in Malaysia were included in United Nations Educational, Scientific and Cultural Organisation (UNESCO)'s prestigious World Heritage Listing. In the last 500 years or so, George Town has been well known for their multi-cultural trading activities. The city as well as other major port cities in East and Southeast Asia were very much influenced by traders from all over the world and the conquest of the Europeans' power. With a combination of Malay, Chinese, Indian and other cultures, in particular under the British colonial influences, different architectures, religions, dialects, costumes, cuisines, festivities and lifestyles have been established in the historic city. The heritage zone of George Town included in the UNESCO World Heritage Listing covers a 109.38 hectares site on the north-east coast of Penang Island consisting of the core zone and the buffer zone which surrounds the core zone which is as large as 150.04 hectares. This zone is chosen as a point of reference for this research in bringing the present life into digital cultural heritage.

The trading port at Weld Quay which is also in the heritage zone of George Town is chosen as a point of reference for reconstruction of past life in digital cultural heritage in this research because it served as a meeting point, in the 19th century, for several types of population of very different origins and cultures. Weld Quay was the earliest trading port during the colonial era in this part of Malaysia. It was very famous for its strategic location which is on the largest island encountered on the trading sea-route in the region. Over the years, the exchange of human values and the mixture of cultures among many races living in this part of the city have

been well preserved. These make the port a unique and outstanding cultural area. However, with Penang being one of the topmost tourist destinations, Weld Quay now plays a leading role in the nation's tourism industry: the old trading port has been transformed into a terminal for international cruise vessels and a marina. In order to construct the terminal and the marina, a number of captivating monuments and beautiful houses were demolished. Initiatives on virtual preservation and reconstruction of this site, in an effort to preserve, protect, and understand its specific cultural heritage and historical importance were relatively few.

1.3 Panoramic View

Panoramic view is a widely used technique to present digital cultural heritage since it gives a sense of immersion in the scene. There are several representations of panoramas such as spherical, cubical and cylindrical panoramas as illustrated in Figure 1.1. Spherical and cubical panoramas can be viewed from any directions from a current fixed position. Both of these panoramas offer the users a 720° view that is a full view in both horizontal and vertical directions. However, spherical and cubical panoramas are difficult to capture compared to cylindrical panoramas since spherical and cubical panoramas also contain the top view image and bottom view image. For cylindrical panorama, the observer's view in the vertical direction is limited but they offer a full 360° horizontal view. Yet, cylindrical panoramas fulfill the requirement in most virtual reality applications. Furthermore, the image format for cylindrical panorama can be saved as a normal photo format such as Joint Photographic Experts Group (JPEG) and Portable Network Graphics (PNG). Therefore, cylindrical panoramas can fit most applications and reduce problems of format incompatibility with software devices. Besides, cylindrical panorama can also be unrolled into a planar image as shown in Figure 1.2.

Digital cultural heritage applications combine real and virtual objects. So, cylindrical panorama is one of the most suitable techniques to be adopted in developing digital cultural




Figure 1.1: Representations for Panoramas (a) spherical (b) cubical (c) cylindrical (Ying et al., 2009).




Figure 1.2: An Example of a Cylindrical Panoramic Image (Ying et al., 2009).

heritage applications because it is possible for the users to navigate a 360° horizontal walk-through (Ying et al., 2009). Within 360° panoramic view, users can now experience the heritage sites rather than merely looking at the photographs or reading the historical articles. Debacle Software's Pano lets users create panoramic images from sequence of individual images using an iPhone camera (Ebling, 2010). Nonetheless, there is still a need for a scheme for efficient and rapid generation of panoramic view in digital cultural heritage in particular on mobile platform.

1.4 Acoustical Heritage

Several research works have been carried out on acoustical perspective mostly with the aim of adding sensorial audio experience to the users. One of them is the case study of Ocarina (Wang, 2009) which is an electronic music piece that acts as a musical instrument which has virtual keys that is similar to an ancient flutelike instrument. In another work, LaDiDa (Ebling, 2010) is an effective reverse karaoke application that enables users to generate appropriate background music to accompany voice recording by correcting the pitch and tune by keyframing. Robosonic (Luz et al., 2009) allows modulation of two sound characteristics that are the pitch

and loudness in real-time. Previous acoustical solutions have been investigated to enable high quality results, but this is not available in generating user's immersive experience in digital heritage application on mobile device. Therefore, there is a need for acoustical heritage model that can modulate various sound characteristics in 360° panoramic view on mobile platform.

1.5 Crowd Modelling and Simulation

Crowd of people can be an impressive spectacle and are often employed effectively by graphics productions to convey occasion and grandeur. Although posing a unique set of challenges, bringing crowds into the 360° high quality panoramic view can greatly enhance the perceived realism of a virtual heritage environment. However, current attempts such as IT Crowd¹ commonly fall short of increasing user-expectations since the sense of immersion is quickly dispelled when crowd simulation ceases to appear dynamic, realistic and distinct. Moreover, there is no reported work on dynamic crowd simulation in panoramic view. With the data and the photography collected in this research, it is also possible to include crowd simulation of the virtual heritage ultimately in panoramic view in order to bring lives into the historical sites which portray the cultural activities, trends and traditions. Therefore there is a need for modelling dynamic crowd in 360° panoramic view.

Crowd simulation has been widely used in many applications domains such as urban planning, emergency training and evacuation, simulation of epic battles and traffic engineering. Crowd simulation has also already been used to animate historical cities such as Rome (Thalman and Musse, 2007a) and Nicosia (Dikaiakou et al., 2011). They are based on microscopic crowd simulation which avoids the labourious process of individually animating characters; they behave according to a simulation model. The simulation model is also based on the principle which states that the global-microscopic-behaviour of a crowd emerges from the local

¹<http://www.panoptics.co.uk/gallery/it-crowd/main-set>

interactions between individuals: how each of them influences others and how these interactions are combined. It is thus a relevant approach to re-create populations in historical places, especially for frequently visited sites. Performing this specific simulation brings a number of difficulties. For example in simulating an old trading port such as Weld Quay, in George Town, Penang, Malaysia, several ethnic groups with distinct behaviours such as Indian, Malay, Chinese, and British colonists co-exist in this environment. There exist several crowd simulation methods that involve two distinct groups through the different levels of autonomy such as Vic-Crowd model (Musse and Thalmann, 2001) and pursuit and evasion model (Rodriguez et al., 2011). However, in bringing the past life into digital cultural heritage, there is a need to have heterogeneous crowd simulation involving several distinct ethnic groups.

In the task of digitally giving life to ancient or past populations, it is believed that the main objective should be to re-create the general atmosphere of the place. The distribution of individual activities, the interactions between agents and their surroundings, and the global motion that emerges from everyone's actions creates this atmosphere. Although little information may be available on how the population of these ancient or historical sites looked like and on the general impression that emerged from it, there are hardly any precise descriptions of the individual activities and of social interactions between people of the past. Since social behaviours vary from each individual to each population, a mechanism to adjust and adapt the parameters of each agents and each ethnic group in real-time is needed. One of the works in crowd simulation that involves high-level control in a synthetic-vision based steering approach is introduced by Ondřej et al. (2010). In order to drive the changes of goal and behaviour, for each virtual agent from the multi-ethnic or multi-group interactions taking place around it, there is a need for a high-level controller which runs an action selection mechanism.

Modelling of the interactions between these diverse populations needs to have each of the population group to be associated with a set of possible states which corresponds to specific

behaviours. The changes of states are triggered by global or local interactions between populations. The global and local interactions are then used to decide the next event in daily life of the virtual agent. To enable tracking of what has been done by an individual agent in a simulation cycle, hierarchical state machine is used in the microscopic crowd simulation. This approach allows the activities that have been carried out by a specific agent belonging to a population to be re-tracked. This re-tracking is good for understanding the lifestyle of each ethnic group or group of people which can be different from other ethnicity. This work is also partially inspired by the research in crowd simulation for interactive virtual environments and VR training systems (Ulicny and Thalmann, 2001). There is a need to re-create past life from this perspective: let the global atmosphere emerge from a detailed modelling of individual activities and interactions between people using hierarchical state machine.

As the heterogeneous population of say an old trading port of Weld Quay in George Town is highly diverse in ethnicity, culture, language, and religion, the interaction model of these populations demonstrates the social activities in a specific environment. For instance, the trading activities include interactions such as escorting the clients, daily greetings with different social classes in the population or even supervising the work of their workers. One of the good solutions to establish these interactions is to support more complex behaviours like various kinds of group formations. There exist some works on modelling such group formation, namely the automated generation of freestyle group formation through user input (Gu and Deng, 2013) and the spectral-based group formation control (Takahashi et al., 2009). However, these works are based on keyframing and the simulation needs a flexible and automatic reformation and dispersion of group members in real-time based on their interactions. Therefore, there is a need to adopt a bottom-up approach based on a microscopic crowd simulation technique to model the group formation realistically and find a reasonable way of handling different kind of group formations.

1.6 Motivation

Digital cultural heritage is a way to inculcate the public on cherishing and restoring historic buildings, and understanding the activities of the heritage in which the old and new co-exist. Therefore, there is a need to provide useful visual information and sensibility about the digital cultural heritage together with both present and past lives in a more pedagogic way in order to enhance user's immersive experience. Panoramic view can contribute to both conservation of historical sites while displaying enough information for the user to perform their visit remotely through mobile devices. Besides, having the panoramic view to show the digital cultural heritage environment, sound and people can be crucial in bringing life into digital cultural heritage.

While the past is being conserved manually through diverse media such as postcards, guide books and documentaries, crowd simulation and rendering can provide representations of the site, structure, viewpoints and details of the activities in the past. There is also a need to model past life to show the younger generation about the narratives that have transpired in a cultural heritage site such as an ancient trading port as most of the historical documents are not well preserved. By culminating this research through the environment, sound and peoples, the public is able to obtain a holistic view of the evolving nature of the past and the present lives of digital cultural heritage.

1.7 Problem Statement

One of the best way to reconstruct digitally the cultural heritage environment is through panoramic view. The panoramic view is important for virtual tourism as the user can keep on updating the archives of the present life of cultural heritage and it allows the user to gain a clear vision around historical monuments. However, it is computationally expensive on mobile platform to generate 360° cylindrical panoramic views (Au and Liang, 2012). There exist a few image

stitching tools for stitching images into a panoramic view such as Adobe Photoshop CS5 ², PTGui Pro ³ and Panoweaver 7.0 ⁴ but the referred image stitching tools are not available for mobile platform. Therefore, the challenge is to propose a scheme for efficient and rapid generation of panoramic view on mobile platform.

The most popular way to preserve the audio surroundings of a heritage site is through computer simulation of acoustical heritage (Yuksel et al., 2005);(Karabiber, 2000). However, the existing works are for non-mobile platform and not done within panoramic view. For this research, the challenge here is to incorporate acoustical model of 360° panoramic view on the limited capabilities of the mobile device.

There exist some works on showing crowd within the 360° panoramic view such as IT Crowd ⁵. However, the crowd displayed in the panoramic view is mainly the image captured with the environment and is therefore static. As crowd should be dynamic in actual environment, just like in real life, the challenge here is to model dynamic crowd within 360° panoramic view.

Reconstructing past life is to portray the history or things that are no longer there and thus a 3D view is important for such reconstruction. In most of the research involving reconstruction of heritage sites, the digital cities are modelled without any inhabitants such as in Milanese Palace ⁶, Italy by C. García-Lasuén (2009) and George Town ⁷, Penang by C. Eugene (2011) and virtual Greece ⁸, House of the Vine ⁹, Rome and ancient Egypt ¹⁰. This make the users getting the impression of visiting deserted environment and cannot learn anything about the way

²<http://www.photoshop.com/products/photoshop>

³<http://www.ptgui.com>

⁴<http://www.easypano.com/panorama-software-pw7.html>

⁵<http://www.panoptics.co.uk/gallery/it-crowd/main-set>

⁶<https://www.youtube.com/watch?v=184VvVrizZY>

⁷<https://www.youtube.com/watch?v=nTnnWEDKhUU>

⁸<https://www.youtube.com/watch?v=rW3RdNC0qfc>

⁹https://www.youtube.com/watch?v=W4eF1tw8_nU

¹⁰<https://www.youtube.com/watch?v=6M1hZ-AOcOI>

the place was used in the past for daily activities. There are also research done on reconstructing digital cities with crowd modelling but the crowd are treated homogeneously such as in Angkor Wat ¹¹, Cambodia (Chandler, 2012), Roman Odeon in Aphrodisias, Turkey (Ciechomski et al., 2005), virtual Pompeii (Maïm et al., 2007), Babylone 3D ¹² and virtual Imam in Hagia Sophia Ottoman Mosque (Papagiannakis et al., 2003). Therefore, the next challenge is to enhance digital reconstruction of historical sites with animated populations, illustrating ancient or past life in these historical places with heterogenous crowd.

In the simulation of past life such as a trading port, various kinds of social interactions between the heterogeneous populations are triggered by the changes of state. Each population is associated with a set of possible states which corresponds to specific steering behaviours. One of the good approach is through microscopic crowd simulation. However, simulating the diverse populations and changing their behaviours in real-time are still open issues. Therefore, the challenge here is to provide a high-level controller where the parameters of the agent can be adjusted and re-adapt into the simulation in real-time. One of the main advantages of having a high-level control is that the heterogeneity of crowd can be improved with the tuning of agents' parameters.

Even though the heterogeneous crowd simulation is based on microscopic approaches, the simulation is also driven by some global descriptions. For instance, in Thalmann and Musse (2007a), users can directly describe which social status is expected for people in specific places. This is expressed through a semantic description of the city. The characters selected their goals based on this semantic. Their behaviours are locally influenced by this semantic too. Meanwhile in their work, the interactions between characters are the same, whatever the place, and whatever their social status and these can only be applied to non-heterogeneous crowd. So,

¹¹<http://ngm.nationalgeographic.com/2009/07/angkor/angkor-animation>

¹²https://www.youtube.com/watch?v=_EPc6Gn9-zs

in this research the challenge is to devise a mechanism to re-track activities and interactions in the simulation cycle to understand the lifestyles of different populations within heterogeneous crowd.

In bringing past life into digital cultural heritage, the behaviour of each population in a heterogeneous crowd is highly dependent on the predefined social rules. The social rules in the past involves the superiority and military constraints where there exist some complex behaviours in a group. One of the challenges here is to model the group formation specifically in leader-following behaviours while respecting the personal space between the leaders and the followers. Besides, reasonable number of followers also poses a problem in simulating microscopic crowd simulation as realistically as possible.

1.8 Research Questions

1. Bringing present life into digital cultural heritage:

- How to lower computational cost and effort in generating 360° cylindrical panoramic view for low-end mobile device?
- How to raise the audio realism of a digital cultural heritage environment on mobile platform and 360° panoramic view?
- How to tackle behaviours of autonomous units of crowd simulated on a limited capacity of processing power on mobile device and 360° panoramic view?

2. Bringing past life into digital cultural heritage:

- How to model a simulation with high density and heterogeneous crowds in real-time that are all interacting between the groups naturally and simultaneously in a largely populated dynamic environment based on social rules and based on past environment?

- How to adjust the agents' parameters and adapt the change of parameters into local and global interactions that drives the change of goals in real-time?
- How to re-track the history of the activities and interactions of each individual agents and each ethnic group or group of people?
- How to re-organise group formation as realistic as possible with reasonable number of followers based on the predefined social rules of past life such as in a trading port?

1.9 Objectives

The overall goal of this research is to digitally construct, and reconstruct cultural heritage sites and bring the past and present lives into digital cultural heritage by establishing a framework that allows the user to view digital cultural heritage. Therefore the objectives are as follows:

1. To develop a scheme for efficient and rapid generation of panoramic view of cultural heritage environment
2. To model an acoustical model of audio surroundings and crowd modelling in 360° panoramic view in order to enhance the immersion and emotional engagement of the present life of cultural heritage sites
3. To extend crowd simulation model to heterogeneous crowd interaction and provide high-level control from interactions between different groups
4. To model a mechanism to re-track activities of each agent and model various types of group formations among the agents in heterogeneous crowd simulation in order to bring past life into digital cultural heritage environment

1.10 Contributions

This thesis comes up with the following contributions:

1. A scheme for efficient and rapid generation of panoramic views on multiple mobile platforms without having to use an intermediate software to convert the image file format.
2. An acoustical model for sound manipulation on a mobile device through the rendering of imaginary sound that gives a psychoacoustic effect of the heritage sites within 360° panoramic view.
3. A dynamic crowd model within 360° panoramic view on mobile devices.
4. A crowd simulation method for heterogeneous crowd of a past life in cultural heritage with four distinct populations.
5. A high level controller for changing parameters of each agent and group, a hierarchical state machine for retracking individual agents and interactions and a group formation model for reorganising the formation of group based on social behaviours of the heterogeneous crowd simulation method.

1.11 Scope and Limitations of the Research

As mobile devices are becoming more dominant, mobile applications can be a key point in disseminating prior information of the heritage sites to global virtual tourist. So in this research, the present life will be restrained within the wide usage of mobile applications. Besides, as a proof of concept, the proposed methods will be applied in all cases to the heritage zone of George Town, Penang. In term of simulating the crowd of past life, although visual documents depicting past life of this trading port in general were not disregarded, the crowd is simulated mainly based on the rudimentary knowledge about the groups of people of different ethnici-

ties, cultures, languages, and religions interacting there in the past for trading purposes: The different groups of people include British colonists, Malay, Indian, and Chinese. Besides, reconstruction of past life needs 3D simulation and rendering. However, in this research, the 3D simulation on mobile platform is beyond the scope. Furthermore, it is almost impossible to construct panoramic view of past life in cultural heritage. The reconstruction of past life on mobile platform has to be ported through Unity3D iOS Pro, Android Pro, BlackBerry 10 Pro or Windows Phone 8 Pro.

1.12 Benefits of the Research

A combination of digital archiving of images and audio through panoramic view to bring the present life and computer graphics technology through crowd simulation to bring the past life will help in preserving cultural heritage sites and objects by taking the heritage sites and its relics into the virtual world. With such research, the original masterpieces and sites will be preserved and protected from subsequent destructive human influence, and at the same time it will cultivate the concept of edutainment through virtual tour and virtual museum to reach out to the “global virtual tourists”. This application is also a good choice to advertise our famous tourism information because of the increasing difficulties in maintaining and circulating our long-forgotten cultural heritage sites to the world. However, this application is not limited to tourism. We could take this advantage to attract visitors by providing them useful information about traditional cuisines, costumes, trades and crafts with acceptable 360° panoramic view on the mobile platform. On the other hand, this research is also beneficial for physical reconstruction of cultural heritage sites for digital compilations.

1.13 Research Approach

The first stage of this research is to investigate the previous work related to the objectives of this research. These include literatures on panoramic view, acoustical heritage and crowd modelling. Some data on a selected cultural heritage environment of the past and present are then collected. Besides, the surrounding sounds are also recorded and the various types of social behaviours are explored. Then, the research work starts off with rendering of digital cultural heritage environment by coming up with a scheme for efficient and rapid generation of 360° of panoramic view.

The next stage is the pre-processing of the audio data collections using third party audio cropping software. The procedure is then carried on to modulating the sound properties using the proposed method. The aim of this step is to model a psychoacoustic effect through user interactions in a digital cultural heritage application. A practical implementation of acoustical heritage is introduced on mobile platform that allows the user to experience panoramic view of various heritage sites, accompanied by its background sounds of different frequencies and loudness.

Panoramic views without the inclusion of dynamic crowd is not satisfactory and dull. A solution is needed to overcome the problem of modelling crowd on limited capabilities of hardware support of mobile platform in order to allow the panoramic view to stand out in a more magnificent and dazzling manners. So, this stage is to model crowd and animate them based on accumulation buffer within 360° panoramic view.

Next, the research focuses on building a simulation platform with adapting parameters for global and local interactions among various populations by incorporating Reynolds' (Reynolds, 1987);(Reynolds, 1999) and Helbing's Models (Helbing and Molnár, 1995). This research concentrates on believable production of scenes and not about scientifically correct crowd simu-

lation. Besides, in the interaction model, the behaviours are scripted with social-cultural rules while the communications are animated. Global events trigger the changes of local and global behaviours of the virtual characters. The microscopic crowd simulation includes the simulation of heterogeneous crowd, the high-level controller, the hierarchical state-machine and group formation model in order to demonstrate the complex interactions among different ethnic groups or groups of people.

Finally, in each of the stages, this research includes the evaluation and validation of the schemes, models and methods proposed in this research.

1.14 Organisation of the Thesis

The rest of this thesis is organised as follows:

- Chapter 2 reviews the background of panoramic view, acoustical heritage and crowd modelling and simulation. Panoramic view is discussed based on two categories: (1) the methods used to generate the view and (2) the problems in panoramic view. Acoustical heritage is reviewed based on simulation of sound in virtual heritage and other application. Crowd modelling and simulation are discussed by comparing simulation of digital cultural heritage environment with simulation with the existence of crowd. The schemes are discussed and other shortcomings and drawbacks are also reviewed and presented in this chapter.
- Chapter 3 gives an overview of the methodology by describing the step-by-step constructions of the present and past lives, which include the scheme for efficient and rapid generation of 360° panoramic view, acoustical modulations in 360° panoramic view and crowd modelling in 360° panoramic view for construction of present life, and crowd simulation and rendering for the reconstruction of the past in digital cultural heritage

environment.

- Chapter 4 presents the details on bringing the present life of digital cultural heritage. This chapter also presents and analyses the proposed methods, schemes and models.
- Chapter 5 presents the detail on bringing the past life of digital cultural heritage. The chapter focuses on the execution based on the proposed methods, schemes and models.
- Chapter 6 presents the experimental analysis, evaluation and validation in detail based on the proposed schemes, models and methods in this research.
- Chapter 7 concludes the thesis and presents future work for this research. This chapter revisits the objectives and the contributions of this thesis and discusses some open area for further research.

CHAPTER 2

LITERATURE REVIEW

This chapter focuses on background of panoramic view, the application of acoustical heritage and the theoretical ideas about crowd modelling and simulation. This chapter also emphasizes on the fundamentals and applications of crowd simulation and rendering. The section on crowd modelling and simulation is further subdivided into (1) Crowd modelling and simulation in general (2) Crowd in virtual heritage (3) Crowd behaviour (4) Crowd movement and animation (5) Crowd rendering and (6) Crowd evaluation.

2.1 Panoramic View

Panorama was first introduced in the 1880s by Robert, B. and his son, Barker, H. A. (Fan et al., 2008). Apple Incorporation has developed a well known QuickTime Virtual Reality (QTVR) on the early Apple computers in 1995 which allows users to travel virtually and interactively through panoramic views (Chen, 1995). Basically, panoramic view is a wide-angle view of representation of a physical space in photograph either in cylindrical, spherical, or cubical. Spherical panoramic view used 360×360 degrees roaming in both horizontally and vertically, while cubical panoramic view consists of six source images. In general, spherical panoramic view employs non-symmetrical sampling and leads to serious distortion when approaching to its two poles while for cubical panoramic view it is rather difficult to acquire a cubical panoramic view and stitch the six images into a cubical panorama. In addition, cubical panorama suffers from non-symmetrical sampling and distorting problems at the borderlines and corners of cube. Cylindrical panoramic view is a good choice because of its easiness of capturing panoramic images and good visual effects during roaming.

In the recent years, Fan et al. (2008) developed a technique which combine the panorama roaming and stereoscopic display. Panorama roaming is a technique which captures a single panoramic image with one camera at a single viewpoint, while stereoscopic panorama roaming requires a pair of stereoscopic images captures at two different viewpoints, which each should be a pupil distance away from other. In addition, Peleg and Ben-Ezra (1999) proposed a technique that produced stereoscopic pair from one source panorama captured by a single camera instead of regular usage of at least two cameras. Although this technique is good, there are two obvious limitations. One of them is the fixed focal length that makes the user having less adjustment flexibility and the result is worse when the users are staring at a viewpoint with zero parallax. Parallax is the difference in the apparent position of an object that is viewed by two different lines of sight. The viewpoint is at zero parallax when the two views of an object are exactly superimposed on top of one another. The second limitation is the need to process one panorama in order to double up the panoramas. This processing technique is not suitable for real time rendering. The rendering time determines the speed of image combinations and how effective the users can roam around the virtual environment. Furthermore, Bourke (2006) proposed a toe-in technique for capturing a pair of stereoscopic panoramas with zero parallax by using two rotating cameras. This method controls the parallax between two stereoscopic panoramas efficiently and permits zero parallax at a limited distance. However, this method also has a weakness. There is an unexpected heavy image load in practical development when camera needs to be rotated 5° per stereoscopic panorama in order to capture one panorama image.

Beside the technique of stereoscopic in panoramic view, Ying et al. (2009) proposed a method to achieve the continuous walkthrough between the two adjacent panoramas. Basically, Ying et al. (2009) took the images in sampling points of the transition path, then the coefficients of the image transformations among these images are estimated directly from these

images. Finally, the images in the non-sampling points are synthesized from those images in the sampling points by using image transformation techniques.

Furthermore, Kwiatek and Woolner (2009) created high resolution panoramas by integrating these panoramas into virtual reality. In order to create high resolution panoramas, they also used Digital Single Lens Reflex (DSLR) camera and a panoramic head, and basic 3D models of the interior view of the building were generated in Autodesk Image Modeler software. They exported the 3D files to 3D StudioMax in order to generate a photorealistic visualization of the interior of the building. The sequence of spherical images is imported to QuickTime Pro in order to generate movie (Movie (MOV)) files using H.264 codec which is compatible with Lucid Viewer or suitable for displaying on a 360° screen. Moreover, the 360° images are taken in both still and video motion as a preparation for an interactive storytelling following a story design. To display actors in the spherical panoramas, chroma keying technique is used. In another method, Hirayu et al. (2000) constructed a virtual reality of a heritage site by starting with making models of the building, and then capturing aerial photographs for colour images using a helicopter. They also compressed the file of the images collected before constructing the building in 3D.

2.1.1 Discussion on Panoramic View

There are various techniques in generating panoramic views such as cylindrical, spherical, and cubical. In general, one main limitation in panoramic view is the problem of distortion and the complexity of the steps to construct the panoramic view. This would certainly caused delay and inefficiency in generating the panoramic view. Therefore it would be better for this research to explore the possibility of coming up with a rapid and efficient scheme by redefining the steps to construct the panoramic view and solve partially the problems of distortion.

On the other hand, various types of image-stitching tool such as Adobe Photoshop CS5, PTGuiPro and Panoweaver 7.0 can be found and utilised in the domain of digital heritage. Adobe Photoshop is a raster graphics editor developed and published by Adobe Systems for Windows and OSX. It can edit and compose the raster images in multiple layers and it can also support masks, alpha compositing and several colour models such as RGB, CMYK, Lab colour space, spot colour and duotone. In addition to raster graphics, it has limited abilities to edit or render text, vector graphics, 3D graphics and video. PTGuiPro is a panoramic stitching software for Windows and Mac OSX developed by Graphical User Interface for Panorama Tools which includes 1) PTGui can stitch multiple rows of images and 2) PTGUI can create 360° cylindrical panoramas, ‘flat’ partial panoramas and spherical 360 x 180° panoramas. Panoweaver 7.0 is one of the most popular photo stitching software and Flash panorama publisher. It is able to stitch still images into full 360° or partial cylindrical panorama. In addition, it also allows the output to be published into Flash or HTML 5 or QTVR.

In constructing a panoramic view, the individual images that make up the view have to be combined by using Adobe Photoshop. In order to view the panoramic view, the ‘Cubic-Converter’ software is used to convert the view into the cubic format of Apple Inc.’s QTVR movie. QTVR is a real-time walk-through system in which the image file format is only meant for the Macintosh platform. However, as the proposed work is implemented on iPhone 1 iOS version 3.1.3, there is a need to find an alternative method of producing panoramic views since QTVR is not supported on this platform. Therefore, the proposed rapid and efficient scheme is used and the detail will be given in Chapter 4.

Nowadays, Apple iPhone which is a mobile phone provides a handy and an attractive Graphical User Interface (GUI). iPhone is also equipped with an audio line-out that allows sound to flow through an external device. Besides, iPhone has a built-in microphone that has a relatively flat pitch response (Krome and Erdol, 2009). Furthermore, mobile technology is also



Figure 2.1: Normal Photo of Kapitan Keling Mosque.



Figure 2.2: Cylindrical Panorama of Kapitan Keling Mosque.

becoming more popular in the digital cultural heritage sector since the 360° panoramic view has been effectively used as a travelling aid for tourists. With the iPhone development kit (iOS Developer Program), creation of 360° panoramic view and accompaniment of the background sounds and the illustration of the peoples can be optimized and thus, this application also has some potential commercial merits.

2.2 Acoustical Heritage

Acoustical heritage is a science of sound which is designed to give virtual perception in digital heritage environment. In this research, the type of sound concentrates on the existing external audio of the surroundings of the heritage sites. The following subsections aimed to review some works done for acoustical heritage and other applications with acoustical considerations in order to overcome the challenge of incorporating acoustical heritage in 360° panoramic view.

2.2.1 Acoustical Heritage in General

Papagiannakis et al. (2003) proposed a virtual reality technique to illustrate a complexity curbing and complexity hiding based framework for real-time interactive and immersive character based on religious ceremony in the Hagia Sophia Ottoman Mosque, Turkey as shown in Fig-