

**CHARACTERIZATION AND PROPERTIES OF
POLYPROPYLENE/ RECYCLED ACRYLONITRILE
BUTADIENE RUBBER/ RICE HUSK POWDER COMPOSITES**

by

RAGUNATHAN A/L SANTIAGOO

Thesis submitted in fulfillment of the requirement

for the degree of

Doctor of Philosophy

April 2013

DECLARATION

I hereby declare that I have conducted, completed the research work and written the dissertation entitled “Characterization and Properties of Polypropylene/ Recycled Acrylonitrile Butadiene Rubber/ Rice Husk Powder Composites”. I also declare that it has not been previously submitted for the degree or other similar title of this for any other examining body of University.

Name of student : RAGUNATHAN A/L SANTIAGOO

Signature :

Date : 5th April 2013

Witnessed by:

Supervisor : PROF. DR. HANAFI B. ISMAIL

Signature :

Date : 5th April 2013

DEDICATION

This work is special dedicated to my beloved wife and children for their endless love,
patience, support and encouragement.

My Family

SUMATHY, DANIEL, JESLINE, MELVIN

ACKNOWLEDGEMENT

I would not have able to successfully complete my research if not due to the help and guidance given to me by various people in USM and also outside USM.

Firstly, I would like to say my deepest thank you to God who gave me strength and knowledge to perform the project well.

Gratitude to my loving wife and children, who are always right by my side. Without their love, this definitely would have been a lot harder to achieve.

Special thanks to my main-supervisor, Professor Dr. Hanafi Ismail for his leadership and guidance throughout my graduate experience. In addition, thanks to the Vice Chancellor of Universiti Malaysia Perlis, Yg. Bhg. Brigedier Jeneral Dato' Prof. Dr. Kamarudin bin Hussin, my co-supervisor for being willing to share his expertise.

This work would also have not been possible without assistance and co-operation from the Dean, Prof. Dr. Ahmad Fauzi Mohd Noor and all staff in School of Materials and Mineral Resources Engineering. In particular, Prof. Dr. Azlan Ariffin, Mr. Segaran, Mr. Mohd Hassan, Mr. Faizal, Mr. Fitri, Mr. Rashid, Mr. Azam, Mdm. Fong Lee Lee and Dr. Chantara Theyv Ratnam at NM, who were all very helpful in providing information or materials needed to make this research a successful endeavour.

My special appreciation goes to my colleagues, Mr. Indrajit, Mr. Kahar, Mr. Viet, Dr. Nik Noriman, Dr. Razif, Dr. Sam Sung Ting, Mdm. Zunaidah, Mr. Derrick Tan, Ms. Annie, Ms. Charis, Ms. Esther, Mr. Ericson, Mr. Kevin and other

postgraduate students who are not named here, for being my friends and give support for through this research work. Best of luck to you all!

Not forget, my special thanks to Universiti Malaysia Perlis for giving me an opportunity and scholarship to continue my doctorate study.

Thank you!

TABLE OF CONTENTS

DECLARATION	ii
DEDICATION	iii
ACKNOWLEDGMENT	iv
TABLE OF CONTENTS	vi
LIST OF TABLES	xiii
LIST OF FIGURES	xvii
LIST OF ABBREVIATION	xxvi
LIST OF SYMBOLS	xxix
LIST OF PUBLICATIONS AND SEMINARS	xxx
ABSTRAK	xxxv
ABSTRACT	xxxvii
CHAPTER 1 – INTRODUCTION	
1.1 Overview	1
1.2 Applications	5
1.3 Problem Statements	6
1.4 Objectives of Study	7
1.5 Outline of Thesis Structure	8

CHAPTER 2 - LITERATURE REVIEW

2.1	Composite Materials	10
2.2	Polymer Matrix Materials Composites	15
2.3	Classification of Polymer Composites	15
2.3.1	Thermoplastic Elastomers (TPEs)	16
2.3.2	Thermoplastic Elastomer Olefin	17
2.3.3	Polypropylene	18
2.3.4	Acrylonitrile Butadiene Rubber (NBR)	22
2.4	Natural Fiber as Filler	26
2.4.1	Classification of Natural Fiber	26
2.4.2	Structure and Properties of Natural Fibre	30
2.4.3	Rice Husk	32
2.4.4	Advantages of Natural Fibre	33
2.4.5	Disadvantages of Natural Fibre	35
2.5	Interfaces in Natural Fibre Reinforced Composites	35
2.5.1	Coupling Agent	37
2.5.2	Treatment Agent	42
2.5.3	Compatibilizer	42

2.5.4	Irradiation of Polymer Composites	48
-------	-----------------------------------	----

CHAPTER 3 - MATERIALS AND EXPERIMENTAL PROCEDURES

3.1	Raw Materials	55
3.1.1	Polypropylene (PP)	56
3.1.2	Recycled Acrylonitrile Butadiene Rubber (NBRr)	56
3.1.3	Fillers	58
3.1.4	Compatibilizer and Coupling Agent	58
3.1.5	Crosslink Promoters	61
3.2	Experimental Procedures	62
3.2.1	Filler characterization	65
3.2.2	Mixing Process	66
3.2.3	Sample Preparation	73
3.2.4	Irradiation	74
3.3	Testing and Characterization of Composites	74
3.3.1	Processing Torque	74
3.3.2	Mechanical Test	75
3.3.3	Morphological Study	75
3.3.4	Thermogravimetry Analysis	76

3.3.5	Differential Scanning Calorimetry	76
3.3.6	Fourier Transform Infra-Red Analysis (FTIR) Analysis	77
3.3.7	Water Absorption Test	78
3.3.8	Gel Content Measurement	79

**CHAPTER 4 - PRELIMINARY STUDIES: FILLER
CHARACTERIZATION**

4.1	Introduction	80
4.2	Physical Properties	80
4.2.1	Particle Size Analysis	80
4.2.2	Morphological Study	82
4.2.3	Chemical Properties/ Composition	83
4.2.4	Fourier Transform Infra-Red (FTIR) Analysis	85
4.2.5	Thermal Analysis	87

**CHAPTER 5- EFFECT OF RHP FILLER CONTENT ON THE
PROPERTIES OF PP/NBRr/RHP COMPOSITES**

5.1	Introduction	91
5.2	Torque Development	92
5.3	Tensile Properties	94

5.4	Morphological Properties	97
5.5	Water Absorption Properties	99
5.6	Thermogravimetric Analysis (TGA)	103
5.7	Differential Scanning Analysis	106

**CHAPTER 6- EFFECT OF NBR_r CONTENT ON THE PROPERTIES OF
PP/NBR_r/RHP COMPOSITES**

6.1	Introduction	109
6.2	Torque Development	110
6.3	Tensile Properties	112
6.4	Morphological Properties	115
6.5	Swelling Properties	116
6.6	Thermogravimetric Analysis (TGA)	117
6.7	Differential Scanning Analysis	120

**CHAPTER 7- EFFECT OF RHP TREATMENT USING ACETIC
ANHYDRIDE (Ac) AND SILANE (γ -APS) ON THE
PROPERTIES OF PP/NBR_r/RHP COMPOSITES**

7.1	Introduction	123
7.2	Torque Development	125
7.3	Tensile Properties	127

7.4	FTIR Analysis	133
7.5	Morphological Properties	135
7.6	Water Absorption Properties	137
7.7	Thermal Properties	139
7.8	Differential Scanning Calorimetry	143

**CHAPTER 8- EFFECT OF POLYPROPYLENE GRAFTED MALEIC
ANHYDRIDE (PPMAH) AND EPOXY RESIN (DGEBA) ON
THE PROPERTIES OF PP/NBRr/RHP COMPOSITES**

8.1	Introduction	146
8.2	Mixing and Stabilization Torque	148
8.3	Tensile Properties	152
8.4	Swellings and Gel Content	155
8.5	Fourier Transform Infrared (FTIR) Spectroscopy Analysis	156
8.6	Morphological Properties	161
8.7	Water Absorption Properties	164
8.8	Thermogravimetric Analysis	165
8.9	Differential Scanning Calorimetry	167

**CHAPTER 9- EFFECT OF ELECTRON-BEAM IRRADIATION AND
TMPTA CO-AGENT ON THE PROPERTIES OF
PP/NBR_r/RHP COMPOSITES**

9.1	Introduction	170
9.2	Irradiation Mechanics	171
9.3	Stabilization Torque	175
9.4	Tensile Properties	176
9.5	FTIR Spectroscopy Analysis	179
9.6	Morphological Properties	180
9.7	Water Absorption Properties	181
9.8	Thermogravimetric Analysis	183
9.9	Differential Scanning Calorimetry	185

**CHAPTER 10 - CONCLUSIONS AND RECOMMENDATIONS FOR
FUTURE WORKS**

10.1	Conclusions	188
10.2	Recommendations for Future Works	190
	REFERENCES	191
	APPENDICES (PUBLICATIONS)	203

LIST OF TABLES

		Page
Table 2.1	Some advantages and disadvantages of polypropylene (Leong, 2003)	20
Table 2.2	Advantages and disadvantages of acrylonitrile content increases in NBR rubber (Blow, 1998)	23
Table 2.3	Typical mechanical properties of natural fibres and common reinforcing fibres (Bledzki & Gassan, 1999)	28
Table 2.4	World important source of natural plant fibres (Rowell, 1997)	29
Table 2.5	Chemical compositions and structural parameters of some natural fibres (Mohanty et al., 2000)	31
Table 2.6	Typical mechanism of coupling agents and its common process (Hakimah, 2010)	38
Table 2.7	Types of common coupling agent available commercially and their target matrices	40
Table 2.8	Table 2.8 Classification of radiation crosslink promoters (http://www.rubberworld.com/DE/MAY_09/Feb06.pdf)	54
Table 3.1	List of raw materials	55
Table 3.2	Technical specifications of PP homopolymer (Titan, 1999)	56
Table 3.3	Manufacturer technical constituents and composition of the NBR gloves	57
Table 3.4	Specifications of NBRr used in this research	57
Table 3.5	Specifications of PPMAH used in this research (Sigma Aldrich Chemical 2009a)	59

Table 3.6	Chemical specifications of γ -APS used in this research (Sigma Aldrich Chemical, 2009b)	60
Table 3.7	Chemical specifications of acetic anhydride used in this research (Sigma Aldrich Chemical 2009c)	61
Table 3.8	Chemical specifications of TMPTA (ANM, 2006)	62
Table 3.9	The mixing sequence and the formulation used to investigate the effect of the RHP content on the properties of PP/NBRr/RHP composites	67
Table 3.10	The mixing sequence used to investigate the effect of the NBRr content on the properties of PP/NBRr/RHP composites	68
Table 3.11	Formulation used to investigate the effect of the NBRr content on the properties of PP/NBRr/RHP composites	68
Table 3.12	The formulation of the PPMAH and DGEBA compatibilizers on PP/NBRr/RHP composites	69
Table 3.13	Mixing sequence used to investigate the effect of the PPMAH and DGEBA compatibilizers on the properties of PP/NBRr /RHP composites	69
Table 3.14	Mixing sequence used to investigate the effect of the TMPTA on the properties of PP/NBRr/RHP composites	70
Table 3.15	Mixing sequence used to investigate the effect of RHP treatment using γ -APS on the properties of PP/NBRr/RHP composites	72
Table 3.16	Mixing sequence used to investigate the effect of RHP treatment using γ -APS on the properties of PP/NBRr/RHP composites	73
Table 4.1	Characterization results of fillers	81

Table 4.2	Elements of the RHP	83
Table 4.3	Chemical constituent of RHP	84
Table 4.4	Elements of NBRr	84
Table 4.5	Absorption bands for FTIR Analysis	86
Table 5.1	Absorption Equilibrium of PP/NBRr/RHP Composites	102
Table 5.2	Thermogravimetric analysis parameter PP/NBRr/RHP composites at different filler content	105
Table 5.3	Thermal degradation rate (weight loss (%)/min) of PP/NBRr/RHP composites at different filler content and range of temperature	105
Table 5.4	Thermal parameter of DSC of PP/NBRr/RHP composites at different filler content (second heating)	108
Table 5.5	Thermal parameter of DSC of PP/NBRr/ RHP composites at different filler content(cooling)	108
Table 6.1	Thermogravimetric analysis parameter of PP/NBRr/RHP composites at different NBRr content	119
Table 6.2	Thermal degradation rate (weight loss (%)/min) of PP/NBRr/RHP composites at different NBRr content and range of temperature	119
Table 6.3	Thermal parameter of DSC of PP/NBRr/RHP composites at different NBRr content(Second Heating)	122
Table 6.4	Thermal parameter of DSC of PP/NBRr/RHP composites at different NBRr content (Cooling)	122
Table 7.1	Thermogravimetric analysis parameter of Ac and γ -APS treated PP/NBRr/RHP composites at different filler content	142

Table 7.2	Thermal degradation rate (weight loss (%)/ min) of Ac and γ -APS treated PP/NBRr/RHP composites at different filler content	143
Table 7.3	Thermal parameters of Ac and γ -APS treated PP/NBRr/RHP composites at different filler content	145
Table 8.1	Thermogravimetric analysis parameter PPMAH and DGEBA compatibilized PP/NBRr/RHP composites at different NBRr content	167
Table 8.2	DSC parameters for PPMAH and DGEBA compatibilized PP/NBRr/RHP composites at different NBRr content	169
Table 9.1	Thermogravimetric analysis parameter of TMPTA irradiation-induced crosslink of PP/NBRr/RHP composites at different NBRr filler content	185
Table 9.2	DSC parameters for TMPTA irradiation-induced crosslink of the PP/NBRr/RHP composites at different NBRr content	187

LIST OF FIGURES

		Page
Figure 2.1	Schematic diagrams of composite material with interface and inter-phase (Sharma, 2000)	12
Figure 2.2	Types of reinforcements in composite (Gupta, 2005)	13
Figure 2.3	Types of possible forms of reinforcements in a composite (Gupta, 2005)	14
Figure 2.4	Classifications of composite materials base on MMC (Sharma, 2000)	15
Figure 2.5	Classification of polymer composites (Ismail & Suryadiansyah, 2002a)	16
Figure 2.6	Common olefin used to fabricate TPO (Gupta, 2005)	18
Figure 2.7	Repeating unit of polypropylene (Pasquini, 2005)	19
Figure 2.8	Tacticity of polypropylene structure (Pasquini, 2005)	19
Figure 2.9	Repeating unit of acrylonitrile butadiene rubber (Blow, 1998)	22
Figure 2.10	Diagrammatic representation of a natural fibre cell (Bledzki & Gassan, 1999)	27
Figure 2.11	The geometry of the elementary cell of cellulose (Bledzki & Gassan, 1999)	27
Figure 2.12	A typical structure of cellulose (Fabiya, 2007)	31
Figure 2.13	Typical diagram of paddy and rice husk (http://agriwork.blogspot.com)	32
Figure 2.14	Common structures of organosilanes coupling agents (Madsen, 1999)	39

Figure 2.15	Surface reactions with silane (Espert, 2003)	39
Figure 2.16	Mechanism of Graft Copolymerization Process (Espert, 2003)	44
Figure 2.17	2,2 – bis [4-(2',3'-epoxypropoxy) phenyl] propane/ Diglycidyl Ether of Bisphenol A (DGEBA) (Varma & Gupta, 2000)	46
Figure 3.1	Chemical structure of Diglycidyl Ether of Bisphenol-A (DGEBA)	60
Figure 3.2	Material preparations and characterization of process flow “A”	63
Figure 3.3	Flow chart of sample processing, testing and characterization	64
Figure 3.4	Dumbbell shape of sample	75
Figure 4.1	Particle size distributions for RHP and NBRr	81
Figure 4.2	Micrograph of RHP at different magnification	82
Figure 4.3	Micrograph of NBRr at different magnification	82
Figure 4.4	Result of FTIR Analysis of RHP	85
Figure 4.5	FTIR Spectrum of NBRr gloves	87
Figure 4.6	TGA curve of the RHP	88
Figure 4.7	DTG curve of the RHP	88
Figure 4.8	TGA curve of the NBRr	89
Figure 4.9	DTG curve of the NBRr	90
Figure 5.1	Torque-time curves development of PP/NBRr/RHP composites at different RHP composition	93

Figure 5.2	Effect of RHP filler content on stabilization torque of the PP/NBRr/RHP composites	94
Figure 5.3	Effect of RHP filler content on tensile strength of PP/NBRr/RHP composites	95
Figure 5.4	Effect of filler content of RHP on E_b of PP/NBRr/RHP composites	96
Figure 5.5	Effect of filler content of RHP on Young's modulus of PP/NBRr/RHP composites	97
Figure 5.6	SEM of tensile fracture surfaces of PP/NBRr/RHP composites at different RHP Filler content	98
Figure 5.7	Water absorption curves of PP/NBRr/RHP composites at different RHP filler content	100
Figure 5.8	SEM of tensile fracture surfaces of PP/NBRr/RHP composites after water absorption at different RHP Filler content	102
Figure 5.9	Proposed schematic diagram of RHP distribution in PP/NBRr/RHP composites	103
Figure 5.10	Thermograms of PP/NBRr/RHP composites at different filler content	104
Figure 5.11	Typical DTG curves of the PP/NBRr/RHP composites at different filler content	104
Figure 5.12	Heat flow vs. temperature of PP/NBRr/RHP composites at different filler content (second heating)	107
Figure 5.13	Heat flow vs. temperature of PP/NBRr/RHP composites at different filler content (cooling)	107
Figure 6.1	Torque-time curves development of PP/NBRr/RHP composites at different NBRr content	111

Figure 6.2	Effect of NBRr content on stabilization torque of PP/NBRr/RHP composites	112
Figure 6.3	Effect of NBRr content on tensile strength of PP/NBRr/RHP composites	113
Figure 6.4	Effect of NBRr content on Young's modulus of PP/NBRr/ RHP composites	113
Figure 6.5	Effect of NBRr content on E_b of RHP filled PP/NBRr/RHP composites	114
Figure 6.6	Micrographs of tensile fracture surfaces of PP/NBRr/RHP composites at different NBRr content	116
Figure 6.7	Effect of NBRr content on Swelling Percentage of PP/NBRr/RHP composites (immersed in ASTM oil No. 3 for 70 hours)	117
Figure 6.8	Thermograms of PP/NBRr/RHP composites at different NBRr content	118
Figure 6.9	Typical DTG curves of PP/NBRr/RHP composites at different NBRr filler content	118
Figure 6.10	Heat flow versus temperature of PP/NBRr/RHP composites at different NBRr content (Second heating)	120
Figure 6.11	Heat flow versus temperature of PP/NBRr/RHP composites at different NBRr content (Cooling)	121
Figure 7.1	Effect of Ac and γ -APS treatment on the torque-time curves of PP/NBRr/ RHP composites	126
Figure 7.2	Effect of Ac and γ -APS treatment on the stabilization torque of PP/NBRr/RHP composites	127
Figure 7.3	Effect of Ac, γ -APS and filler content on tensile strength of PP/NBRr/RHP composites	128

Figure 7.4	Effect of Ac and γ -APStreatment on Young's modulus of PP/NBRr/RHP composites	128
Figure 7.5	General mechanism of reaction between fibre's surfaces with functional group of the Ac	130
Figure 7.6	General mechanism of silane coupling agent to fibre's surface	131
Figure 7.7	Effect of Ac and γ -APS filler content on E_B of PP/NBRr/RHP composites	132
Figure 7.8	FTIR spectra corresponding to PP/NBRr/RHP composites with or without of Ac and γ - APS	134
Figure 7.9	Micrograph of tensile fracture surfaces of untreated PP/NBRr/RHP composites at mag. 100 \times and at different filler content	136
Figure 7.10	Micrograph of tensile fracture surfaces of Ac-treated PP/NBRr/RHP composites at mag. 100 \times and at different filler content	136
Figure 7.11	Micrograph of tensile fracture surfaces of γ -APStreated PP/NBRr/RHP composites at mag. 100 \times and at different filler content	137
Figure 7.12	Effect of Ac and γ -APS treatment on water absorption curves of PP/NBRr/RHP composites at 70/ 30/ 30	139
Figure 7.13	Typical TGA curves of the γ -APS treated RHP and Ac-treated PP/NBRr/RHP composites at 10 phr of filler content	141
Figure 7.14	Typical DTG curves of the γ -APS treated and Ac-treated PP/NBRr/RHP composites at 70/30/10 phr filler content	141

Figure 7.15	Heat flow vs. temperature of Ac and γ -APS treated PP/NBRr/RHP composites at different filler content	144
Figure 8.1	Stabilization torque at 9 minutes of PP/NBRr/RHP composites with and without PPMAH and DGEBA compatibilizer	149
Figure 8.2	Illustration of proposed reaction mechanism for PPMAH with PP/NBRr/RHP composite	150
Figure 8.3	Illustration of proposed reaction mechanism for DGEBA with NBRr	151
Figure 8.4	Illustration of proposed reaction mechanism for epoxy resin(DGEBA) with PP/NBRr/RHP composite	152
Figure 8.5	Tensile strength of PP/NBRr/RHP composite with PPMAH and DGEBA compatibilization	153
Figure 8.6	Young's modulus of PP/NBRr/RHP composite with PPMAH and DGEBA compatibilization	154
Figure 8.7	Elongation at break (E_b) of PP/NBRr/RHP composite with PPMAH and DGEBA compatibilization	154
Figure 8.8	Swelling of PP/NBRr/RHP composite with PPMAH and DGEBA compatibilization	155
Figure 8.9	Gel content (%) of PP/NBRr/RHP composite with PPMAH and DGEBA compatibilization	156
Figure 8.10	FTIR spectra for NBRr, RHP and PP/NBRr/RHP/DGEBA composites at 60/40/15(PP/NBRr/RHP)	157
Figure 8.11	FTIR spectra for DGEBA	158

Figure 8.12	FTIR spectra for PP/NBRr/RHP and PP/NBRr/RHP/PPMAH composites at 60/40/15 (PP/NBRr/RHP)	160
Figure 8.13	SEM micrographs of tensile fracture surfaces of uncompatibilized PP/NBRr/RHP composites at different NBRr content	162
Figure 8.14	SEM micrographs of tensile fracture surfaces of PPMAH compatibilized PP/NBRr/RHP composites at different NBRr content	163
Figure 8.15	SEM micrographs of tensile fracture surfaces of DGEBA compatibilized PP/NBRr/RHP composites at different NBRr content	163
Figure 8.16	The variation of water absorption-time curves for selected composites compatibilized with PPMAH and DGEBA at 70/30/15(PP/NBRr/RHP) composition	165
Figure 8.17	Thermograms of PPMAH and DGEBA compatibilized and control PP/ NBRr/RHP composites at 70/30/15 (PP/NBRr/RHP) content	166
Figure 8.18	Typical DTG curves of the PPMAH and DGEBA compatibilized PP/ NBRr/RHP composites at 70/30/15 (PP/NBRr/RHP) content	166
Figure 8.19	Heat flow (Second Heating) vs. temperature of PP/NBRr/RHP composites with PPMAH and DGEBA compatibilized at 70/30/15 (PP/NBRr/RHP) content	168
Figure 8.20	Heat flow (Cooling) vs temperature of RHP filled PP/NBRr composites at PPMAH and DGEBA compatibilized PP/NBRr/RHP composites at 70/30/15 (PP/NBRr/RHP) content	168

Figure 9.1	Gel content of PP/NBRr/RHP composites with TMPTA and electron beam irradiation at 40 kGray	171
Figure 9.2	Typical molecular structure of crosslinked PP (Albano et al., 2003)	172
Figure 9.3	Typical molecular structure of irradiation-induced crosslink NBRr (Noriman et al., 2010)	173
Figure 9.4	Illustration of the possible cross linking reactions of NBR and PFMs at the presence of electron beam radiation (Yasin et al., 2002)	174
Figure 9.5	Stabilization torque of PP/NBRr/RHP composites with TMPTA co-agent	176
Figure 9.6	Effect of tensile strength on PP/NBRr/RHP composites with TMPTA and electron beam irradiation at 40 kGray	177
Figure 9.7	Effect of Young's modulus on PP/NBRr/RHP composites with TMPTA and electron beam irradiation at 40 kGray	178
Figure 9.8	Effect of Elongation at break E_b on PP/NBRr/RHP composites with TMPTA and electron beam irradiation at 40 kGray	178
Figure 9.9	FTIR of PP/NBRr/RHP and PP/NBRr/RHP-IC composites	180
Figure 9.10	SEM of tensile fracture surfaces of TMPTA co-agent irradiated-RHP filled PP/ NBRr composites at 40 kGray	181
Figure 9.11	Effect of TMPTA compatibilization on water absorption – time curves of PP/NBRr/RHP composites at 40 kGray irradiation dose	182