

**ANAEROBIC DIGESTION OF RECYCLED PAPER
MILL EFFLUENT (RPME) USING MODIFIED
ANAEROBIC HYBRID BAFFLED (MAHB) REACTOR**

SITI ROSHAYU BINTI HASSAN

February 2016

**ANAEROBIC DIGESTION OF RECYCLED PAPER MILL EFFLUENT
(RPME) USING MODIFIED ANAEROBIC HYBRID BAFFLED (MAHB)
REACTOR**

by

SITI ROSHAYU BINTI HASSAN

**Thesis submitted in fulfillment of the requirements
for the degree of
Doctor of Philosophy**

February 2016

DECLARATION

I hereby declare that I have conducted, completed the research work and written the thesis entitled “Anaerobic digestion of recycled paper mill effluent (RPME) using modified anaerobic hybrid baffled (MAHB) reactor”. I also declare that it has not been previously submitted for the award of any master or degree or other similar title of this or any other examining body or university.

Signature of candidate:

Name: Siti Roshayu binti Hassan

Date:

Witness by:

Signature of witness (main supervisor):

Name: Dr Irvan Dahlan

Date:

Signature of witness (co-supervisor):

Name: Dr Nastaein Qamaruz Zaman

Date:

REFERENCES

- Abu-Reesh I. M. (2014). Kinetics of anaerobic digestion of labaneh whey in a batch reactor. *African Journal of Biotechnology*, 13(16), p.1745-1755.
- Agbalakwe E. (2011) Anaerobic treatment of glycol contaminated wastewater for methane production. Faculty of Science and Technology. M.Sc thesis, Universiti of Stavanger.
- Ahl R. M., Leiknes T. and Odegaard H. (2000). Tracking particle size distributions in a moving bed biofilm membrane reactor for treatment of municipal wastewater. *Water Science and Technology*, 53(7), p.33-42.
- Ahmad A. L., Ismail S. and Bhatia S. (2005). Optimization of coagulation-flocculation process for palm oil mill effluent using response surface methodology. *Environmental Science and Technology*, 39(8), p.2828-2834.
- Ahring B. K., Biswas R., Ahamed A., Teller P. J. and Uellendahl H. (2015). Making lignin accessible for anaerobic digestion by wet-explosion pretreatment. *Bioresource technology*, 175(1), p.182-188.
- Akunna J. C. and Clark M. (2000). Performance of a granular-bed anaerobic baffled reactor (GRABBR) treating whisky distillery wastewater. *Bioresource Technology*, 74(3), p.257-261.
- Ali M. and Sreekrishnan T. R. (2001). Aquatic toxicity from pulp and paper mill effluents: a review. *Advances in Environmental Research*, 5(2), p.175-196.
- Andersson K., Pranovich A., Norgren M., Eriksson M. and Holmbom B. (2008). Effects of biological treatment on the chemical structure of dissolved lignin-related substances in effluent from thermomechanical pulping. *Nordic Pulp and Paper Research Journal*, 23(2), p.164-171.
- Anderson G.K., Sallis P. and Uyanik S. (2003). Anaerobic treatment process. In: *The Handbook of Water and Wastewater Microbiology*. Academic Press.California, U.S.A.
- Angelidaki I., Illegaard L. and Ahring B. (1999). A comprehensive model of anaerobic bioconversion of complex substrates to biogas. *Biotechnology Bioengineering*, 63(3), p.363-372.

- Angenent L. T., Sung S. and Raskin L. (2004). Formation of granules and *Methanosaeta* fibres in an anaerobic migrating blanket reactor (AMBR). *Environmental Microbiology*, 6(4), p.315-322.
- APHA. (1999). Standard methods for the examination of water and wastewater. 20th ed. American Public Health Association. Washington, DC.
- Araya K. P., Amaral A. L., Neves L., Ferreira E. C., Pons M-N., Mota M. and Alves M. M. (2004). Development of image analysis techniques as a tool to detect and quantify morphological changes in anaerobic sludge: Application to a granulation process. *Biotechnology and Bioengineering*, 87(2), p.184-193.
- Arshad A. and Hashim N. H. (2012). Anaerobic digestion of neutral semi sulfide chemical (Nssc) pulping effluent. *International Journal of Environmental Research*, 6(3), p.761-768.
- Azbar N., Ursillo P. and Speece R. E. (2001). Effect of process configuration and substrate complexity on the performance of anaerobic processes. *Water Research*, 35(3), p.817-829.
- Bachmann A., Beard V. L. and McCarty P. L. (1983). Comparison of fixed film reactors with a modified sludge blanket reactor. *Pollution Technology Review*, 10(1), p.382-402.
- Badroldin N. A. (2010) Treatment of palm oil mill effluent (POME) using hybrid of flow anaerobic sludge blanket (HUASB) reactor. Faculty of Civil and Environmental Engineering. M.Sc thesis, Universiti Tun Hussein Onn Malaysia.
- Balasubramanian S., Paridhi G., Bosco J. D. and Kadam D. M. (2012). Optimization of process conditions for the development of tomato foam by box-behnken design. *Food and Nutrition Sciences*, 3(7), p.6.
- Baloch M. I. and Akunna J. C. (2003). Granular bed baffled reactor (GRABBR): solution to a two-phase anaerobic digestion system. *Journal of Environmental Engineering*, 129(11), p.1015-1021.
- Barber W. P. and Stuckey D. C. (1998). The influence of start-up strategies on the performance of an anaerobic baffled reactor. *Environmental Technology*, 19(5), p.489-501.
- Bassuney D. M., Ibrahim W. A. and Moustafa M. A. E. (2013). Performance of an anaerobic baffled reactor (ABR) during start-up period. *International Journal of Chemical, Environmental & Biological Sciences*, 1(4), p.571-575.

- Bas D. and Boyaci I. H. (2007). Modeling and optimization: Usability of response surface methodology. *Journal of Food Engineering*, 78(3), p.836-845.
- Batstone D. J., Keller J., Angelidaki I., Kalyuzhnyi S. V., Pavlostathis S. G., Rozzi A., Sanders W. T. M., Siegrist H. and Vavilin V. A. (2002). Anaerobic digestion model No.1. London.
- Batstone D. J., Keller J. and Blackall L. L. (2004). The influence of substrate kinetics on the microbial community structure in granular anaerobic biomass. *Water Research*, 38(6), p.1390-1404.
- Belhadj S., El Bari H., Karouach F., Joute Y., Chica A. F. and Santos M. A. M. (2014). Production of methane from mesophilic anaerobic digestion of sewage sludge in morocco. *American Journal of Advanced Scientific Research*, 2(1), p.81-91.
- Bell J. (2002) Treatment of dye wastewater in the anaerobic baffled reactor and characterisation of the associated microbial populations. School of Chemical Engineering. Ph. D thesis, University of Natal.
- Bitton G. (2005). *Wastewater Microbiology* (Wiley Series in Ecological and Applied Microbiology).Third Edition.
- Boone D. R., Chynoweth D. P., Mah R. A., Smith P. H. and Wilkie A. C. (1993). Ecology and microbiology of biogasification. *Biomass and Bioenergy*, 5(3-4), p.191-202.
- Boopathy R. and Sievers D. M. (1991). Performance of a modified anaerobic baffled reactor to treat swine waste. *Transactions of the American Society of Agricultural Engineers*, 34(6), p.2573-2578.
- Buntner D. (2013) Combined UASB-MBR system for the treatment of low-strength wastewater at ambient temperatures. Ph.D thesis, Universiti of Santiago.
- Buzzini A. P., Gianotti E. P. and Pires E. C. (2005). UASB performance for bleached and unbleached kraft pulp synthetic wastewater treatment. *Chemosphere*, 59(1), p.55-61.
- Buzzini A. P. and Pires E. C. (2002). Cellulose pulp mill effluent treatment in an upflow anaerobic sludge blanket reactor. *Process Biochemistry*, 38(5), p.707-713.

- Buzzini A. P. and Pires E. C. (2007). Evaluation of a upflow anaerobic sludge blanket reactor with partial recirculation of effluent used to treat wastewaters from pulp and paper plants. *Bioresource Technology*, 98(9), p.1838-1848.
- Bwapwa J. K. (2010) Analysis of an anaerobic baffled reactor treating complex particulate wastewater in an ABR-membrane bioreactor unit. School of Chemical Engineering. BSc. thesis, University of KwaZulu-Natal.
- Calli B., Mertoglu B., Inanc B. and Yenigun O. (2005). Community changes during start-up in methanogenic bioreactors exposed to increasing levels of ammonia. *Environmental Technology*, 26(1), p.85-91.
- Cameron M. (2000) Preservation techniques and carbon and nitrogen growth enhancement of batch cultivated UASB granules. Department of Food Science. M.Sc thesis, University of Stellenbosch.
- Chaisri R., Boonsawang P. and Prasertsan P. (2006). Effect of organic loading rate on methane and volatile fatty acids productions from anaerobic treatment of palm oil mill effluent in UASB and UFAF reactors. *Songklamakarin Journal of Science and Technology*, 29(2), p.311-323.
- Chang S., Li J., Liu F. and Zhu G. (2008). Performance and characteristics of anaerobic baffled reactor treating soybean wastewater In: Bioinformatics and Biomedical Engineering, 2008. ICBBE 2008. The 2nd International Conference on, IEEE.
- Chen Q. (2010) Kinetics of anaerobic digestion of selected C1 to C4 organic acids. Faculty of the Graduate School. M.Sc thesis, University of Missouri.
- Chen Y., Cheng J. J. and Creamer K. S. (2008). Inhibition of anaerobic digestion process: A review. *Bioresource Technology*, 99(10), p.4044-4064.
- Chen Z. B., Cui M. H., Ren N. Q., Chen Z. Q., Wang H. C. and Nie S. K. (2011). Improving the simultaneous removal efficiency of COD and color in a combined HABMR-CFASR system based MPDW. Part 1: optimization of methodolog. *Bioresource Technology*, 102(19), p.8839-8847.
- Chou K. W., Norli I. and Anees A. (2010). Evaluation of the effect of temperature, NaOH concentration and time on solubilization of palm oil mill effluent (POME) using response surface methodology (RSM). *Bioresource Technology*, 101(22), p.8616-8622.

Cirne .D. G., Agbor V. B. and Bjornsson L. (2008). Enhanced solubilisation of the residual fraction of municipal solid waste. *Water Science Technology*, 57(7), p.995-1000.

Cimochowicz R. M. (2000). Effect of anaerobic sludge composition on a biogas production. Institute of Water Supply and Environmental Protection Cracow Poland.

Conklin A., Stensel H. D. and Ferguson J. (2006). Growth kinetics and competition between methanosaeta and methanosaeta in mesophilic anaerobic digestion. *Water Environment Research*, 78(5), p.486-496.

Conrad R. (1999). Contribution of hydrogen to methane production and control of hydrogen concentrations in methanogenic soils and sediments. *FEMS Microbiology Ecology*, 28(3), p.193-202.

Contois D. (1959). Kinetics of bacterial growth: Relationship between population density and specific growth rate of continuous cultures. *Journal of General Microbiology*, 21(1), p.40-50.

Dama P., Bell J., Foxon K. M., Brouckaert C. J., Huany T., Buckley C. A., Naidoo V. and Stuckey D. C. (2002). Pilot-scale study of an anaerobic baffled reactor for the treatment of domestic wastewater. *Water Science and Technology*, 46(9), p.263-270.

Davidson M. W. (2015). The Nobel Foundation . Microscopes Help Scientists Explore Hidden Worlds. “The Fluorescence Microscope” [Online]. Accessed [18 May 2015]: Available from: <http://www.nobelprize.org/educational/physics/microscopes/fluorescence/index.html>.

de Bok F. A. M., Plugge C. M. and Stams A. J. M. (2004). Interspecies electron transfer in methanogenic propionate degrading consortia. *Water Research*, 38(6), p.1368-1375.

de Bok F.A. M, Harmsen H. J. M. and Plugge C. M. (2005). The first true obligately syntrophic propionate-oxidizing bacterium, *Pelotomaculum schinkii* sp. nov., co-cultured with *Methanospirillum hungatei*, and emended description of the genus *Pelotomaculum*. *International Journal of Systematic and Evolutionary Microbiology*, 55(4), p.1697-1703.

Demirel B. and Scherer P. (2008). The roles of acetotrophic and hydrogenotrophic methanogens during anaerobic conversion of biomass to methane: a review. *Reviews in Environmental Science and BioTechnology*, 7(2), p.173-190.

- Demirel B. and Yenigün O. (2002). Two-phase anaerobic digestion processes: a review. *Journal of Chemical Technology & Biotechnology*, 77(7), p.743-755.
- Demirer G. and Chen S. (2005). Anaerobic digestion of dairy manure in a hybrid reactor with biogas recirculation. *World Journal of Microbiology and Biotechnology*, 21(8-9), p.1509-1514.
- Deublein D. and Steinhauser A. (2008). *Biogas from waste and renewable resources : Formation of biogas*. Wiley-VCH
- DOE. (2009). Environmental quality act 1974 and regulations. *Environmental Quality (Industrial Effluent) Regulations (PU (A) 434)*. Department of Environment. Malaysia.
- Donoso B. A., Retamal C., Carballa M., Ruiz F. G. and Chamy R. . (2009). Influence of temperature on the hydrolysis, acidogenesis and methanogenesis in mesophilic anaerobic digestion: parameter identification and modeling application. *Water Science and Technology*, 60(1), p.9-17.
- El - Mamouni R., Leduc R. and Guiot S. R. (1997). Influence of the starting microbial nucleus type on the anaerobic granulation dynamics. *Applied Microbiology and Biotechnology*, 47(2), p.189-194.
- EPA (2004). *Primer for municipal wastewater treatment systems*. E. P. Agency. Washington, DC.
- Fannin K. F., Srivasta V. J., Conrad J. R and Chynoweth D. P. (1981). Marine biomass program: anaerobic digester system development. *Institue of Gas Technology*. Chicago.
- Flaherty V., McHugh S. , Reilly C., Mahony E. and Colleran E. . (2003). Anaerobic granular sludge etchnology. *Environment Science and BioTechnology*, 2(1), p.225-245.
- Forgacs G. (2012) Biogas production from citrus wastes and chicken feather: pretreatment and co-digestion. Department of Chemical and Biological Engineering. Ph.D thesis, Chalmers University of Technology.
- Foxon K. M., Buckley C. A., Brouckaert C. J., Dama P., Mtembu Z., Rodda N., Smith M. T., Pillay S., Arjun N., Lalbahadur T. and Bux F. (2005). Evaluation of the anaerobic baffled reactor for dense peri-urban settlements.

- Foxon K. M., Pillay S., Lalbahadur T., Rodda N., Holder F. and Buckley C. (2007). The anaerobic baffled reactor (ABR): An appropriate technology for on-site sanitation. *Water SA*, 30(5), p.44-50.
- Freese L. H. and Stuckey D. C. (2000). Influence of seed inoculum on the start-up of an anaerobic baffled reactor. *Environmental Technology*, 21(8), p.909-918.
- Ghaniyari B. S., Martín A. and Borja R. (2010). Kinetic modelling and performance prediction of a hybrid anaerobic baffled reactor treating synthetic wastewater at mesophilic temperature. *Process Biochemistry*, 45(10), p.1616-1623.
- Ghaniyari B. S., Martín A., Borja R., Martín M. A. and Hedayat N. (2012). Comparison of two mathematical models for correlating the organic matter removal efficiency with hydraulic retention time in a hybrid anaerobic baffled reactor treating molasses. *Bioprocess and Biosystems Engineering*, 35(3), p.389-397.
- Goberna M., Gadermaier M., García C., Wett B. and Insam H. (2010). Adaptation of methanogenic communities to the cofermentation of cattle excreta and olive mill wastes at 37°C and 55°C. *Applied and Environmental Microbiology*, 76(19), p.6564-6571.
- Gomez R. R. (2011) Upflow Anaerobic Sludge Blanket Reactor: Modelling. Department of Chemical Engineering and Technology. Bach. thesis, Royal Institute of Technology.
- Gopala K. G. V. T., Kumar P. and Kumar P. (2009). Treatment of low-strength soluble wastewater using an anaerobic baffled reactor (ABR). *Journal of Environmental Management*, 90(1), p.166-176.
- Gopala K. G. V. T., Kumar P. and Kumar P. (2008). Treatment of low strength complex wastewater using an anaerobic baffled reactor (ABR). *Bioresource Technology*, 99(17), p.8193-8200.
- Grant S. R. (1993) Effect of temperature and organic loading on the performance of UASB reactors. Department of Civil Engineering. M.Sc thesis, University of New Brunswick.
- Griffin L. P. (2012) Anaerobic digestion of organic wastes: The impact of operating conditions on hydrolysis efficiency and microbial community composition. Department of Civil and Environmental Engineering. M.Sc thesis, Colorado State University.

- Grover R., Marwaha S. S. and Kennedy J. F. (1999). Studies on the use of an anaerobic baffled reactor for the continuous anaerobic digestion of pulp and paper mill black liquors. *Process Biochemistry*, 34(6–7), p.653-657.
- Gubelt G., Lumpe C. and Joore L. (2000). Towards zero liquid effluents at Niederauer Muhle—the validation of two novel separation technologies. *Paper Technology*, 41(8), p.41-48.
- Gujer W. and Zahnder A. J. B (1983). Conversion processes in anaerobic digestion. *Water Science and Technology*, 15(8-9), p.127-167.
- Guo W. Q., Ren N. Q., Chen Z. B., Liu B. F., Wang X. J., Xiang W. S. and Ding J. . (2008). Simultaneous biohydrogen production and starch wastewater treatment in an acidogenic expanded granular sludge bed reactor by mixed culture for long-term operation. *International Journal of Hydrogen Energy*, 33(24), p.7397-7404.
- Guwy A. J., Hawkes F. R., Wilcox S. J. and Hawkes D. L. (1997). Neural network and on-off control of bicarbonate alkalinity in a fluidised-bed anaerobic digester. *Water Research*, 31(8), p.2019–2025.
- Habeeb S. A., Aziz A. B., Daud Z. and Ahmad Z. (2011). A review on granules initiation and development inside UASB Reactor and the main factors affecting granules formation process. *International Journal of Energy and Environment*, 2(2), p.311-320.
- Halim S. F. A., Kamaruddin A. H. and Fernando W. J. N. (2009). Continuous biosynthesis of biodiesel from waste cooking palm oil in a packed bed reactor: optimization using response surface methodology (RSM) and mass transfer studies. *Bioresource Technology*, 100(2), p.710-716.
- Hanjie Z. (2010) Sludge treatment to increase biogas production. Department of Land and Water Resources Engineering. Bach. thesis, Royal Institute of Technology (KTH).
- Hasan M. R., Rahman M., Jaques S., Purwantini E. and Daniels L. (2010). Glucose 6-phosphate accumulation in mycobacteria: implications for a novel F420-dependent anti-oxidant defense system. *The Journal of Biological Chemistry*, 285(25), p.19135-19144.
- Hassan A. N. and Nelson B. K. (2012). Invited review: Anaerobic fermentation of dairy food wastewater. *Journal of Dairy Science*, 95(11), p.6188-6203.

Harper S. R. and Pohland F. G. (1997). Microbial consortia selection in anaerobic filters operated in different reactor configurations. *Water Science and Technology*, 36(6–7), p.33-39.

Hiroyuki I. (2007). New method for cultivating methanogenic microorganisms: Providing clues to mechanism of biogas generation and application studies P. D. P. Office. Institut of Biogeosciences (BioGeos).

Ho D. P., Jensen P. D. and Batstone D. J. (2013). Methanosarcinaceae and acetate-oxidizing pathways dominate in high-rate thermophilic anaerobic digestion of waste-activated sludge. *Applied and Environmental Microbiology*, 79(20), p.6491-6500.

Holubar P., Zani L., Hager M., Froschl W., Radak Z. and Braun R. (2003). Start up and recovery of a biogas-reactor using hierachial neural network-based control tool. *Journal of Chemical Technology and Biotechnology* 78(8), p.847–854.

Holubar P., Zani L., Hager M., Froschl W., Radak Z. and Braun R. (2002). Advanced controlling of anaerobic digestion by means of hierarchical neural networks. *Water Research*, 36(10), p.2582-2588.

Hu W. C., Thayanithy K. and Forster C. F. (2002). A kinetic study of the anaerobic digestion of ice-cream wastewater. *Process Biochemistry*, 37(9), p.965-971.

Hu W. C., Thayanithy K. and Forster C. F. (2001). Kinetic study of anaerobic digestion of sulphate-rich wastewaters from manufacturing food industries In: 7th International Conference on Environmental Science and Technology, Syros Island, Greece.

Huilinir C., Roa E., Vargas D., Roeckel M. and Aspe E. (2008). Kinetics of syntrophic acetogenesis in a saline medium. *Journal of Chemical Technology & Biotechnology*, 83(10), p.1433-1440.

Hulshoff L., Lens P., Castro S. and G. Lettinga. (2004). Anaerobic sludge granulation. *Water Research*, 38(6), p.1376-1389.

Hutnan M., Drtil M., Mráfková L., Derco J. and Buday J. (1999). Comparison of start-up and anaerobic wastewater treatment in UASB, hybrid and baffled reactor. *Bioprocess Engineering*, 21(5), p.439-445.

Hvala N., Strmcnik S., Sel D., Milanic S. and Banko B. (2005). Influence of model validation on proper selection of process models—an industrial case study. *Computers & Chemical Engineering*, 29(7), p.1507-1522.

- Ince B. K. and Ince O. (2000). Changes to bacterial community make-up in a two-phase anaerobic digestion system. *Journal of Chemical Technology and Biotechnology*, 75(6), p.500-508.
- Isik M. and Sponza D. . (2005). Substrate removal kinetics in an upflow anaerobic sludge blanket reactor decolorising simulated textile wastewater. *Process Biochemistry*, 40(3-4), p.1189-1198.
- Jablonski S. J., Rodowicz P. and Lukaszewicz M. (2015). Methanogenic archaea database containing physiological and biochemical characteristics. *International Journal of Systematic and Evolutionary Microbiology*, 65(1), p.1360-1368.
- Jadhao R. K. and Dawande S. (2013). Effect of hydraulic retention time and sludge retention time on membrane bioreactor : Performance in summer season *International Journal of Chemical and Physical Sciences*, 2(2), p.1-18.
- Ji G. D., Sun T. H., Ni J. R. and Tong J. J. (2009). Anaerobic baffled reactor (ABR) for treating heavy oil produced water with high concentrations of salt and poor nutrient. *Bioresource Technology*, 100(3), p.1108-1114.
- Jian C. and Shi-yi L. (1993). Study on mechanism of anaerobic sludge granulation in UASB reactors. *Water Science and Technology*, 28(7), p.171-178.
- Jirka A. M. and Carter M. J. (1975). Micro semiautomated analysis of surface and waste waters for chemical oxygen demand. *Analytical Chemistry*, 47(8), p.1397-1402.
- Kennedy J. F., Panesar P. S., Grover R. and Marwaha S. S. (2006). Continuous methanogenesis of black liquor of pulp and paper mills in an anaerobic baffled reactor using an immobilized cell system. *Journal of Chemical technology and Biotechnology*, 81(7), p.1277-1281.
- Kennedy K.J., Graham B., Droste R.L., Fernandes L. and Narbaitz R. (2000). Microtox and Ceriodaphnia dubia toxicity of BKME with powdered activated carbon treatment. *Water SA*, 26(2), p.205-216.
- Kloster M. B. (1974). Determination of tannin and lignin. *Journal American Water Works Association*, 66(1), p.44-51.
- Ko J. J., Shimizu Y., Ikeda K., Kim S. K., Park C. H. and Matsui S. (2009). Biodegradation of high molecular weight lignin under sulfate reducing conditions: Lignin degradability and degradation by-products. *Bioresource Technology*, 100(4), p.1622– 1627.

- Korsak L. (2008) Anaerobic treatment of wastewater in a UASB reactor. Department of Chemical Engineering and Technology. Bach. thesis, Royal Institute of Technology.
- Krishna G. V. T., Kumar P. and Kumar P. (2007). Complex wastewater treatment using an anaerobic baffled reactor. *Environmental Progress*, 26(4), p.391-398.
- Krishna G. V. T., Kumar P. and Kumar P. (2008). Treatment of low strength complex wastewater using an anaerobic baffled reactor (ABR). *Bioresource Technology*, 99(17), p.8193-8200.
- Krishna G. V. T., Kumar P. and Kumar P. (2009). Treatment of low-strength soluble wastewater using an anaerobic baffled reactor (ABR). *Journal of Environmental Management*, 90(1), p.166-176.
- Krishna G. V. T. (2013). Soluble wastewater treatment using an ABR. *International Journal of Emerging Technology and Advanced Engineering*, 3(4), p.325-331.
- Krylow M. and Tal- Figiel B. (2003). Kinetics of anaerobic processes In: In Proceedings of a Polish-Swedish Seminar.
- Kumar G. S. and Gurdeep S. (2007). Biodegradation of distillery spent wash in anaerobic hybrid reactor. *Water Research*, 41(4), p.721-730.
- Kumar V., Dhall P., Naithani S., Kumar A. and Kumar R. (2014). Biological approach for the treatment of pulp and paper industry effluent in sequence batch reactor. *Bioremediation and Biodegradation*, 5(3), p.1.
- Lalbahadur T. (2005) Characterisation of microbial communities present in an anaerobic baffled reactors utilising molecular techniques. *Biotechnology*. M.Sc thesis, Durban Institute of Technology.
- Laurent J., Casellas M., Pons M. N. and Dagot C. (2010). Cadmium biosorption by ozonized activated sludge: The role of bacterial flocs surface properties and mixed liquor composition. *Journal of Hazardous Materials*, 183(1–3), p.256-263.
- Lee A. H. and Nikraz H. (2014). BOD:COD ratio as an indicator for pollutants leaching from landfill. *Journal of Clean Energy Technologies*, 2(3), p.263-266.

- Lehtomaki A., Vavilin V. A. and Rintala J. A. (2005). Kinetic analysis of methane production from energy crops In: Proceedings of the Fourth International Symposium on Anaerobic Digestion of Solid Waste, Copenhagen, Denmark.
- Leitao R. C. (2004) Robustness of UASB reactors treating sewage under tropical conditions. Ph.D thesis, Wageningen University.
- Levstek T. and Lakota M. (2010). The use of artificial neural networks for compounds prediction in biogas from anaerobic digestion – A review. Agricultural, 22(12), p.15-22.
- Liebetrau J., Kraft E. and Bidlingmaier W. (2004). The influence of the hydrolysis rate of co-substrates on process behaviour In: Proceedings of the Tenth World Congress on Anaerobic, Montreal, Canadian Association on Water Quality.
- Lier J. B. V., Mahmoud N. and Zeeman G. (2008). Biological wastewater treatment. Anaerobic wastewater treatment: Sustainable in wastewater treatment. IWA Publishing. London, UK.
- Lissens G., Vandevivere P., de Baere L., Biey E.M. and Verstraete W. (2001). Solid waste digesters: process performance and practice for municipal solid waste digestion. Water Science and Technology, 44(8), p.91-102.
- Liu R. R., Tian Q., Yang B. and Chen J. H. (2009). Hybrid anaerobic baffled reactor for treatment of desizing wastewater. International Journal of Environmental Science & Technology, 7(1), p.111-118.
- Liu W. T., Chan O. C. and Fang H. P. (2002). Characterization of microbial community in granular sludge treating brewery wastewater. Water Research, 36(7), p.1767-1775.
- Liu X. L., Ren N. Q. and Wan C. L. (2007). Hydrodynamic characteristics of a four-compartment periodic anaerobic baffled reactor. Journal of Environmental Sciences (China), 19(10), p.1159-1165.
- Liu Y., Boone D. R., Sleat R. and Mah R. A. (1985). Methanosaeca mazae LYC, a new methanogenic isolate which produces a disaggregating enzyme. Applied and Environmental Microbiology, 49(3), p.608-613.
- Liu Y., Hai-Lou X., Shu-Fang Y. and Joo-Hwa T. . (2003). Mechanisms and models for anaerobic granulation in upflow anaerobic sludge blanket reactor. Water Research, 37(3), p.61-673.

Liu Y. and Tay J. H. (2004). State of the art of biogranulation technology for wastewater treatment. *Biotechnology Advances*, 22(7), p.533-563.

Lokshina L. Y., Vavilin V. A., Kettunen R. H., Rintala J. A., Holliger C. and Nozhevnikova Al. N. (2001). Evaluation of kinetic coefficients using integrated monod and haldane models for low-temperature acetoclastic methanogenesis. *Water Research*, 35(12), p.2913-2922.

Lokshina L. Y., Vavilin V. A., Salminen E. and Rintala J. (2003). Modeling of anaerobic degradation of solid slaughterhouse waste. *Applied Biochemical and Biotechnology*, 109(1-3), p.15-32.

Macleod F. A., Guiot S. R. and Costerton J. W. (1990). Layered structure of bacterial aggregates produced in an upflow anaerobic sludge bed and filter reactor. *Applied Environmental Microbiology*, 56(6), p.1598-1607.

Magnaye F. A., Gaspillo P. D. and Auresenia J. L. (2009). Biological nitrogen and COD removal of nutrient-rich wastewater using aerobic and anaerobic reactors. *Journal of Water Resource and Protection*, 1(5), p.376-380.

Maheshwari R., Rani B., Saxena A., Prasad M. and Singh U. (2012). Analysis of effluents released from recycled paper industry. *Journal of Advanced Scientific Research*, 3(1), p.82-85.

Mah R. A., Smith M. R. and Baresi L. (1978). Studies on acetate fermenting strains of Methanosarcina. *Applied and Environmental Microbiology*, 35(6), p.1174-1184.

Maier H. R. and Dandy G. C. (1998). Understanding the behaviour and optimising the performance of back-propagation neural networks: an empirical study. *Environmental Modelling & Software* 13(2), p.179-191.

Mansouri Y., Zinatizadeh A. A., Mohammadi P., Irandoost M., Akhbbari A. and Davoodi R. (2012). Hydraulic characteristics analysis of an anaerobic rotatory biological contactor (AnRBC) using tracer experiments and response surface methodology (RSM). *Korean Journal of Chemical Engineering*, 29(7), p.891-902.

Martin A. D. (2000). Interpretation of residence time distribution data. *Chemical Engineering Science*, 55(23), p.5907-5917.

Mahoney E. M., Varangu L. K., Cairns W. L., Kosaric N. and Murray R. G. E. (1987). The effect of calcium on microbial aggregation during UASB reactor start-up. *Water Science and Technology*, 19(1-2), p.249-260.

- Manariotis I. D. and Grigoropoulos S. G. (2002). Low-strength wastewater treatment using an an-aerobic baffled reactor. *Water Environment Research*, 74(2), p.170-176.
- Mata A. J., Mace S. and Liabres P. (2000). Anaerobic digestion of organic solid wastes. An overview of research achievements and perspectives. *Bioresource Technology*, 74(1), p.3-16.
- McHugh S., Micheal C., Mahony T. and O'Flaherty V. (2003). Methanogenic population structure in a variety of anaerobic bioreactors. *FEMS Microbiology Letter*, 219(2), p.297-304.
- McMahon K. D., Zheng D., Stams A. J. M, Mackie R. I. and Raskin L. (2004). Microbial population dynamics during start-up and overload conditions of anaerobic digesters treating municipal solidwaste and sewage sludge. *Biotechnology and Bioengineering*, 87(7), p.823-834.
- Meesap K., Techkarnjanaruk S. and Chaipra P. (2011). Microbial and process performance in anaerobic digestion of palm oil mill effluent under normal and over loading in hybrid reactor In: International Conference on Food Engineering and Biotechnology, Singapore, IACSIT Press.
- Melin E., Leiknes T., Helness H., Rasmussen V. and Odegaard H. (2005). Effect of organic loading rate on a wastewater treatment process combining moving bed biofilm and membrane reactors. *Water Science and Technology*, 51(6-7), p.421-430.
- Metcalf and Eddy. (2003). *Wastewater Engineering: Treatment and Reuse*.4th edition. Mc Graw- Hill Higher Education.Boston, USA.
- Miron Y. (1997) Anaerobic treatment of concentrated sewage in a two step UASR-UASB system- The effect of SRT, sludge characteristics and upflow velocity on the performance of UASR. M.Sc. thesis, Landbouw Universiteit Wageningen
- Misman M., Rafidah S., Alwi W. and Manan Z. A. (2008). State of the art for paper recycling In: International Conference on Science and Technology (ICSTIE), Pulau Pinang.
- Momoh O. L. Y., Anyata B. U. and Saroj D. P. (2013). Development of simplified anaerobic digestion models (SADM's) for studying anaerobic biodegradability and kinetics of complex biomass. *Biochemical Engineering Journal*, 79(1), p.84-93.

- Motteran F., Pereira E. L. and Campos C. M. M. (2013). The behaviour of an anaerobic baffled reactor (ABR) as the first stage in the biological treatment of HOG farming effluents. *Brazilian Journal of Chemical Engineering*, 30(2), p.299-310.
- Montgomery D. C. (1997). *Design and Analysis of Experiments*.4th edition. John Wiley & Sons.New York.
- Montgomery H. A. C., Dymock Joan F. and Thom N. S. (1962). The rapid colorimetric determination of organic acids and their salts in sewage-sludge liquor. *Analyst*, 87(1041), p.949-955.
- Movahedyan H., Assadi A. and Parvaresh A. (2007). Performance evaluation of an anaerobic baffled reactor treating wheat flour starch industry wastewater. *Iranian Journal of Environmental Health Science and Engineering.*, 4(2), p.77-84.
- Mu Y. and Yu H. Q. (2007). Simulation of biological hydrogen production in a UASB reactor using neural network and genetic algorithm. *International Journal of Hydrogen Energy*, 32(15), p.3308-3314.
- Muhamad M. H., Abdullah S. R. S., Mohamad A. B., Rahman R. A. and Kadhum A. A. H. (2012). Effect of hydraulic retention time (HRT) on pentachlorophenol (PCP) and COD removal in a pilot GAC-SBBR system for the post-treatment of recycled paper mill wastewater. *Desalination and Water Treatment*, 48(1-3), p.50-59.
- Mussati M., Thompson C., Fuentes M., Aguirre P. and Scenna N. (2005). Characteristics of a methanogenic biofilm on sand particles in a fluidized bed reactor. *Lation American Applied Research*, 35(1), p.265-272.
- Myers R. H. and Montgomery D. C. (1995). *Response surface methodology: Process and product optimization using designed experiments*.John Wiley & Sons.New York.
- Narayanan N., Krishnakumar B., Anupama V. N. and Manilal V. B. (2009). *Methanosaeta sp.*, the major archaeal endosymbiont of Metopus es. *Research in Microbiology*, 160(8), p.600-607.
- Nasr M., Khalil A., Abde K. A., Elbarki W. and Moustafa M. (2014). Comparative performance between conventional and hybrid anaerobic baffled reactors for treating dairy wastewater. *International Journal of Chemical and Environmental Engineering Comparative*, 5(4), p.187.

- Nettmann E., Bergmann I. and Pramschufer S. (2010). Polyphasic analyses of methanogenic archaeal communities in agricultural biogas plants. *Applied and Environmental Microbiology*, 76(8), p.2540-2548.
- Nges I. A. (2012) Anaerobic digestion of crop and waste biomass : Impact of feedstock characteristics on process performance. Department of Biotechnology. Ph.D thesis, Lund University.
- Nguyen H., Turgeon S. and Matte J. (2010). The anaerobic baffled reactor: A study of the wastewater treatment process using the anaerobic baffled reactor.
- Nguyen T. P., Hankins N. P. and Hilal N. (2007). A comparative study of the flocculation behaviour and final properties of synthetic and activated sludge in wastewater treatment. *Desalination*, 204(1-3), p.277-295.
- Nunes E. , Maioque F. P. , Zardo D. M. and Barana A. C. (2008). Effect of 60 day interuption during the start-up period of two anaerobic biodigestors treating a slaughterhouse effluent: A hybrid reactor and biological filter. *Earth Science Agricultural Science and Engineering*, 14(1), p.59-64.
- Nyanchaga E. N. and Elkanzi M. A. (2002). Characteristic strength and treatability of a recycled paper mill wastewater in a UASB reactor. *Journal of Civil Engineering*, 8(1), p.61-77.
- O'Reilly J., Lee C., Collins G., Chinalia F., Mahony T. and O'Flaherty V. (2009). Quantitative and qualitative analysis of methanogenic communities in mesophilically and psychrophilically cultivated anaerobic granular biofilms. *Water Research*, 43(14), p.3365-3374.
- Osman W. H. W., Abdullah S. R. S., Mohamad A. B., Kadhum A. A. H. and Rahman R. A. (2013). Simultaneous removal of AOX and COD from real recycled paper wastewater using GAC-SBBR. *Journal of Environmental Management*, 121(1), p.80-86.
- Pandey P. K., Ndegwa P. M., Soupir M. L., Alldredge J. R. and Pitts M. J. (2011). Efficacies of inocula on the startup of anaerobic reactors treating dairy manure under stirred and unstirred conditions. *Biomass and Bioenergy*, 35(7), p.2705-2720.
- Parawira W. (2004) Anaerobic treatment of agricultural residues and wastewater: Application of high-rate reactor. Department of Biotechnology. Ph.D dissertation, Lund University.

- Pareboom J. (1994). Size distribution model for methanogenic granules from full scale UASB and IC reactor. *Water Science and Technology* 30(12), p.211-221.
- Parkin G. and Owen W. F. (1986). Fundamentals of anaerobic digestion of wastewater sludges. *Journal of Environmental Engineering*, 112(5), p.867-920.
- Parthiban R. (2011). Biodegradation kinetics during different start up of the anaerobic tapered fluidized bed reactor. *Songklanakarin Journal of Science and Technology*, 33(5), p.539-544.
- Persson J., Somes N. L. G. and Wong T. H. F. (1999). Hydraulics efficiency of constructed wetlands and ponds. *Water Science and Technology*, 40(3), p.291-300.
- Polprasert C., Kemmadamrong P. and Tran F. T. (1992). Anaerobic baffle reactor (ABR) process for treating a slaughterhouse wastewater. *Environmental Technology*, 13(9), p.857-865.
- Pokhrel D. and Viraraghavan T. (2004). Treatment of pulp and paper mill wastewater--a review. *The Science of the Total Environment*, 333(1-3), p.37-58.
- Qdais H. A., Bani Hani K. and Shatnawi N. (2010). Modeling and optimization of biogas production from a waste digester using artificial neural network and genetic algorithm. *Resources, Conservation and Recycling*, 4(6), p.359-363.
- Qiu Y. L., Sekiguchi Y., Imachi H., Kamagata Y., Tseng I. C., Cheng S. S., Ohashi A. and Harada H. (2004). Identification and isolation of anaerobic, syntrophic phthalate isomer-degrading microbes from methanogenic sludges treating wastewater from terephthalate manufacturing. *Applied Environmental Microbiology*, 70(3), p.1617-1626.
- Qu X., Vavilin V. A. and Maz L. (2009). Anaerobic biodegradation of cellulosic material: batch experiments and modelling based on isotopic data and focusing on aceticlastic and non-aceticlastic methanogenesis. *Waste Management*, 29(6), p.1828-1837.
- Rajakumar R., Meenambal T., Banu J. R. and Yeom I. T. (2010). Treatment of poultry slaughterhouse wastewater in upflow anaerobic filter under low upflow velocity. *International Journal of Environmental Science & Technology*, 8(1), p.149-158.

Rajeshwari K. V., Balakrishnan M., Kansal A., Lata Kusum and Kishore V. V. N. (2000). State-of-the-art of anaerobic digestion technology for industrial wastewater treatment. Renewable and Sustainable Energy Reviews, 4(2), p.135-156.

Ramakrishnan A. and Surampalli R. Y. (2012). Comparative performance of UASB and anaerobic hybrid reactors for the treatment of complex phenolic wastewater. Bioresource Technology, 123(1), p.352-359.

Ramsay I. R. (1997) Modelling and control of high rate anaerobic wastewater treatment systems. Ph.D thesis, University of Queensland.

Ramsey P. (2007). The 2k Factorial Design.

Rincon B., Travieso L., Sanchez L., Martin E., Martin M. A., Raposo A. and Borja R. (2007). The effect of organic loading rate on the anaerobic digestion of two-phase olive mill solid residue derived from fruits with low ripening index. Journal of Chemical Technology & Biotechnology, 82(3), p.259-266.

Ristow N.E., Sotemann S.W., Wentzel M.C., Loewental R.E. and Ekama G.A. (2006). The effects of hydrolysis retention time and feed COD concentration on the rate of hydrolysis of primary sewage sludge under methanogenic conditions. Water Science and Technology, 54(5), p.91-100.

Rizvi H. (2010) Sewage treatment by an upflow anaerobic sludge blanket reactor (UASB) under subtropical conditions. Institute of Geology. Ph.D thesis, University of Punjab.

Rocheleau S., Greer C. W., Lawrence J. R., Cantin C. and Guiot S. R. (1999). Differentiation of *methanosaeta concilii* and *methanosarcina barkeri* in anaerobic mesophilic granular sludge by fluorescent in situ hybridization and confocal scanning laser microscopy. Applied and Environmental Microbiology, 65(5), p.2222-2229.

Roda J. M. and Rathi S. (2006). Feeding china's expanding demand for wood pulp: A diagnostic assessment of plantation development, fiber supply, and impacts on natural forests in china and in the south east asia region, Malaysia report. Asia Pro Eco Program.

Romli M., Keller J., Lee P. J. and Greenfield P. F. (1995). Model prediction and verification of a two-stage highrate anaerobic wastewater treatment system subjected to shock loads. Process Safety and Environmental Protection, 73(2), p.151-154.

Rongrong L., Xujie L., Qing T., Bo Y. and Jihua C. (2011). The performance evaluation of hybrid anaerobic baffled reactor for treatment of PVA-containing desizing wastewater. Desalination, 271(1-3), p.287-294.

Saiki Y., Iwabuchi C., Katami A. and Kitagawa Y. (2002). Microbial analyses by fluorescence in situ hybridization of well-settled granular sludge in brewery wastewater treatment plants. Journal of Bioscience and Bioengineering, 93(6), p.601-606.

Saiki Y., Katami A. and Kitagawa Y. (2003). Factual Analysis of Granule Flotation in Brewery Wastewater Treatment Plants by the Fluorescence in situ Hybridization Method. Journal of Bioscience and Bioengineering, 95(2), p.188-191.

Salminen E., Einola J. and Rintala J. (2003). The methane production of poultry slaughtering residues and effects of pretreatments on the methane production of poultry feather. Environmental Technology, 24(9), p.1079-1086.

Sallis P. J and Uyanik S. (2003). Granule development in a split-feed anaerobic baffled reactor. Bioresource Technology, 89(3), p.255-265.

Sanchez C. (2009). Lignocellulosic residues: biodegradation and bioconversion by fungi. Biotechnology Advances, 27(2), p.185-194.

Sarathai Y., Koottatep T. and Morel A. (2010). Hydraulic characteristics of an anaerobic baffled reactor as onsite wastewater treatment system. Journal of Environmental Sciences, 22(9), p.1319-1326.

Sayad S. (2010). An introduction to data mining: Artificial neural network [Online]. Accessed [23 March 2015]: Available from: http://chem-eng.utoronto.ca/~datamining/dmc/artificial_neural_network.htm.

Schmidt J. E. and Ahring B. K. (1996). Granular sludge formation in upflow anaerobic sludge blanket (UASB) reactors. Biotechnology and Bioengineering, 49(3), p.229-246.

Schmidt T. and Lange S. (2000). Treatment of paper mill effluent by the use of ozone and biological systems: large scale application at lang paper. In: Tappi International Environmental Conference and Exhibit, Denver, CO, Norcross, GA, 30092, USA: Technical Association for Pulp and Paper Industry (TAPPI).

Schnell A., Steel P., Melcer H., Hodson P. V. and Carey J.H. . (2000). Enhanced biological treatment of bleached kraft mill effluents: I. Removal of

chlorinated organic compounds and toxicity. Water Research, 34(2), p.493-500.

Schnurer A. and Nordberg A. (2008). Ammonia, a selective agent for methane production by syntrophic acetate oxidation at mesophilic temperature. Water science and technology, 57(5), p.735-740.

Senthilnathan P.R. and Ganczarczyk J.J. (1990). Application of biomass carriers in activated sludge process. Wastewater Treatment by Immobilized Cells. R. D. Tyagiand and K. V. Vembu, CRC Press: 103-141.

Shah F. A., Mahmood Q., Shah M. M., Pervez A. and Asad S. A. (2014). Microbial ecology of anaerobic digesters: The key players of anaerobiosis. The Scientific World Journal, 2014(1), p.21.

Sharma M. K. and Kazmi A. A. (2014). Effect of physical property of supporting media and variable hydraulic loading on hydraulic characteristics of advanced onsite wastewater treatment system. Environmental Technology, 36(11), p.1414-1422.

Shaw C. B., Carliell C. M. and Wheatley A. D. (2002). Anaerobic aerobic treatment of coloured textile effluents using sequencing batch reactors. Water Research, 36(8), p.1993-2001.

She Z., Zheng X., Yang B., Jin C. and Gao M. (2006). Granule development and performance in sucrose fed anaerobic baffled reactors. Journal of Biotechnology, 122(2), p.198-208.

Shuizhou K. and Shi Z. (2005). Applications of two phase anaerobic degradation in industrial wastewater treatment. Internation Journal of Environmental and Pollution, 23(1), p.65-80.

Siegert I. and Banks C. (2005). The effect of volatile fatty acid additions on the anaerobic digestion of cellulose and glucose in batch reactors. Process Biochemistry, 40(11), p.3412-3418.

Siegrist H., Vogt D., Garcia-Heras J. L. and Gujer W. (2002). Mathematical model for meso- and thermophilic anaerobic sewage sludge digestion. Environmental Science & Technology, 36(5), p.1113-1123.

Singh P. (2007). Sequential anaerobic and aerobic treatment of pulp and paper mill effluent in pilot scale bioreactor. Journal of Environmental Biology, 28(1),p.77-82.

- Singh L. S. and Mazumder P. B. (2010). Differential approaches for studying methanogens: Methods, analysis and prospects. Assam University Journal of Science and Technology, 6(1), p.123-128.
- Skiadas I.V., Gavala H. N. and Lyberatos G. (2000). Modelling of the periodic anaerobic baffled reactor (PABR) based on the retaining factor concept. Water Research, 34(15), p.3725-3736.
- Solera R., Romero L. I. and Sales D. (2001). Determination of the microbial population in thermophilic anaerobic reactor: comparative analysis by different counting methods. Anaerobe 7(2), p.79-86.
- Spanheimer R. and Muller V. (2008). The molecular basis of salt adaptation in *Methanosarcina mazei* Go1. Archives of Microbiology, 190(3), p.271-279.
- Spring K. R. and Davidson M. W. (2008). Introduction to Fluorescence Microscopy [Online]. Accessed [28 July 2015]: Available from: http://en.wikipedia.org/wiki/Fluorescence_microscope.
- Staley B. F., de los Reyes III F. L. and Barlaz M. A. (2011). Effect of spatial differences in microbial activity, pH, and substrate levels on methanogenesis initiation in refuse. Applied and Environmental Microbiology, 77(7), p.2381-2391.
- Steinberg L. M. and Regan J. M. (2011). Response of lab-scale meth- anogenic reactors inoculated from different sources to organic loading rate shocks. Bioresource Technology, 102(19), p.8790-8798.
- Strik D., Domnanovich A., Zani L., Braun R. and Holubar P. (2005). Prediction of trace compounds in biogas from anaerobic digestion using the MATLAB neural network toolbox. Environmental Modeling & Software, 20(6), p.803-810.
- Tabatabaei M., Rahim R. A., Abdullah N., Wright A. G., Shirai Y., Sakai K., Sulaiman A. and Hassan M. A. (2010). Importance of the methanogenic archaea populations in anaerobic wastewater treatments. Process Biochemistry, 45(8), p.1214-1225.
- Tay J. H., Xu H. L. and Teo K. C. . (2000). Molecular mechanism of granulation. I: H⁺ translocation-dehydration theory. Journal of Environmental Engineering, 126(5), p.403-410.
- Tchobanoglous G., Burton F. and Stensel H. D. (2003). Wastewater engineering: Treatment and reuse.4th Ed. Metcalf & Eddy.USA.