

**EVALUATION OF LABORATORY
SHORT-TERM AGEING AND RUTTING
CHARACTERISATION OF BITUMEN AND
ASPHALT MASTICS**

NOOR HALIZAH BINTI ABDULLAH

UNIVERSITI SAINS MALAYSIA

2018

**EVALUATION OF LABORATORY SHORT-TERM AGEING AND
RUTTING CHARACTERISATION OF BITUMEN AND ASPHALT
MASTICS**

by

NOOR HALIZAH BINTI ABDULLAH

**Thesis submitted in fulfillment of the
requirements for the degree of
Doctor of Philosophy**

January 2018

To Shamsul, Aufa and Arman.

ACKNOWLEDGEMENTS

Bismillahirrahmannirrahim...

Alhamdulillah, praises to Allah swt for granting my du'a and for my good health and strength to complete my PhD. I would also like to acknowledge several other people who are a part of my endeavour and aided me throughout my journey.

Mum and dad, both have been my pillars of strength. Keeping me anchored to my spirit. Thank you for your unconditional love. It is for you both that I kept moving and be strong. My dearest husband, Shamsul Ishak, my imam, partner and listener. Thank you for your patience, understanding and being part in my journey. My children, Afa Hafiyya and Arman Haydaan, ibu love you both eternally. I am also grateful to my siblings and other family members who have always motivated me when I am in doubt.

A very special gratitude to my supervisor Professor Meor Othman Hamzah, who taught me to do my best in everything I do, providing me with endless support and motivations throughout my mission to achieve my dreams. Many thanks to my co-supervisors Dr. Nur Izzi Md Yusoff, for keeping me calm and providing me with useful insights, Prof. Ahmad Shukri Yahaya, for your knowledge of statistics. To the technicians, Mr Fouzi Ali and Mr Zulhairi Ariffin, thank you for entertaining my requests and your endless support. You're the backbone of our laboratory. My dearest friends and colleagues, Lillian, Eric, Reza, Bashir, Foad, Ali and Babak. I appreciate our discussions, the good and the bad times we had together. I will surely miss everyone. I am also grateful to my friends who have supported me along the way. You know who you are.

Many thanks also due to the quarries, KPP Sdn. Bhd. and Kuad Kuari Sdn. Bhd. for their cooperation and also to the Malaysian Ministry of Higher Education for granting me sponsorship throughout my studies. I am truly grateful.

“Through patience, the sorrow will be replaced with joy, and the difficulty will be replaced with ease” ~ Imam Ali AS ~

TABLE OF CONTENTS

	Page
ACKNOWLEDGEMENTS	ii
TABLE OF CONTENTS	iv
LIST OF TABLES	x
LIST OF FIGURES	xiii
LIST OF PLATES	xviii
LIST OF SYMBOLS	xix
LIST OF ABBREVIATIONS	xx
ABSTRAK	xxii
ABSTRACT	xxiv
CHAPTER ONE: INTRODUCTION	
1.1 Preamble	1
1.2 Problem Statement	3
1.3 Objectives	4
1.4 Scope of Work	5
1.5 Significance of the Research	5
1.6 Thesis Organisation	6
CHAPTER TWO: LITERATURE REVIEW	
2.1 General	8
2.2 Bitumen	8
2.3 Asphalt Mastics System	8
2.4 Ageing	10
2.4.1 Short-Term Ageing	10

2.4.1.(a)	Ageing Methods	16
2.4.2	Long-Term Ageing	21
2.4.3	Ageing Factors	21
2.4.4	Bitumen Oxidation Mechanism	23
2.4.4(a)	Fractional Changes in Oxidation	23
2.4.4(b)	Molecular Changes in Oxidation	25
2.4.5	Ageing of Asphalt Mastics	29
2.5	Physical Properties	33
2.6	Physico-Chemical Properties	33
2.7	Rheological Properties	37
2.7.1	Rutting Analysis	37
2.7.1(a)	Superpave High-Temperature Parameter	38
2.7.1(b)	Multiple Stress-Creep Recovery	42
2.7.1(c)	Zero Shear Viscosity	48
2.8	Application of Response Surface Methodology in Asphalt Research	53
2.9	Activation Energy	57
2.10	Summary	60

CHAPTER THREE: METHODOLOGY

3.1	Introduction	63
3.2	Materials	63
3.2.1	Bitumen	63
3.2.2	Aggregate	64
3.2.3	Filler	65
3.2.4	Bitumen and Mixtures Collection from Asphalt Production Plant	66
3.2.5	Bitumen Extraction and Recovery Method	68

3.3	Experimental Phases	69
3.3.1	Phase I	70
3.3.2	Phase II	70
3.3.3	Phase III	71
3.4	Determination of Laboratory Short-Term Ageing Procedure	73
3.4.1	Experimental Design using Response Surface Methodology	73
3.4.2	Principle of RSM	74
3.4.3	Design of Experiment	75
3.4.4	Method of Analysis	77
3.5	Asphalt Mastics	80
3.5.1	Production of Asphalt Mastics	80
3.5.2	Ageing of Asphalt Mastics	83
3.6	Physical Tests	86
3.7	Rotational Viscosity	87
3.8	DSR Test and Sample Preparation	88
3.9	Temperature Sweep Test	90
3.10	Amplitude Sweep Test	90
3.11	Frequency Sweep Test	91
3.11.1	Modelling of Complex Modulus and Phase Angle	92
3.12	Multiple Stress Creep and Recovery Test	96
3.13	Zero Shear Viscosity Test	98
3.13.1	Oscillation Testing	99
3.13.2	Viscometry/Rotational Testing	100
3.13.3	Cox-Merz Rule	101
3.13.4	Extrapolation of Zero Shear Viscosity	102
3.13.4(a)	Cross Model	102
3.13.4(b)	Carreau Model	103

3.14	Attenuated Total Reflectance Fourier Transform Infrared	104
3.15	Summary	106

CHAPTER FOUR: DEVELOPMENT OF A LABORATORY SHORT-TERM AGEING PROCEDURE

4.1	Introduction	107
4.2	Evaluation of Collected Asphalt Mixture Properties	108
	4.2.1 Aggregate Gradations and Bitumen Contents of Collected Mixtures	108
	4.2.2 Properties of Recovered Bitumen	109
4.3	Development of Short-Term Ageing Procedure	109
	4.3.1 Development of Regression Model Equation	112
	4.3.2 Analysis of Variance	114
	4.3.3 Three Dimensional Plots of the Responses	123
	4.3.4 Optimisation of Parameters	125
4.4	Comparison between Standard RTFO and Optimized Procedure	127
4.5	Summary	129

CHAPTER FIVE: CHEMICAL AND RHEOLOGICAL CHARACTERISTICS OF BITUMEN SUBJECTED TO ARTIFICIAL AGEING

5.1	Introduction	131
5.2	Effects of Artificial Ageing on Viscosity	132
5.3	Rheological Properties	141
	5.3.1 Complex Modulus and Phase Angle Master Curves	141
	5.3.2 Modelling the Rheological Master Curves of Laboratory Aged Bitumen	150
	5.3.3 Graphical Comparison	151
	5.3.4 Goodness-of-fit Statistics	153

5.3.5	Frequency Dependency of Storage Modulus and Loss Modulus	154
5.4	Evaluation of Rutting Resistance	158
5.4.1	Evaluation of Rutting Resistance Based on $G^*/\sin \delta$	158
5.4.2	Evaluation of Rutting Resistance Based on Multiple-Stress Creep Recovery Test	161
5.4.2(a)	Non-Recoverable Compliance	161
5.4.2(b)	Percentage Recovery	164
5.4.2(c)	Stress Sensitivity	167
5.4.3	Evaluation of Rutting Resistance Based on Zero Shear Viscosity Test	168
5.4.3(a)	Estimation of Zero Shear Viscosity using Cross and Carreau Models	168
5.4.3(b)	Zero Shear Viscosity of Laboratory Aged Bitumen	174
5.5	Comparison on Different Rutting Evaluation Methods	178
5.6	Chemical Property	182
5.6.1	Fourier Transform Infrared Test	182
5.7	Summary	184

CHAPTER SIX: RHEOLOGICAL CHARACTERIZATION OF ASPHALT MASTICS

6.1	Introduction	186
6.2	Modelling the Rheological Master Curves of Asphalt Mastic	187
6.2.1	Graphical Comparison	194
6.2.2	Goodness-of-fit-Statistics	196
6.2.3	Frequency Dependency of Storage Modulus and Loss Modulus	197
6.3	Evaluation of Rutting Resistance	201
6.3.1	Evaluation of Rutting Resistance Based on $G^*/\sin \delta$	201

6.3.2	Evaluation of Rutting Resistance Based on Multiple-Stress Creep Recovery Test	203
6.3.2(a)	Non-Recoverable Compliance	203
6.3.2(b)	Percentage Recovery	206
6.3.2(c)	Stress Sensitivity	209
6.3.3	Zero Shear Viscosity Test	210
6.3.3(a)	Relationship between Oscillatory and Viscometry Measurements	210
6.3.3(b)	Estimation of Zero Shear Viscosity using Cross and Carreau Models	213
6.3.3(c)	Zero Shear Viscosity Results and Stiffening Ratio	217
6.4	Comparison of Different Methods of Rutting Evaluations	226
6.5	Activation Energy of Asphalt Mastics	233
6.6	Summary	237

CHAPTER SEVEN: CONCLUSIONS AND RECOMMENDATIONS

7.1	Introduction	239
7.2	Conclusions	239
7.3	Recommendations	241

REFERENCES	245
-------------------	-----

APPENDICES

Appendix A: Bitumen

Appendix B: Asphalt Mastics

LIST OF PUBLICATIONS

LIST OF TABLES

		Page
Table 2.1	G*/sin δ for CRMB 55 Bitumen (Behera et al. 2013)	15
Table 2.2	Ageing Parameters for Oven Ageing (Mookhoek et al. 2014)	16
Table 2.3	Comparison of TFO and RTFO Test Methods (Shalaby, 2002)	18
Table 2.4	Bitumen Short-Term Ageing Methods (Airey, 2003)	20
Table 2.5	Bitumen Long-Term Ageing Methods (Airey, 2003)	21
Table 2.6	Factors Affecting Ageing (Traxler, 1963)	22
Table 2.7	Formation of Chemical Functional Groups Associated to Oxidative Ageing (Plancher et al. 1976)	26
Table 2.8	Formation of Carbonyl Functional Groups in Wilmington Bitumen Fractions during Column Oxidation (Petersen, 1984)	27
Table 2.9	A Schematic Overview of the Behaviour of the Asphalt Mastics Mixes as Characterized to Selected Performance Factors (Lerfald and Horvli, 2003)	30
Table 2.10	Investigated FTIR Spectra Absorption Bands (Yao et al., 2013)	34
Table 2.11	Failure Temperature in °C from Rutting Consideration Corresponding to G*/sin δ = 1 kPa (Behl et al. 2014)	41
Table 2.12	Oscillation Tests on Highly SBS-Modified Bitumen (De Visscher and Vanelstraete, 2004)	50
Table 2.13	AE Calculated from Rotational Viscosity Results (Jamshidi et al. 2014)	59
Table 2.14	AE Calculated from DSR Results (Jamshidi et al. 2014)	59
Table 2.15	Activation Energy of the Control and Foamed Bitumen (Hasan et al. 2017)	60
Table 3.1	Properties of Bitumen Used	64
Table 3.2	Physical Properties of Mineral Fillers	65
Table 3.3	Bitumen Designations	67
Table 3.4	Matrix of Experimental Design for All Five Bitumen	77

Table 3.5	Levels of Investigated Parameters	77
Table 3.6	G^* (Pa) of Two Bottles with Different Rods at 64°C	85
Table 3.7	ANOVA on G^* Consistency	85
Table 3.8	Frequency Sweep Test Parameters	92
Table 3.9	The 2S2P1D Parameters Functions	96
Table 3.10	Test Parameters for Oscillation Test	99
Table 3.11	Test Parameters for Viscometry Test	100
Table 4.1	Bitumen Content of Collected Mixtures	109
Table 4.2	Physical and Rheological Properties of Recovered Bitumen	109
Table 4.3	Experimental Design Matrix	110
Table 4.4	The R^2 and Standard Deviation of Developed Models	114
Table 4.5	ANOVA of Bitumen A80D for All Responses	116
Table 4.6	ANOVA Parameters for All Responses	118
Table 4.7	Model Validation for Optimized Condition	126
Table 4.8	Comparison between Standard RTFO and Optimised Procedure	128
Table 4.9	Paired T-test for Standard RTFO and Optimized Solution	129
Table 5.1	Bitumen and Ageing Condition Designation	131
Table 5.2	$\nabla\eta$ Viscosity Equations for Laboratory Aged Bitumen	140
Table 5.3	Changes in G^* and δ due to Laboratory Ageing	144
Table 5.4	The 2S2P1D Model Parameters for Bitumen A80 and B60	151
Table 5.5	Summary of SSE and MNE Statistical Goodness-of-Fit for Bitumen A80 and B60	154
Table 5.6	Effects of Artificial Ageing on $G^*/\sin \delta$	159
Table 5.7	High-Temperature Performance Grading Changes due to Ageing	160
Table 5.8	Relative Change in J_{nr} with Various Ageing Conditions Compared to Unaged Bitumen	167

Table 5.9	Stress Sensitivity of Laboratory Aged Bitumen at Various Temperatures	168
Table 5.10	ZSV of Laboratory Aged Bitumen at 40°C	175
Table 5.11	ZSV of Laboratory Aged Bitumen at 60°C	175
Table 5.12	Statistical Goodness-of-Fit Based on SSE and MNE for Viscosity Prediction using Cross and Carreau Models	177
Table 5.13	Power Relationship Equation of J_{nr} at 3.2 kPa and $G^*/\sin \delta$	181
Table 6.1	Asphalt Mastics Designations	187
Table 6.2	The 2S2P1D Model Parameters for Unaged and RTFO Aged Asphalt Mastics	189
Table 6.3	Statistical Goodness-of-Fit Based on SSE and MNE for Unaged and RTFO Aged Asphalt Mastics	197
Table 6.4	ANOVA Results of J_{nr} at 64°C (3.2 kPa) using GLM	206
Table 6.5	Relative Change in J_{nr} with Addition of Filler Compared to Base Bitumen	208
Table 6.6	Stress Sensitivity of Asphalt Mastics at Various Temperatures	209
Table 6.7	Comparison of ZSV at 40°C	219
Table 6.8	Comparison of ZSV at 60°C	219
Table 6.9	Paired Sample T-test between Cross and Carreau Models	220
Table 6.10	Statistical Goodness-of-Fit Based on SSE and MNE for Viscosity Prediction using Cross and Carreau Models at 40°C	223
Table 6.11	Statistical Goodness-of-Fit Based on SSE and MNE for Viscosity Prediction using Cross and Carreau Models at 60°C	224
Table 6.12	Power Relationship Equation of J_{nr} and $G^*/\sin \delta$	229
Table 6.13	Power Relationship Equation of R at 3.2 kPa and G''	232
Table 6.14	AE of Asphalt Mastics at 45 to 65°C Test Temperature Range	234
Table 6.15	AE of Asphalt Mastics at 5 to 35°C Test Temperature Range	235
Table 6.16	Percentage Change in AE of Asphalt Mastics for 5 to 35°C Test Temperature Range	236

LIST OF FIGURES

		Page
Figure 2.1	Comparison of Ageing Ratios of RTFO Test Conditioned and Bitumen Extracted from Loose Mix (Mallick and Brown, 2004)	13
Figure 2.2	Ageing Effects (Increase in LMS Ratio) by Short-Term Ageing in the Field (Lee et al. 2008)	14
Figure 2.3	Principal Factors Affecting Bitumen Ageing (Petersen, 1984)	23
Figure 2.4	Fractional Chemical Composition Changes Associated with Ageing (Chipperfield et al. 1970)	25
Figure 2.5	Chemical Functionalities in Bitumen Molecules Normally Formed due to Oxidative Ageing (Chipperfield et al. 1970)	26
Figure 2.6	Suggested Free-Radical Air Oxidation Mechanism of Bitumen (Petersen, 1984)	28
Figure 2.7	Possible Ketone and Sulphoxide Formation Reaction Sequences during Bitumen Benzylic Carbon Oxidation (Petersen and Harnsberger, 1998)	29
Figure 2.8	Effects of Ageing on Complex Modulus Master Curves and Generalized Power Law Fitting Curves (Huang and Zeng, 2006)	32
Figure 2.9	Relationship between the Change in Glass Transition and Chemical Reinforcement (Clopotel et al. 2012)	32
Figure 2.10	Regions of the Electromagnetic Spectrum (Verhoeven, 2010)	34
Figure 2.11	FTIR Spectra of Control Bitumen (Yao et al. 2013)	36
Figure 2.12	Ratio of Bonding in Control Bitumen (Yao et al. 2013)	37
Figure 2.13	The Rutting Resistance Improvement Ratio Based on Three Different Methods (Hajikarimi et al. 2015)	40
Figure 2.14	Rutting Factor ($G^*/\sin \delta$) versus Temperature for Different Asphalt Mastics (Das and Singh, 2017)	42
Figure 2.15	Relationship between Rutting Parameters (Singh and Kataware, 2016)	45
Figure 2.16	Plot of J_{nr} , $G^*/\sin \delta$, %R and G'' at 64°C (Ashish et al. 2017)	46
Figure 2.17	Correlation between ER-DSR and R from MSCR at 3.2 kPa (Clopotel and Bahia, 2012)	47

Figure 2.18	ZSV at Temperature where $G^*/\sin \delta = 2.2$ kPa (Anderson et al. 2002)	49
Figure 2.19	Complex Viscosity versus Frequency for Two Samples of P2 Asphalt (SBS Modified) (Morea et al. 2010)	51
Figure 2.20	Actual Viscosity Measurements and Predicted Viscosity Values by using the Cross Model (Liao and Chen, 2011)	52
Figure 2.21	Surface Plots for TSR, ITS_{dry} and ITS_{sat} (Haghshenas et al. 2015)	56
Figure 3.1	Aggregate Gradation Limits of Asphalt Mixture Type AC14	64
Figure 3.2	Filler Gradations	65
Figure 3.3	Schematic Diagram of Field Sample Collection	68
Figure 3.4	Flow Chart of Experimental Phases	72
Figure 3.5	RSM Experimental Plan	76
Figure 3.6	Typical Forms of Desirability Functions	79
Figure 3.7	Two Rod Designs used in the Preliminary Trials	84
Figure 3.8	Final Rod Design	86
Figure 3.9	Definition of Viscoelastic Region via Linear Strain Sweeps	91
Figure 3.10	The 2S2P1D Model	92
Figure 3.11	Graphical Representation of the 2S2P1D Model	95
Figure 3.12	A Schematic Diagram of Typical MSCR Test Results for Base Bitumen	98
Figure 4.1	Aggregate Gradation of Collected Mixtures	108
Figure 4.2	Normal Probability Plots	119
Figure 4.3	Predicted vs Actual Value Plots	121
Figure 4.4	Standard Error Plots	122
Figure 4.5	Response Surface Plots	124
Figure 4.6	Desirability Plot for Optimised Condition	127
Figure 5.1	Viscosity-Ageing Condition Dependency for Bitumen A80	133
Figure 5.2	Viscosity-Ageing Condition Dependency for Bitumen B80	134

Figure 5.3	Viscosity-Ageing Condition Dependency for Bitumen B60	135
Figure 5.4	Effects of Ageing Temperature on Viscosity Dependency	136
Figure 5.5	Temperature versus Non-Dimensional Viscosity Gradient ($\nabla\eta$) Relationship	139
Figure 5.6	Relationship between AE and Ageing Condition	141
Figure 5.7	Typical Graphs of the Master Curves for Experimental and Described Data	142
Figure 5.8	Master Curves for Bitumen A80 Aged at 148°C	145
Figure 5.9	Master Curves for Bitumen A80 Aged at 163°C	146
Figure 5.10	Master Curves for Bitumen A80 Aged at 178°C	147
Figure 5.11	Master Curves for Bitumen B60 Aged at 148°C	148
Figure 5.12	Master Curves for Bitumen B60 Aged at 163°C	149
Figure 5.13	Master Curves for Bitumen B60 Aged at 178°C	150
Figure 5.14	Graphical Comparison between Measured and Described G^*	152
Figure 5.15	Graphical Comparison between Measured and Described δ	153
Figure 5.16	G' and G'' for Bitumen A80	156
Figure 5.17	G' and G'' for Bitumen B60	157
Figure 5.18	The Relationship between Duration and Temperature on Performance Grade of Bitumen	160
Figure 5.19	J_{nr} of Laboratory Aged Bitumen at 0.1 kPa Stress Level	162
Figure 5.20	J_{nr} of Laboratory Aged Bitumen at 3.2 kPa Stress Level	163
Figure 5.21	R of Laboratory Aged Bitumen at 0.1 and 3.2 kPa Stress Levels	166
Figure 5.22	ZSV at 40°C for Bitumen A80	170
Figure 5.23	ZSV at 60°C for Bitumen A80	171
Figure 5.24	ZSV at 40°C for Bitumen B60	172
Figure 5.25	ZSV at 60°C for Bitumen B60	173
Figure 5.26	Ageing Indices for Bitumen A80 and A60 at 40°C	176

Figure 5.27	Ageing Indices for Bitumen A80 and B60 at 60°C	176
Figure 5.28	Relationship between Measured and Predicted Viscosity for A80	178
Figure 5.29	Relationship between Measured and Predicted Viscosity for B60	178
Figure 5.30	Correlation between $G^*/\sin \delta$ and J_{nr} for Laboratory Aged Bitumen	180
Figure 5.31	Typical Plot of FTIR Spectra for Laboratory Aged Bitumen	182
Figure 5.32	Carbonyl Indices for Laboratory Aged Bitumen	183
Figure 5.33	Sulfoxide Indices for Laboratory Aged Bitumen	183
Figure 6.1	Master Curves for Unaged 80/100 Asphalt Mastics	191
Figure 6.2	Master Curves for Unaged 60/70 Asphalt Mastics	192
Figure 6.3	Master Curves for RTFO Aged 80/100 Asphalt Mastics	193
Figure 6.4	Master Curves for RTFO Aged 60/70 Asphalt Mastics	194
Figure 6.5	Graphical Comparison between Measured and Described G^*	195
Figure 6.6	Graphical Comparison between Measured and Described δ	196
Figure 6.7	G' and G'' for Unaged 80/100 Asphalt Mastics	199
Figure 6.8	G' and G'' for Unaged 60/70 Asphalt Mastics	199
Figure 6.9	G' and G'' for RTFO Aged 80/100 Asphalt Mastics	200
Figure 6.10	G' and G'' for RTFO Aged 60/70 Asphalt Mastics	200
Figure 6.11	Effects of Different Asphalt Mastics on $G^*/\sin \delta$	202
Figure 6.12	J_{nr} of Unaged Asphalt Mastics at 0.1 kPa Stress Level	204
Figure 6.13	J_{nr} of Unaged Asphalt Mastics at 3.2 kPa Stress Level	204
Figure 6.14	J_{nr} of RTFO Aged Asphalt Mastics at 0.1 kPa Stress Level	205
Figure 6.15	J_{nr} of RTFO Aged Asphalt Mastics at 3.2 kPa Stress Level	205
Figure 6.16	R of Asphalt Mastics at 0.1 kPa Stress Level	207
Figure 6.17	R of Asphalt Mastics at 3.2 kPa Stress Level	207
Figure 6.18	ZSV at 40°C for Unaged 80/100 OPC Asphalt Mastics	211

Figure 6.19	ZSV at 40°C for Unaged 80/100 HL Asphalt Mastics	211
Figure 6.20	ZSV at 60°C for Unaged 80/100 OPC Asphalt Mastics	213
Figure 6.21	ZSV at 60°C for Unaged 80/100 HL Asphalt Mastics	213
Figure 6.22	ZSV at 40°C for Unaged 60/70 OPC Asphalt Mastics	215
Figure 6.23	ZSV at 40°C for Unaged 60/70 HL Asphalt Mastics	215
Figure 6.24	ZSV at 60°C for Unaged 60/70 OPC Asphalt Mastics	217
Figure 6.25	ZSV at 60°C for Unaged 60/70 HL Asphalt Mastics	217
Figure 6.26	Stiffening Ratio at 40°C	221
Figure 6.27	Stiffening Ratio at 60°C	221
Figure 6.28	Ageing Index at 40°C	222
Figure 6.29	Ageing Index at 60°C	222
Figure 6.30	Relationship between Measured and Predicted Viscosity Values for 80/100 OPC Asphalt Mastics	224
Figure 6.31	Relationship between Measured and Predicted Viscosity Values for 80/100 HL Asphalt Mastics	225
Figure 6.32	Relationship between Measured and Predicted Viscosity Values for 60/70 OPC Asphalt Mastics	225
Figure 6.33	Relationship between Measured and Predicted Viscosity Values for 60/70 HL Asphalt Mastics	226
Figure 6.34	Rutting Resistance Improvement Ratio based on Four Methods for Unaged Asphalt Mastics	228
Figure 6.35	Rutting Resistance Improvement Ratio based on Four Methods for RTFO Aged Asphalt Mastics	229
Figure 6.36	Correlations between $G^*/\sin \delta$ and J_{nr} for RTFO Aged Asphalt Mastics	230
Figure 6.37	Correlations between G'' and R for RTFO Aged Asphalt Mastics	232
Figure 6.38	AE Difference for 5 to 35°C Test Temperature Range	237

LIST OF PLATES

		Page
Plate 3.1	Silverson L4RT High Shear Mixer	82
Plate 3.2	Placement of Rod inside RTFO Bottles	85
Plate 3.3	Brookfield Viscometer	88
Plate 3.4	DSR Machine and Sample Preparation	89
Plate 3.5	Shimadzu ATR-FTIR Machine	105

LIST OF SYMBOLS

$\nabla\eta_A$	Non-Dimensional Viscosity Index
G^*	Complex Modulus
δ	Phase Angle
G'	Loss Modulus
G''	Storage Modulus
J_{nr}	Non-Recoverable Creep Compliance
R	Percent Recovery
I_{CO}	Carbonyl Index
I_{SO}	Sulfoxide Index
G_0	Static modulus when $\omega \rightarrow 0$
G_g	Glassy modulus when $\omega \rightarrow \infty$

LIST OF ABBREVIATIONS

2S2P1D	2 Springs 2 Parabolic Creep Elements and 1 Dashpot
AASHTO	American Association of State Highway and Transportation Officials
AE	Activation Energy
ANOVA	Analysis of Variance
ASTM	American Society for Testing and Materials
ATR	Attenuated Total Reflection
CCD	Central Composite Design
CRMB	Crumb Rubber-Modified Bitumen
DSR	Dynamic Shear Rheometer
ER	Elastic Recovery
ERTFOT	Extended Rolling Thin Film Oven Test
FHWA	Federal Highway Administration
FTIR	Fourier Transform Infrared
GLM	General Linear Model
IKRAM	Institut Kerja Raya Malaysia
JKR	Jabatan Kerja Raya
LTA	Long-Term Aged
LVE	Linear Viscoelastic
MNE	Mean Normalized Error
MSCR	Multiple Stress Creep and Recovery
MTFO	Modified Thin Film Oven
NCAT	National Center for Asphalt Technology
NCHRP	National Cooperative Highway Research Program
NRTFOT	Nitrogen Rolling Thin Film Oven Test

PAV	Pressure Ageing Vessel
PG	Performance Grade
PMB	Polymer-Modified Bitumen
PWD	Public Works Department
RCAT	Rotating Cylinder Ageing Test
RRT	Rapid Recovery Test
RSM	Response Surface Method
RTFO	Rolling Thin Film Oven
RTFOTM	Rolling Thin Film Oven Test Modified
RV	Rotational Viscometer
SBS	Styrene-Butadiene-Styrene
SHRP	Strategic Highway Research Program
SSE	Sum Square Errors
STA	Short-Term Aged
STOA	Short-Term Oven Ageing
TFO	Thin Film Oven
TTSP	Time-Temperature Superposition
USM	Universiti Sains Malaysia
WLF	William, Landel and Ferry
ZSV	Zero Shear Viscosity

**PENILAIAN PENGUSIAAN JANGKA PENDEK MAKMAL DAN
PENCIRIAN UBAH BENTUK KEKAL BITUMEN DAN MASTIK ASFALT**

ABSTRAK

Di Malaysia, bentuk retakan permukaan yang paling lazim adalah retakan dari atas ke bawah sebagai akibat beban berulang dan dipercepatkan oleh penuaan bitumen. Penuaan juga menyebabkan kegagalan struktur dan fungsi sebuah turapan asphalt. Menurut piawai makmal antarabangsa (ASTM D2872), penuaan jangka pendek disimulasikan dengan mengenakan bitumen kepada ujian ketuhar putaran lapisan nipis (RTFO). Walau bagaimanapun, sebilangan penyelidik melaporkan beberapa percanggahan antara keputusan yang diperolehi dari RTFO dan penuaan di tapak. Tesis ini membentangkan prosedur penuaan jangka pendek yang dibangunkan dengan menggunakan kaedah respon balas permukaan (RSM), untuk menentukan tempoh penuaan dan suhu yang sesuai yang mewakili penuaan yang berlaku semasa pengeluaran asphalt di loji campuran asphalt Malaysia. Prosedur pengoptimuman mencadangkan protokol penuaan dengan mengenakan bitumen kepada suhu 170°C selama 132 minit yang bersamaan dengan sifat bitumen yang diukur dari tapak. Tempoh dan suhu penuaan adalah faktor penting yang mempengaruhi sifat fizikal dan reologi bitumen penuaan jangka pendek. Pencirian reologi menunjukkan bahawa kelikatan bitumen meningkat dengan peningkatan tahap penuaan dan seterusnya meningkatkan rintangan ubah bentuk kekal bitumen. Kesan pengukuhan didapati bergantung kepada jenis bitumen, suhu dan tempoh penuaan, dan suhu ujian. Lengkung utama reologi bitumen dan mastik asphalt digambarkan menggunakan Model dua pegas, dua parabola dan satu daspot (2S2P1D). Model ini didapati