

**ENHANCEMENT OF PHOTOCATALYTIC PROCESS IN THE
PETROLEUM WASTEWATER TREATMENT AT SOHAR OIL
REFINERY, OMAN**

by

DHEEAA AL DEEN ATALLAH ALJUBOURY

Thesis submitted in fulfillment of the requirements

For the degree of

Doctor of Philosophy

August 2016

ACKNOWLEDGEMENTS

Alhamdulillah, thanks Almighty Allah, who gave me the opportunity to accomplish my studies.

I would like to express my deep appreciation and show my deepest gratitude to my supervisor, Dr. Puganeshwary Palaniandy, for all her guidance, encouragement and support. I am also very grateful to my co-supervisor Professor Dr. Hamidi Bin Abdul Aziz and my field supervisor Professor Dr. Shaik Feroz for providing me very valuable comments and feedback.

The assessment of technicians the assessment of technicians Ms. Shamsa Alsaadi and Mr. H.J. Varghese in Solar water research Lab, Caledonian College of Engineering, Oman, and also Mr. Salem Al-Marzoki and Mr. Saif Al-Beshry at Sohar oil refinery for allowing me to take samples. Gratitude is also extended to En. Harib Al-Mahrogy and En. Zewar Al-Bloshi Mrs. Safia Al-Harthy who encouraged and helped me with this project. Finally, I would like to thank my family for their wonderful support, devotion and patience throughout the course of this research.

Dheaaa al deen Attallah

March 2016

TABLE OF CONTENTS

Acknowledgements	ii	
Table of Contents	iii	
List of Tables	xi	
List of Figures	xv	
List of Abbreviations	xxii	
List of Symbols	xxiv	
Abstrak	xxv	
Abstract	xxviii	
CHAPTER ONE- INTROUDUCTION		
1.1	Background	1
1.2	Problem Statement	3
1.3	Research Objective	4
1.4	Scope of Study	5
1.5	Organization of The thesis	5
CHAPTER TWO- LITERATURE REVIEW		
2.1	Introduction	7
2.2	Wastewater and petroleum wastewater	8
	2.2.1 Petroleum wastewater generation in refineries	8
	2.2.2 Petroleum wastewater characteristics	10
2.3	Current petroleum wastewater treatment techniques	13
	2.3.1 Physical treatment	13
	2.3.1 (a) Membrane	14

2.3.1 (b)	Coagulation/Flocculation	17
2.3.1 (c)	Electro-Coagulation	19
2.3.1 (d)	Adsorption	20
2.3.2	Physo-chemical treatment	20
2.3.3	Chemical treatment	22
2.3.4	Biological treatment	22
2.3.4 (a)	Aerobic biological process	23
2.3.4 (b)	Anaerobic biological process	23
2.3.4 (c)	Aerated lagoons	24
2.3.4 (d)	The activated sludge process	25
2.3.4 (e)	Fixed-bed reactor	25
2.4	Advanced oxidation processes	25
2.4.1	Principles of AOPs	26
2.4.2	Use of Hydrogen peroxide	26
2.4.3	Ozonation	28
2.4.4	Photocatalyst and Fenton	29
2.4.4 (a)	The photocatalytic mechanism	29
2.4.4 (b)	Photocatalyst of TiO ₂ , ZnO or TiO ₂ /ZnO	31
2.4.4 (c)	Fenton, Photo-Fenton and Fenton-like oxidation	36
2.4.4 (d)	Photocatalyst of TiO ₂ / Fenton and ZnO/ Fenton	41
2.5	Parameters affecting the Fenton and the photocatalytic process	43
2.5.1	Effect of Initial pH	43
2.5.2	Effect of catalyst dosage	45
2.5.3	Effect of Fenton reagent dosages	46
2.5.4	Effect of the initial COD concentrations	49

2.5.5	Effect of reaction time	50
2.6	Design, modeling and optimization by RSM	50
2.7	Summary of literature review	51

CHAPTER THREE – MATERIALS AND METHODS

3.1	Introduction	53
3.2	The flowchart of overall research work	53
3.3	Sampling	53
3.3.1	Sampling station	53
3.3.2	Sampling method	56
3.4	The chemical materials	57
3.5	Instruments	57
3.6	Experimental procedure of treatment processes used in this study	59
3.6.1	Photocatalyst of TiO ₂ /ZnO/Fenton	59
3.6.2	Photocatalyst of TiO ₂ /ZnO/Air	61
3.6.3	Photocatalyst of TiO ₂ /Fenton	63
3.6.4	Comparative of processes	64
	3.6.4 (a) Photocatalyst of TiO ₂	64
	3.6.4 (b) Photo-Fenton process	64
3.7	Chemical analysis	65
3.7.1	Analytical methods	65
3.7.2	Analyses	66
	3.7.2 (a) The pH	66
	3.7.2 (b) COD	66
	3.7.2 (c) TOC	67

	3.7.2 (d) Iron residual	67
	3.7.2 (e) Solar ultraviolet radiation (UV)	67
3.8	Statistical design approach	68
	3.8.1 Data analysis	68
	3.8.2 Design of experiments	68
	3.8.3 Coded and actual factors	69
	3.8.4 Quadratic model and experimental matrix	72
	3.8.5 The analysis of variance (ANOVA)	73
	3.8.6 Additional statistical tests	74
	3.8.7 Three-dimensional plots and optimization process	74
 CHAPTER FOUR - RESULTS AND DISCUSSION		
4.1	Introduction	75
4.2	Characteristics of petroleum wastewater	75
4.3	Results of the photocatalyst of TiO ₂ /ZnO/Fenton process	77
	4.3.1 Effect of H ₂ O ₂ to Fe ²⁺ ratio	77
	4.3.2 Effect of pH	78
	4.3.3 Total iron residual	80
	4.3.4 Statistical design approach	81
	4.3.5 Summary of results of photocatalyst of TiO ₂ /ZnO/Fenton	96
4.4	Results of the photocatalyst of TiO ₂ /ZnO/Air process	96
	4.4.1 Effect of TiO ₂ and ZnO dosage	97
	4.4.2 Effect of air	97
	4.4.3 Effect of pH	99
	4.4.4 Effect of reaction time	102

4.4.5	Statistical design approach	103
4.4.6	Summary of results of photocatalyst of TiO ₂ /ZnO/Air	111
4.5	Results of the solar photocatalyst of TiO ₂ /Fenton process	112
4.5.1	Effect of H ₂ O ₂ to Fe ²⁺ ratio	112
4.5.2	Effect of pH	114
4.5.3	Total iron residual	115
4.5.4	Statistical design approach	115
4.5.5	Summary of results of the solar photocatalyst of TiO ₂ /Fenton	125
4.6	Comparative these processes with the TiO ₂ alone and the photo-Fenton	126
4.6.1	Results of the solar photocatalyst of TiO ₂ process	126
4.6.1 (a)	Effect of TiO ₂ dosage	126
4.6.1 (b)	Effect of pH	129
4.6.1 (c)	Effect of initial concentration of COD	130
4.6.1 (d)	Effect of irradiation time	131
4.6.1 (e)	Statistical design approach	132
4.6.1 (f)	Summary of results of the solar photocatalyst of TiO ₂	142
4.6.2	Results of the solar photo-Fenton process	142
4.6.2 (a)	Effect of H ₂ O ₂ to Fe ²⁺ ratio	142
4.6.2 (b)	Effect of H ₂ O ₂ dosage	143
4.6.2 (c)	Effect of Fe ⁺² dosage	145
4.6.2 (d)	Effect of pH	146
4.6.2 (e)	Effect of irradiation time	147
4.6.2 (f)	Statistical design approach	148
4.6.2 (g)	Comparison the results with other works	162
4.6.2 (h)	Evaluation of the solar photo-Fenton process	163

4.6.3	Comparing the TiO ₂ /ZnO/Fenton process with other process	165
4.6.4	Comparing the TiO ₂ /ZnO/Air process with other process	170
4.6.5	Comparing the TiO ₂ /Fenton/solar process with other process	172
4.7	Establishment of full petroleum wastewater treatment plant	174
4.7.1	Proposed data for PWT plant	175
4.7.2	Estimated cost for TiO ₂ /ZnO/Fenton and TiO ₂ /ZnO/air	181
4.8	Summary of results	181

CHAPTER FIVE – CONCLUSIONS AND RECOMMENATIONS

5.1	Conclusions	183
5.2	Recommendations	184

References	185
-------------------	------------

Appendices

List of Publications

LIST OF TABLES

		Page
Table 2.1	Characteristics of petroleum wastewater and minimum standard discharge limits for refinery effluents reported by various researchers	12
Table 2.2	Range of Catalyst loadings and optimum values for TiO ₂ to treat the petroleum wastewater reported by various researchers	33
Table 2.3	Overview of work done in the area of photocatalyst of TiO ₂ applications to treat the petroleum wastewater reported by various researchers	35
Table 2.4	Overview of work done in the area of ZnO/TiO ₂ application in recent years	38
Table 2.5	Overview of work done in the area of Fenton, photo-Fenton and Fenton-like applications to treat the petroleum wastewater reported by various researchers	41
Table 2.6	Overview of work done in the area of Fenton/TiO ₂ application in recent years	42
Table 3.1	The chemical materials used in this work	57
Table 3.2	The instruments used in this work	58
Table 3.3	Analytical methods for conventional parameter (APHA, 2005)	66
Table 3.4	Central composite design (CCD) independent variables in	70

	the solar photocatalyst of TiO ₂ /ZnO/Fenton process (new method)	
Table 3.5	Central composite design (CCD) independent variables in the solar photocatalyst of TiO ₂ /ZnO/Air process (New method)	71
Table 3.6	Central composite design (CCD) independent variables in the solar photocatalyst of TiO ₂ /Fenton process (New investigation)	71
Table 3.7	Central composite design (CCD) independent variables in the solar photo-Fenton process	72
Table 3.8	Central composite design (CCD) independent variables in the solar photocatalyst of TiO ₂ process	72
Table 4.1	Characteristics of the petroleum wastewater from SOR.	76
Table 4.2	ANOVA results and adequacy of the quadratic models for TOC and COD removal efficiency and RI by the solar photocatalyst of TiO ₂ /Fenton/ZnO process	83
Table 4.3	Maximum TOC and COD removal efficiencies for model response and verification experiments under Optimum conditions [TiO ₂ dosage (0.7 g/l), ZnO dosage (0.3 g/l), Fe ⁺² dosage (0.01 g/l), H ₂ O ₂ dosage (1.46 g/l), and pH (6.87)]	94
Table 4.4	ANOVA results and adequacy of the quadratic models for TOC and COD removal efficiency by the solar photocatalyst of TiO ₂ /ZnO/Air process	104
Table 4.5	Maximum TOC and COD removal efficiencies for model	110

response and verification experiments under Optimum conditions [TiO_2 dosage (0.5 g/L), ZnO dosage (0.54 g/L), air flow (4.3 L/min), pH (6.8) and reaction time (170 min)]

Table 4.6	ANOVA results and adequacy of the quadratic models for TOC and COD removal efficiency and residual iron by the solar photocatalyst of TiO_2 /Fenton process	117
Table 4.7	Optimization results for maximum TOC and COD removal efficiencies and minimum residual iron (RI) by the solar photocatalyst of TiO_2 /Fenton process	121
Table 4.8	ANOVA results and adequacy of the quadratic models for TOC and COD removal efficiency by the solar photocatalyst of TiO_2 process	134
Table 4.9	Maximum TOC and COD removal efficiencies for model response and verification experiments under Optimum conditions [TiO_2 dosage (0.6 g/L), C_0 of COD (1600 ppm), pH (8) and reaction time (139 min)]	139
Table 4.10	ANOVA results and adequacy of the quadratic models for TOC and COD removal efficiency by the solar photo-Fenton process	149
Table 4.11	Maximum TOC and COD removal efficiencies for model response and verification experiments under Optimum conditions [H_2O_2 dosage (850 mg L ⁻¹), Fe ⁺² dosage (60 mg L ⁻¹), pH (3.68) and reaction time (127 min)]	160
Table 4.12	Overview of work done in the area of photo-Fenton application in recent years	162

Table 4.13	Comparing the solar photocatalyst $\text{TiO}_2/\text{ZnO}/\text{Fenton}$ process with other processes under pH values range	166
Table 4.14	Experiment conditions for the $\text{TiO}_2/\text{ZnO}/\text{Fenton}$ process	175
Table 4.15	Data of plant using the $\text{TiO}_2/\text{ZnO}/\text{Fenton}/\text{Solar}$ process	177
Table 4.16	Experiment conditions for the $\text{TiO}_2/\text{ZnO}/\text{air}$ process	179
Table 4.17	Data of plant using the $\text{TiO}_2/\text{ZnO}/\text{air}/\text{Solar}$ process	180

LIST OF FIGURES

		Page
Figure 2.1	Typical schematic of wastewater treatment	10
Figure 2.2	The maximum percentage COD removal (%) by photo-Fenton and Fenton-like applications to treat the petroleum wastewater reported by various researchers	39
Figure 2.3	The optimum pH for the photo-Fenton and Fenton-like applications to treat the petroleum wastewater reported by various researchers	40
Figure 3.1	The flowchart of overall research work	54
Figure 3.2	The satellite image for WWTP in SOR	55
Figure 3.3	The overall plan view of WWTP in SOR	55
Figure 3.4	Schematic diagram of the dissolved air flotation (DAF) unit for a petroleum wastewater treatment plant in SOR	56
Figure 3.5	The experimental device of a photoreactor	59
Figure 3.6	A sketch of the solar photocatalyst of TiO ₂ /ZnO/Fenton process (New method)	61
Figure 3.7	A sketch of the solar photocatalyst of TiO ₂ /ZnO/Air process (New method)	62
Figure 3.8	A sketch of the solar photocatalyst of TiO ₂ /Fenton process	63
Figure 3.9	A sketch of the solar photocatalyst of TiO ₂ process	64

Figure 3.10	A sketch of the solar photo-Fenton process	65
Figure 3.11	UV-Index which measures UV intensity levels on a scale of 1 to 12.	68
Figure 4.1	Effect of the Fenton ratio on the solar photocatalyst of TiO ₂ /ZnO/Fenton process (New method) at pH 7	78
Figure 4.2	Influence of the initial pH on the removal rate of TOC and COD by the solar photocatalyst of TiO ₂ /ZnO/Fenton process (New method)	79
Figure 4.3	Concentrations of residual iron in petroleum wastewater after treatment by the solar photocatalyst of TiO ₂ /ZnO/Fenton process (New method)	81
Figure 4.4	Diagnostics plots for predicted versus actual values for the TOC and COD removal rates and residual iron by the solar photocatalyst of TiO ₂ /Fenton/ZnO process	86
Figure 4.5	Normalized coefficients of the models for TOC and COD removals and for residual iron by the solar photocatalyst of TiO ₂ /Fenton/ZnO process	88
Figure 4.6	The normal probability plots of the studentized residuals for TOC and COD removals and residual iron by the solar photocatalyst of TiO ₂ /Fenton/ZnO process.	89
Figure 4.7	Three dimensional surface plots of TOC removal by the solar photocatalyst of TiO ₂ /Fenton/ZnO process as a function of: (a) ZnO concentration and pH (b) TiO ₂ concentration and pH (c) Fe ⁺² concentration and pH (d)	91

H₂O₂ concentration and pH

Figure 4.8	Three dimensional surface plots of COD removal by the solar photocatalyst of TiO ₂ /Fenton/ZnO process as a function of: (a) ZnO concentration and pH (b) TiO ₂ concentration and pH (c) Fe ⁺² concentration and pH (d) H ₂ O ₂ concentration and pH	92
Figure 4.9	Response surface models for TOC and COD removal efficiencies and residual iron by the solar photocatalyst of TiO ₂ /Fenton/ZnO process.	93
Figure 4.10	Perturbation plots for TOC and COD removal efficiencies and residual iron by the solar photocatalyst of TiO ₂ /Fenton/ZnO process.	95
Figure 4.11	Effect of TiO ₂ /ZnO ratios on the degradation rate of TOC and COD by the solar photocatalyst of TiO ₂ /ZnO/Air process (new method) at pH 7	99
Figure 4.12	Influence of the initial pH on the degradation rate of TOC and COD by the solar photocatalyst of TiO ₂ /ZnO/Air process (new method)	101
Figure 4.13	Influence of the reaction time on the degradation rate of TOC and COD by the solar photocatalyst of TiO ₂ /ZnO/Air process (new method)	102
Figure 4.14	Diagnostics plots for predicted versus actual values for the TOC and COD removal rates by the solar photocatalyst of TiO ₂ /ZnO/Air process	105
Figure 4.15	Normalized coefficients of the models for TOC and COD	107

removals by the solar photocatalyst of TiO₂/ZnO/Air process

Figure 4.16	Normal probability plots of the studentized residuals for TOC and COD removals by the solar photocatalyst of TiO ₂ /ZnO/Air process	108
Figure 4.17	Perturbation plots for TOC and COD removals by the solar photocatalyst of TiO ₂ /ZnO/Air process	109
Figure 4.18	Response surface models for COD and TOC removal efficiencies by the solar photocatalyst of TiO ₂ /ZnO/Air process	110
Figure 4.19	Effect of the H ₂ O ₂ /Fe ²⁺ ratio on the degradation rate of TOC and COD by the solar photocatalyst of TiO ₂ /Fenton process at pH 5.5 and 1 g L ⁻¹ TiO ₂	113
Figure 4.20	Influence of the initial pH on the degradation rate of TOC and COD by the solar photocatalyst of TiO ₂ /Fenton process in the petroleum wastewater	114
Figure 4.21	Concentrations of iron ions before and after the solar photocatalyst of TiO ₂ /Fenton process	115
Figure 4.22	Diagnostics plots for predicted versus actual values for the TOC and COD removal rates and residual iron by the solar photocatalyst of TiO ₂ /Fenton process	118
Figure 4.23	Perturbation plots for the TOC and COD removal rates and residual iron by the solar photocatalyst of TiO ₂ /Fenton process	119

Figure 4.24	Normalized coefficients of the models for the TOC and COD removal rates and residual iron by the solar photocatalyst of TiO ₂ /Fenton process	121
Figure 4.25	The normal probability plots of the studentized residuals for the TOC and COD removal rates and residual iron by the solar photocatalyst of TiO ₂ /Fenton process	122
Figure 4.26	Response surface models for COD removal efficiency by the solar photocatalyst of TiO ₂ /Fenton process	123
Figure 4.27	Response surface models for TOC removal efficiency by the solar photocatalyst of TiO ₂ /Fenton process	123
Figure 4.28	Response surface models for residual iron by the solar photocatalyst of TiO ₂ /Fenton process	124
Figure 4.29	Effect of catalyst concentration on TOC and COD removal at three typical irradiation times and pH 7	128
Figure 4.30	Influence of the initial pH on the degradation rate of TOC and COD by the solar photocatalyst of TiO ₂ process in the petroleum wastewater	130
Figure 4.31	Effect of the initial concentration of COD on the degradation rate of TOC and COD by the solar photocatalyst of TiO ₂ process	131
Figure 4.32	Diagnostics plots for predicted versus actual values for the TOC and COD removal rates by the solar photocatalyst of TiO ₂ process	135
Figure 4.33	Normalized coefficients of the models for TOC and COD	136

removals by the solar photocatalyst of TiO₂ process

Figure 4.34	The normal probability plots of the studentized residuals for TOC and COD removals by the solar photocatalyst of TiO ₂ process	137
Figure 4.35	Perturbation plots for TOC and COD removals by the solar photocatalyst of TiO ₂ process	138
Figure 4.36	Response surface models for TOC & COD removal efficiencies by the solar photocatalyst of TiO ₂ process	141
Figure 4.37	The maximum TOC and COD removal efficiencies under the optimum conditions	141
Figure 4.38	Effect of the H ₂ O ₂ /Fe ²⁺ ratio on the degradation rate of TOC and COD by the solar photo-Fenton process in petroleum waste water (pH = 3; 180 min)	143
Figure 4.39	Effect of the H ₂ O ₂ dosage on the TOC and COD removals by the solar photo-Fenton processes (pH 3; 0.08 g L ⁻¹ Fe ⁺² ; 180 min)	144
Figure 4.40	Effect of the ferrous iron (Fe ⁺²) dosage on the TOC and COD removals by the solar photo-Fenton processes (pH 3; 1 g L ⁻¹ H ₂ O ₂ ; 180 min)	146
Figure 4.41	Influence of the initial pH on the degradation rate of TOC and COD by the solar photo-Fenton process	147
Figure 4.42	Influence of the reaction time on the degradation rate of TOC and COD by the solar photo-Fenton process	148

Figure 4.43	Diagnostics plots for predicted versus actual values for the TOC and COD removal rates by the solar photo-Fenton process	151
Figure 4.44	Normalized coefficients of the models for TOC and COD removal by the solar photo-Fenton process	153
Figure 4.45	Normal probability plots of the studentized residuals for TOC and COD removal by the solar photo-Fenton process	154
Figure 4.46	Response surface models for TOC removal by the solar photo-Fenton process	156
Figure 4.47	Response surface models for COD removal by the solar photo-Fenton process	157
Figure 4.48	Perturbation plots for TOC and COD removals by the solar photo-Fenton process	161
Figure 4.49	Effect of pH on the degradation rate of TOC & COD by the photolytic process at 180 min	163
Figure 4.50	Effect of pH on the degradation rate of TOC and COD by the H ₂ O ₂ /solar process at 180 min	164
Figure 4.51	COD removal from petroleum wastewater under different processes	165
Figure 4.52	Comparing the solar photocatalyst TiO ₂ /ZnO/Fenton process (New method) with other processes under pH values range	167
Figure 4.53	Comparing treatment time of the solar photocatalyst TiO ₂ /ZnO/Fenton process with different processes for	169

degradation of COD under pH7

Figure 4.54	Comparing the solar photocatalyst TiO ₂ /ZnO/Air process (New method) with other processes under pH values range	170
Figure 4.55	Comparing treatment time of the solar photocatalyst TiO ₂ /ZnO/air process with different processes for degradation of COD under pH7	172
Figure 4.56	Comparing the TiO ₂ /Fenton/Solar system (New investigation) with other applications under pH values range	173
Figure 4.57	Schematic diagram for petroleum wastewater treatment plant by using the solar photocatalyst of TiO ₂ /ZnO/Fenton process	177
Figure 4.58	Schematic diagram for petroleum wastewater treatment plant by using the solar photocatalyst of TiO ₂ /ZnO/Air process	180

LIST OF ABBREVIATIONS

AP	Adequate precision
R^2_{adj}	Adjusted Coefficient of determination
AOPs	Advanced oxidation processes
AF	Air flow
API Oil Separator	American Petroleum Institute Oil Separator
ANOVA	Analysis of variance
BOD	Biological oxygen demand
BT	Biological Treatment
CCD	Central composite design
COD	Chemical oxygen demand
R^2	Coefficient of determination
COD_f	Concentration of COD after treatment
TOC_f	Concentration of TOC after treatment
CF	Degree of freedom
DOE	Design of experiment
De	Desirability
Fe^{+3}	Ferric iron
Fe^{+2}	Ferrous iron
$\cdot\text{OH}$	Hydroxyl radicals
COD_i	Initial concentration of COD
TOC_i	Initial concentration of TOC
RH	Organic compounds
PRESS	Predicted Residual Sum of Squares
RT	Reaction time

RI	Residual iron
RO	Reverse osmosis
SOR	Sohar oil refinery
Std. Dev.	Standard Deviation
k	The number of factors
e_i	The random error
X_i and X_j	The variables.
TDS	Total Dissolved Solids
TOC	Total organic compounds
TSS	Total suspended solid
TOG	Total of oil and grease

LIST OF SYMBOLS

Coefficient for the linear effect	β_i
Coefficient for the quadratic effect	β_{ii}
Coefficient for the cross- product effect	β_{ij}
Constant coefficient	β_o
Error	ε
Standard deviation	σ
The regression coefficient.	β