

**EFFECTS OF AGEING ON MASTICS AND  
PERFORANMCE OF GAP-GRADED ASPHALT  
MIXTURES SUBJECTED TO MOISTURE  
CONDITIONINGS**

**FOAD MOHAMED ELKUT**

**UNIVERSITI SAINS MALAYSIA**

**2018**

**EFFECTS OF AGEING ON MASTICS AND PERFORMANCE OF  
GAP-GRADED ASPHALT MIXES SUBJECTED TO DIFFERENT  
MOISTURE CONDITIONING METHODS**

**by**

**FOAD MOHAMED ELKUT**

**Thesis submitted in fulfillment of the  
requirements for the Degree  
of Doctor of Philosophy**

**July 2018**

*I would like to dedicate this thesis for who waiting this moment and anyone who gives a drop of sweat for the development of education and knowledge.*



## ACKNOWLEDGEMENTS

*In the name of Allah, the most beneficent, the most merciful*

First of all, I would like to express my gratefulness to Allah SWT for giving me the strength to complete my Ph.D. project successfully.

I am delighted to extend my sincere gratitude to my main supervisor, Professor Dr. Meor Othman Hamzah, for his extraordinary help, guidance, and constant encouragement throughout my study. It was very enjoyable and a great learning experience to work under his supervision. With his great supervision and continuous motivation, the research and this thesis have been greatly enhanced. I also would like to express my deepest thanks to my co-supervisor, Dr. Mohd Rosli Mohd Hasan for his guidance, suggestions, and willingness to help me to complete this thesis. I would like to thank the Libyan Ministry of Higher Education and Almergib University for allowing me to seize the opportunity to pursue the degree of Doctor of Philosophy at the School of Civil Engineering, Universiti Sains Malaysia (USM) that is privileged to me. I am also indebted to the technicians of Highway Engineering Laboratory, Mr. Mohd Fouzi Ali and Mr. Zulhairi Ariffin, for their excellent support, cooperation and guidance throughout my laboratory works. Furthermore, I would like to express my gratitude to my colleagues. I will always remember them for their support and encouragement. Last but not least, I would like to thank my parents and family members for their continuous prayers, support, and encouragement throughout my study. I am grateful to my lovely wife for her enduring support. Her presence has undoubtedly helped me to overcome all obstacles that I had experienced during this journey.

*May Allah bless all of you, thank you.*

## **TABLE OF CONTENTS**

	Page
<b>ACKNOWLEDGEMENT</b>	ii
<b>TABLE OF CONTENTS</b>	iii
<b>LIST OF TABLES</b>	xi
<b>LIST OF FIGURES</b>	xiv
<b>LIST OF PLATES</b>	xx
<b>LIST OF SYMBOLS</b>	xxii
<b>LIST OF ABBREVIATIONS</b>	xxiii
<b>ABSTRAK</b>	xxv
<b>ABSTRACT</b>	xxvii
<b>CHAPTER ONE: INTRODUCTION</b>	
1.1 Preamble	1
1.2 Problem Statement	2
1.3 Research Objectives	4
1.4 Significance of the Study	5
1.5 Scope of Work	6
1.6 Organization of Thesis	7

## **CHAPTER TWO: LITERATURE REVIEW**

2.1	Introduction	8
2.2	Background	8
2.3	Classification of Asphalt Mixtures	9
2.4	Components and Properties of Gap Graded Asphalt Mixture	10
2.5	Advantages and Disadvantages of Gap Graded Asphalt Mixture	11
2.6	Stabilizing Additives in Gap Graded Asphalt Mixture	12
2.7	Pavement Durability	14
2.7.1	Ageing Evaluation	15
2.7.1(a)	Rheological Properties	17
2.7.1(b)	Chemical Properties	21
2.7.1(c)	Ageing Indicators and Testing	22
2.7.2	Moisture Damage Evaluation	27
2.8	Asphalt Mixture Performance Evaluation	32
2.8.1	Resistance to Stripping	32
2.8.2	Resistance to Rutting	38
2.8.3	Resistance to Fatigue Cracking	44
2.9	Summary	50

## **CHAPTER THREE: MATERIALS AND METHODOLOGY**

3.1	Introduction	53
3.2	Materials	53
3.2.1	Asphalt Binder	53
3.2.2	Aggregate	54
3.2.3	Filler Material	58
3.2.3(a)	Calcium Carbonate	59
3.2.3(b)	Treated Palm Oil Fuel Ash	60
3.2.3(c)	Ordinary Portland Cement	62
3.3	Experimental Plan	62
3.4	Sample Preparation	65
3.4.1	Asphalt Mastics Preparation	65
3.4.1(a)	Short-Term Aged for Asphalt Mastics	66
3.4.1(b)	Long-Term Aged for Asphalt Mastics	66
3.4.2	Experimental Plan for Asphalt Mastics	67
3.4.3	Asphalt Mixture Preparation	68
3.4.3(a)	Mixing	68
3.4.3(b)	Compaction	70
3.4.3(c)	Coring and Cutting of Sample	73
3.4.4	Moisture Conditioning	75
3.4.5	Long-Term Ageing Procedure	80



3.5	Determination of Optimum Binder Content	81
3.6	Mixture Moisture Susceptibility	83
3.7	Workability and Compactability of Mixture	83
3.8	Sample Preparation for Stripping Test	83
3.9	Asphalt Mastics Test	84
3.9.1	Penetration and Softening Point	84
3.9.2	Rotational Viscosity Test	85
3.9.3	Dynamic Shear Rheometer	85
3.9.3(a)	Temperature Sweep	86
3.9.3(b)	Multiple Stress Creep and Recovery	86
3.9.4	Fourier Transform Infrared Spectroscopy Test	89
3.9.5	Stripping Test Using Mechanical Shaker	90
3.10	Asphalt Mixture Performance Test	93
3.10.1	Indirect Tensile Strength	93
3.10.1(a)	Analysis Using the 3Dimensional Technique	94
3.10.2	Resilient Modulus	97
3.10.3	Dynamic Creep	98
3.10.4	Hamburg Wheel Tracking	99
3.10.5	Simple Performance Test	102
3.10.6	Flexural Beam Fatigue	104
3.11	Summary	106

## **CHAPTER FOUR: RHEOLOGICAL PROPERTIES OF ASPHALT MASTICS**

4.1	Introduction	107
4.2	Properties of Asphalt Mastics	108
4.2.1	Penetration	108
4.2.2	Softening Point	109
4.2.3	Viscosity	111
4.2.3(a)	Viscosity Ageing Increment	115
4.2.3(b)	Viscosity Analysis at High Temperatures	116
4.3	Rheological Properties of Asphalt Mastics	120
4.3.1	Effects of Filler Contents on $G^*$ and $\delta$	120
4.3.2	Rutting Parameter of Asphalt Mastics	125
4.3.3	Fatigue Parameter of Asphalt Mastics	129
4.3.4	Evaluation of Rutting Resistance Based on MSCR Test	133
4.3.4(a)	Stress Sensitivity	136
4.3.5	Correlation between $G^*/\sin \delta$ and $J_{nr}$ for Asphalt Mastics	137
4.4	Fourier Transform Infrared Spectroscopy	137
4.5	Stripping Test Using Mechanical Shaker	142
4.6	Summary	143

## **CHAPTER FIVE: ENGINEERING PROPERTIES OF MIXTURE**

5.1	Introduction	144
5.2	Mixture Volumetric Properties and Performance	144
5.2.1	Determination of Binder Content	145
5.2.2	Mixture Moisture Susceptibility	148
5.3	Degree of Compaction	148
5.4	Ease of Compaction	150
5.4.1	Workability Index	150
5.4.2	Compaction Energy Index	153
5.4.3	Correlation between Compaction Energy and Workability Indices	155
5.4.4	Traffic Densification Index	157
5.5	Effects of Ageing Method on Mixture Indirect Tensile Strength	158
5.6	Effects of Test Temperature and Ageing on Mixture Resilient Modulus	159
5.7	Effects of Temperature on Mixture Dynamic Creep	162
5.8	Relationship between Cumulative Strain and Number of Loading Cycle	163
5.9	Comparison between Engineering Properties of Mixture and SMA	166
5.10	Summary	167

**CHAPTER SIX: EFFECTS OF AGEING AND MOISTURE  
CONDITIONING ON MIXTURE PERFORMANCE**

6.1	Introduction	168
6.2	Investigation on the Effects of Ageing and Moisture on ITS	169
6.2.1	Combined Effects on Indirect Tensile Strength Ratio	171
6.2.2	Combined Effects on Adhesion Failure and Broken Aggregate Using 3-D Imaging Technique	172
6.3	Investigation on the Effects of Ageing and Moisture on $M_R$	176
6.4	Effects of Ageing and Moisture on Rutting Using HWTT	180
6.5	Effects of Ageing and Moisture on Rutting Using SPT	185
6.6	Investigation on the Effects of Ageing and Moisture on Fatigue Life	196
6.6.1	Impact of Stress Level on Dissipated Energy	196
6.6.2	Impact of Stress Level on Cumulative Dissipated Energy	199
6.6.3	Impact of Stress Level on Stiffness Modulus	204
6.6.4	Influence of Ageing and Moisture Damage Process on Flexural Stiffness	206
6.7	Summary	208

## **CHAPTER SEVEN: CONCLUSIONS AND RECOMMENDATIONS**

7.1	Introduction	210
7.2	Conclusions	211
7.3	Recommendations for Future Work	213

<b>REFERENCES</b>	<b>215</b>
-------------------	------------

## **APPENDICES**

Appendix A: Asphalt Binder Experimental Data

Appendix B: Asphalt Mixture Experimental Data

Appendix C: Combined Effects on Adhesive Failure and Broken Aggregate

Appendix D: Fatigue Test Experimental Data

## **LIST OF PUBLICATIONS**

## LIST OF TABLES

	Page
Table 2.1 Advantages and Disadvantages of GGAM	12
Table 2.2 DSR Test Results of Modified Asphalt (Chen and Xu, 2010)	19
Table 2.3 Aging Indicators for Binders and Asphalt Mixtures (Hagos, 2008)	23
Table 2.4 Testing After Ageing Treatment (Fernández-Gómez,2013)	24
Table 2.5 Stiffness Modulus Calculated at Some Representative Frequencies (Losa et al., 2012)	27
Table 2.6 Rut Depth in SMA Mixtures (Hafeez et al., 2016)	42
Table 2.7 Correlations Between Rut Stiffness Factors and Rut Depth (Ahmad et al., 2011)	43
Table 3.1 Properties of Base Binder	54
Table 3.2 Aggregate Sizes and Bin Designations	55
Table 3.3 Aggregate Gradation Developed by OPUS International	55
Table 3.4 Specific Gravity and Water Absorption of GCA	56
Table 3.5 Flakiness and Elongation Indices of GCA	57
Table 3.6 Abrasion and Crushing Values of GCA	57
Table 3.7 Polished Stone Values of GCA Test Results	58
Table 3.8 Specific Gravity of Fillers	59
Table 3.9 Asphalt Mastics Designation	65
Table 3.10 Asphalt Mixtures Designation	69
Table 3.11 Compaction Parameters for Different Tests	71

Table 3.12	Compaction Parameters for Flexural Beam Fatigue Test	72
Table 3.13	The Procedures for Moisture Conditioning	76
Table 3.14	Binder and Filler Content for OBC Determination	81
Table 3.15	Properties of Mixture Design	82
Table 3.16	Parameters for Resilient Modulus Test	99
Table 3.17	Parameters for Dynamic Creep Test	100
Table 3.18	Parameters for the Wheel Tracking Test	101
Table 3.19	Parameters for the Simple Performance Test	104
Table 3.20	Specimens Geometry	105
Table 3.21	Test Program of 4PB Fatigue Test	106
Table 4.1	ANOVA Analysis of Viscosity for CO	114
Table 4.2	ANOVA Analysis of Viscosity for CP	114
Table 4.3	VAI of Asphalt Mastics	115
Table 4.4	ANOVA Analysis of $G^*$ for CO	124
Table 4.5	ANOVA Analysis of $G^*$ for CP	125
Table 4.6	Stress Sensitivity of Asphalt Mastics	136
Table 4.7	Oxidation Indices of Base Binder	139
Table 5.1	The OBC Obtained for the Proposed Mixtures	148
Table 5.2	Variation of Indirect Tensile Strength Ratio (%)	148
Table 5.3	Determine of Traffic Densification Index	158
Table 5.4	ANOVA Analysis of $M_R$	161

Table 5.5	Dynamic Creep Test Result of Mixture Exposure to STA	162
Table 5.6	Coefficients of the Linear Relationship between Cumulative Strain and Time of Loading for Primary and Secondary Slopes	166
Table 5.7	Comparison of Engineering Properties	167
Table 6.1	Two-way ANOVA Results of ITS	170
Table 6.2	Effect of Ageing on Resilient Modulus	178
Table 6.3	Two-way ANOVA Analysis of $M_R$	179
Table 6.4	Comparison of Dynamic Modulus Ratios	185
Table 6.5	Impact of Stress Level on Dissipated Energy	197
Table 6.6	The Relationship between Cumulative Dissipated Energy and Fatigue Life	203



## LIST OF FIGURES

		<b>Page</b>
Figure 2.1	Classification of Asphalt Mixtures According to the Gradation Method	9
Figure 2.2	Major Components and Aggregate Skeleton of Mixture	11
Figure 2.3	Stiffening Effects of Fillers on $G^*/\sin \delta$ for Base Asphalt and Filler-asphalt Mastics (Liao et al., 2013)	13
Figure 2.4	Viscosity for Base and Modified Asphalt Binder (Tabatabaei, 2012)	17
Figure 2.5	Effects of Ageing on $G^*$ and $\delta$ (Hagos, 2008)	18
Figure 2.6	Jnr Obtained from MSCR Test at Different Testing Temperatures (Zhang et al., 2015)	20
Figure 2.7	FTIR Spectra of Control Asphalt Binder at Various Ageing Processes (Yao et al., 2013)	21
Figure 2.8	Creep Stiffness and Cumulative Micro-Strain Versus Temperature (Hamzah and Omranian, 2015)	25
Figure 2.9	Indirect Tensile Strength Result (Masoudi et al., 2017)	26
Figure 2.10	Schematic of the New Approach Towards Moisture Induced Damage (Kringos and Scarpas, 2008)	28
Figure 2.11	Factors Influencing Moisture Damage in Asphalt Mixtures (Copeland, 2007)	29
Figure 2.12	Two Possible Moisture Damage Mechanisms under the Same Attributes (Caro et al., 2008)	30
Figure 2.13	Effect of Degree of Saturation on Tensile Strength Ratio% (Mostafa et al., 2006)	33
Figure 2.14	Adhesive Versus Cohesive Bond Failure Based on Asphalt Film Thickness (Little and Jones, 2003)	34
Figure 2.15	Modified Lottman AASHTO T283 Test Results for Asphalt Mixtures (Al-Qadi et al., 2014)	35
Figure 2.16	Image Analysis Steps for HMA With Two Types of Aggregates (Amelian et al., 2014)	36

Figure 2.17	Adhesive Behavior of PG-64 WMA Mixtures Incorporating Surfactant-Based Additive (Hamzah et al., 2017)	37
Figure 2.18	Rutting Types on Asphalt Pavements (Abdallah and Nazarian, 2011)	38
Figure 2.19	Relationship Between Total Cumulative Permanent Deformation and Number of Loading Cycles (Brown et al., 2001)	39
Figure 2.20	Comparison of Rutting Depth with Different Air Voids (Suo and Wong, 2009)	41
Figure 2.21	Wheel Tracking Test Results for Asphalt Mixtures (Al-Qadi et al., 2014)	42
Figure 2.22	Rut Comparison Between SMA and ACW 14 Mixtures (Oluwasola et al., 2016)	44
Figure 2.23	Dissipated Energy Versus Number of Load Cycles to Failure Using Two Modes of Loading (Sarsam, 2016)	48
Figure 2.24	Ratio of Dissipated Energy Change Curve for Asphalt Binder (Shen and Carpenter, 2006)	49
Figure 2.25	Behavior of Long Term Aged Mixtures (Sarsam, 2016)	50
Figure 3.1	XRD Diffractogram of CaCO <sub>3</sub>	60
Figure 3.2	XRD Diffractogram of TPOFA	61
Figure 3.3	XRD Diffractogram of OPC	62
Figure 3.4	Research Methodology Flowchart	63
Figure 3.5	Experimental Plan for Asphalt Mastics	67
Figure 3.6	Mixing and Compaction Temperatures for Base Binder	68
Figure 3.7	Schematic Diagram of the Vacuum Chamber	78
Figure 3.8	Typical MSCR Response Curves	88
Figure 4.1	Penetration of Asphalt Mastics Subjected to Ageing	108
Figure 4.2	Softening Point of Asphalt Mastics Subjected to Ageing	110

Figure 4.3	Viscosity Versus Temperature Subjected to Aging	111
Figure 4.4	Viscosity of Asphalt Mastics at Different Temperatures	112
Figure 4.5	Temperature Versus Non-Dimensional Viscosity Relationship	117
Figure 4.6	Temperature Versus Non-Dimensional Viscosity Relationship of Un-Aged Asphalt Mastics	118
Figure 4.7	Temperature Versus Non-Dimensional Viscosity Relationship of STA Asphalt Mastics	119
Figure 4.8	$G^*$ and $\delta$ of Un-Aged Asphalt Mastics	121
Figure 4.9	$G^*$ and $\delta$ of STA Asphalt Mastics	122
Figure 4.10	$G^*$ and $\delta$ of LTA Asphalt Mastics	123
Figure 4.11	$G^*/\sin \delta$ of Un-Aged Asphalt Mastics	126
Figure 4.12	$G^*/\sin \delta$ of STA Asphalt Mastics	127
Figure 4.13	Temperature Aging Index	128
Figure 4.14	Temperature Failure of Asphalt Mastics	129
Figure 4.15	$G^*\sin\delta$ of LTA Asphalt Mastics	130
Figure 4.16	Percentage Change of $G^*\sin \delta$ at Intermediate Temperatures	131
Figure 4.17	Phase angle of Asphalt Mastics at Intermediate Temperatures	132
Figure 4.18	Jnr of Asphalt Mastics Under Different Stress Levels	133
Figure 4.19	R% of Asphalt Mastics Under Different Stress Levels	135
Figure 4.20	Correlation between Jnr and $G^*/\sin \delta$	137
Figure 4.21	Infrared Spectrum of Base Binder	138
Figure 4.22	Characteristic Peaks Around the Aromatics and Sulfoxides for CO	140

Figure 4.23	Characteristic Peaks Around the Aromatics and Sulfoxides for CP	141
Figure 4.24	The Effects of Anti-Stripping Agent on Asphalt Mastics	142
Figure 5.1	Test Plan Flow Chart to Determine Mixture Performance	145
Figure 5.2	Graphs Illustrating Determination OBC of GGCO	146
Figure 5.3	Graphs Illustrating Determination OBC of GGCP	147
Figure 5.4	Degree of Compaction for Mixture Compacted at 150°C	149
Figure 5.5	Densification Curves of Mixture	152
Figure 5.6	Relationship Between WI and Binder Content	153
Figure 5.7	Graphical Illustration of Compaction Energy Index of Mixture	154
Figure 5.8	Relationship Between CEI and Binder Content	155
Figure 5.9	Correlation between CEI and WI	156
Figure 5.10	Graphical Illustration of Traffic Densification Index	157
Figure 5.11	Indirect Tensile Strength Test Results	159
Figure 5.12	Resilient Modulus Test Results	160
Figure 5.13	Relationship Between Log Cumulative Strain Versus Log Time of Loading for GGCO	164
Figure 5.14	Relationship Between Log Cumulative Strain Versus Log Time of Loading for GGCP	165
Figure 6.1	Effects of Ageing and Moisture Conditioning Methods on ITS	169
Figure 6.2	Effects of Ageing and Moisture Conditioning Methods on ITSR (%)	171
Figure 6.3	Effects of Ageing and Moisture Conditioning Methods on Adhesive Failure (%)	174

Figure 6.4	Effects of Ageing and Moisture Conditioning Methods on the % Broken Aggregate	175
Figure 6.5	Effects of Ageing and Moisture Conditioning Methods on $M_R$ of GGCO	176
Figure 6.6	Effects of Ageing and Moisture Conditioning Methods on $M_R$ of GGCP	177
Figure 6.7	Effects of Ageing and Moisture Conditioning Methods on the Rut Depth	181
Figure 6.8	Effects of Ageing and Moisture Conditioning Methods on Stripping Inflection Point	182
Figure 6.9	Effects of Ageing and Moisture Conditioning Methods on the Dynamic Stability	183
Figure 6.10	Relationship Between Rut Depth and Dynamic Stability	184
Figure 6.11	Effects of Ageing on $E^*$ and $(\Phi^\circ)$ for GGCO	186
Figure 6.12	Effects of Ageing on $E^*$ and $(\Phi^\circ)$ for GGCP	187
Figure 6.13	Comparison of Measured Dynamic Modulus at 4.4°C for GGCO	189
Figure 6.14	Comparison of Measured Dynamic Modulus at 37.8°C GGCO	190
Figure 6.15	Comparison of Measured Dynamic Modulus at 4.4°C for GGCP	191
Figure 6.16	Comparison of Measured Dynamic Modulus at 37.8°C for GGCP	192
Figure 6.17	Rut Depth vs. Rutting Factor at 37.8°C for GGCO	193
Figure 6.18	Rut Depth vs. Rutting Factor at 37.8°C for GGCP	194
Figure 6.19	Effects of Ageing and Moisture Conditioning Methods on FN	195
Figure 6.20	Impact of Various Stress Levels on Dissipated Energy	198
Figure 6.21	Impact of Stress Level on Accumulative Dissipated Energy of GGCO	201

Figure 6.22	Impact of Stress Level on Accumulative Dissipated Energy of GGCP	202
Figure 6.23	The Relationship Between Stress Level and Fatigue Life	203
Figure 6.24	An Illustration on Loss of Stiffness with Number of Cycles	204
Figure 6.25	Relationship between Initial Stiffness and Fatigue Life of GGCP	206
Figure 6.26	The Relationship Between Stiffness and Load Cycle	207
Figure 7.1	Schematic of Conventional Versus Sequential Mixing Methods	214

## LIST OF PLATES

		<b>Page</b>
Plate 2.1	Development Stages of Fatigue Cracking (Stubbs, 2011)	45
Plate 3.1	CaCO <sub>3</sub> White Powder	59
Plate 3.2	Production of TPOFA	61
Plate 3.3	Rolling Thin Film Oven	66
Plate 3.4	PAV and Vacuum Degassing Oven	66
Plate 3.5	Mixing Process	69
Plate 3.6	Gyratory Compactor	70
Plate 3.7	Shear Box Compactor Device	71
Plate 3.8	Illustration of the Compaction Process	73
Plate 3.9	Sample Preparation for Simple Performance Test	74
Plate 3.10	Beam Samples were Cut and Trimmed	75
Plate 3.11	Desiccator	76
Plate 3.12	Fabricated Vacuum Device for Beam Samples Conditioning	77
Plate 3.13	Moisture Conditioning Methods	79
Plate 3.14	Different Long-Term Ageing Conditions	80
Plate 3.15	Determination of the Bulk and Maximum Specific Gravity	82
Plate 3.16	Preparation of Samples for Stripping Test	84
Plate 3.17	Brookfield Rotational Viscometer Device	85

Plate 3.18	DSR Equipment	86
Plate 3.19	Spectrometer PerkinElmer Device	89
Plate 3.20	Mechanical Shaker Machine	91
Plate 3.21	Test Procedure	91
Plate 3.22	The Process of Drying Water	92
Plate 3.23	Indirect Tensile Strength Test Procedures	94
Plate 3.24	The Position of images captured	95
Plate 3.25	2-D Photos for Fractured Surface of Sample	95
Plate 3.26	3-D Photo of Fractured Surface After Segmentation	96
Plate 3.27	Conversion of the 3-D Model into Grayscale and Classified Image	97
Plate 3.28	Resilient Modulus Test Apparatus	98
Plate 3.29	Dynamic Creep Test Apparatus	99
Plate 3.30	Wheel Tracking Apparatus	100
Plate 3.31	Wheel Tracking Samples	100
Plate 3.32	Simple Performance Test	103
Plate 3.33	Four-Point Bending Test	105
Plate 6.1	Grayscale and Classified Image Analysis in 3-D Model	173
Plate 6.2	Actual Specimen Set-Up for FN Test	194